PROJECT DEVELOPMENT PHASE SPRINT-2 SOURCE CODE

DATE	07 NOVEMBER 2022
TEAM ID	PNT2022TMID37095
PROJECT NAME	DEVELOPING A FLIGHT
	DELAY PREDICTION MODEL
	USING MACHINE LEARNING
MAXIMUM MARKS	8 MARKS

home.php:

```
<?php require_once "controllerUserData.php"; ?>
 <?php
 $email = $_SESSION['email'];
 $password = $ SESSION['password'];
 if($email != false && $password != false){
   $sql = "SELECT * FROM usertable WHERE email = '$email'";
   $run_Sql = mysqli_query($con, $sql);
   if($run_Sql){
     $fetch_info = mysqli_fetch_assoc($run_Sql);
     $status = $fetch_info['status'];
     $code = $fetch_info['code'];
     if($status == "verified"){
       if($code != 0)
       {header('Location: reset-code.php');
       }
     }else{
       header('Location: user-otp.php');
     }
   }
}else{
header('Location: login-user.php')
```

```
}
 ?>
 <!DOCTYPE html>
 <html>
 <head>
   <meta charset="UTF-8">
   <title><?php echo $fetch_info['name'] ?> | FLIGHT DELAY</title>
  <style>
  label{
   font-size:120%;
   color:#ffffff;
 }
 body{
   background-image: url('wallpaper (13).jpg');
   background-color: black;
   background-repeat: no-repeat;
 background-attachment: fixed;
 background-size: 100% 100%;
 }
 h1{
   text-align: center;
   color: white;
   font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial,
 sans-serif
 }
 .cols{
  width: 470px;
  height: 25px;
  border:none;
  font-size:large;
```

```
background-color:transparent;
 margin:5px;
 box-sizing: border-box;
}
table{
  align-items: center;
  margin-top:45px;
}
input{
  color: rgb(255, 255, 255);
}
th{
  font-size:1.39em;
  text-align:center;
  color:#fdfdfd;
}
input[type=submit] {
  background-color: #04AA6D;
  color:#fdfdfd;
  padding: 12px 20px;
  margin-left: 350px;
  border: none;
  border-radius: 4px;
  cursor: pointer;
  float: left;
  font-family: cursive;
}
input[type=text], select,
textarea,input[type=time],input[type=calendar],input[type=number], input[type=month] {
  width: 100%;
  padding: 12px;
```

```
border: 1px solid #fdfdfd;
  border-radius: 4px;
  padding: 5px;
}
#region,#country{
  width: 100%;
  padding: 5px;
  border: 1px solid #fdfdfd;
  border-radius: 4px;
 font-family: cursive;
  font-size:medium;
  background-color:transparent;
  margin:5px;
  box-sizing:border-box;
  color:#fdfdfd;
}
.col-25 {
  float: left;
  margin-left: 100px;
  width: 30%;
  margin-top: 13px;
  font-family:cursive;
}
.col-75 {
  margin-left: 100px;
  width: 30%;
  float: left;
  margin-top: 13px;
  font-family:cursive;
```

```
color: #fdfdfd;
}
.button:after {
  content: "";
  display: table;
  clear: both;
}
ul {
  list-style-type: none;
  margin: 0;
  padding: 0;
  overflow: hidden;
}
li {
  float: left;
}
li a {
  display: block;
  color:#fdfdfd;
  text-align: center;
padding: 14px 16px;
 text-decoration: none;
 font-family: cursive;
}
li a:hover {
 background-color:#000000;
 width: auto;
}
  </style>
</head>
```

```
<body>
style="color:#fdfdfd;font-family:cursive;font-weight: bolder;font-size: xx-
large;">Flight Delay Prediction
   style="float:right"><a href="logout-user.php">LogOut</a>
   <a href="about.php">About</a>
  <form action="result.php" method="POST" name="register" autocomplete="">
  <label >Enter Flight Number</label>
    <input class="cols" type="text" placeholder="Enter Flight Number"
required name="FlightNumber" >
   <label>Month</label>
   <input class="cols"type="month" placeholder="Month" required
name="Month">
   <label>Origin</label>
    <select id="country" required>
      <option value="region" selected style="color: black;">India</option>
      <option value="region" style="color: black;">Mumbai
      <option value="region" style="color: black;">Kanada</option>
      <option value="region" style="color: black;">England</option>
```

```
<option value="region" style="color: black;">alt</option>
      </select>
     <label>Destination</label>
    <select id="region" required>
      <option value="region" selected style="color: black;">India</option>
      <option value="region" style="color: black;">Mumbai
      <option value="region" style="color: black;">Kanada</option>
      <option value="region" style="color: black;">England</option>
      <option value="region" style="color: black;">alt</option>
      </select>
    <label>Scheduled Departure Time</label>
     <input class="cols" type="time" placeholder=" Scheduled
Departure Time" required name="Departuretime" ><br>
   <label>Scheduled Arrival Time</label>
     <input class="cols" type="time" placeholder="Scheduled Arrival
Time"required name="Arrivaltime" ><br>
   <label>Actual Departure Time</label>
    <input class="cols" type="time" placeholder="Actual Departure
Time" required name="Actualdeparturetime">
```

```
<br><input class="button" type="submit" name="submit" ><br>
  </form>
</body>
</html>
Result.php:
<?php require_once "controllerUserData.php"; ?>
<?php
$email = $_SESSION['email'];
$password = $_SESSION['password'];
if($email != false && $password != false){
  $sql = "SELECT * FROM usertable WHERE email = '$email'";
  $run_Sql = mysqli_query($con, $sql);
  if($run_Sql){
    $fetch_info = mysqli_fetch_assoc($run_Sql);
    $status = $fetch_info['status'];
    $code = $fetch info['code'];
    if($status == "verified"){
      if($code != 0){
        header('Location: reset-code.php');
      }
    }else{
      header('Location: user-otp.php');
    }
  }
}else{
  header('Location: login-user.php');
}
?>
```

<!DOCTYPE html>

```
<html>
<head>
  <meta charset="UTF-8">
  <title><?php echo $fetch_info['name'] ?> | Home</title>
 <style>
 label{
  font-size:120%;
  color:#ffffff;
}
body{
  background-image: url('wallpaper (13).jpg');
  background-color: black;
  background-repeat: no-repeat;
background-attachment: fixed;
background-size: 100% 100%;
}
h1{
  text-align: center;
  color: white;
  font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial,
sans-serif
}
.cols{
 width: 470px;
 height: 25px;
 border:none;
 font-size:large;
 background-color:transparent;
 margin:5px;
 box-sizing: border-box;
```

```
}
.cont{
  font-size:30px;
  font-family:cursive;
  color:#fdfdfd;
  margin-top:100px;
  margin-left:30px;
}
.cont1{
  font-size:30px;
  font-family:cursive;
  color:#fdfdfd;
  margin-top:100px;
  margin-left:30px;
}
input{
  color: rgb(255, 255, 255);
}
th{
  font-size:1.39em;
  text-align:center;
  color:#fdfdfd;
}
input[type=submit] {
  background-color: #04AA6D;
  color:#fdfdfd;
  padding: 12px 20px;
  margin-left: 350px;
  border: none;
  border-radius: 4px;
```

```
cursor: pointer;
         float: left;
         font-family: cursive;
}
input[type=text], select,
textarea, input[type=time], input[type=calendar], input[type=number], input[type=month] \ \{ input[type=time], input[type=calendar], input[type=number], input[type=month], input[type=
         width: 100%;
         padding: 12px;
         border: 1px solid #fdfdfd;
         border-radius: 4px;
         padding: 5px;
}
#region,#country{
         width: 100%;
         padding: 5px;
         border: 1px solid #fdfdfd;
         border-radius: 4px;
       font-family: cursive;
         font-size:medium;
         background-color:transparent;
         margin:5px;
         box-sizing:border-box;
          color:#fdfdfd;
}
.col-25 {
         float: left;
         margin-left: 100px;
         width: 30%;
          margin-top: 13px;
         font-family:cursive;
```

```
}
.col-75 {
  margin-left: 100px;
  width: 30%;
  float: left;
  margin-top: 13px;
  font-family:cursive;
  color: #fdfdfd;
}
.button:after {
  content: "";
  display: table;
  clear: both;
}
ul {
  list-style-type: none;
  margin:center;
  padding: 0;
  overflow: hidden;
}
li {
  float: left;
}
li a {
  display: block;
  color:#fdfdfd;
  text-align: center;
padding: 14px 16px;
 text-decoration: none;
 font-family: cursive;
```

```
}
li a:hover {
 background-color:#000000;
 width: auto;
}
 </style>
</head>
<body>
style="color:#fdfdfd;font-family:cursive;font-weight: bolder;font-size: xx-
large;">FLIGTH DELAY DURATION
    style="float:right"><a href="logout-user.php">LogOut</a>
<div class="cont">
   Actual Arrival Time:
 </div>
<div class="cont1">
   Delay Time Duration:
 </div>
 </form>
</body>
</html>
Logout-user.php:
<?php
session_start();
session_unset();
session_destroy();
header('location: login-user.php');
?>
```

About.php:

```
<?php require_once "controllerUserData.php"; ?>
<?php
$email = $_SESSION['email'];
$password = $_SESSION['password'];
if($email != false && $password != false){
  $sql = "SELECT * FROM usertable WHERE email = '$email'";
  $run_Sql = mysqli_query($con, $sql);
  if($run_Sql){
    $fetch_info = mysqli_fetch_assoc($run_Sql);
    $status = $fetch_info['status'];
    $code = $fetch info['code'];
    if($status == "verified"){
      if($code != 0){
        header('Location: reset-code.php');
      }
    }else{
      header('Location: user-otp.php');
    }
  }
}else{
  header('Location: login-user.php');
}
?>
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <title><?php echo $fetch info['name'] ?> | Home</title>
```

```
<style>
 label{
  font-size:120%;
  color:#ffffff;
}
body{
  background-image: url('wallpaper (13).jpg');
  background-color: black;
  background-repeat: no-repeat;
background-attachment: fixed;
background-size: 100% 100%;
}
h1{
  text-align: center;
  color: white;
  font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial,
sans-serif
}
.cols{
 width: 470px;
 height: 25px;
 border:none;
 font-size:large;
 background-color:transparent;
 margin:5px;
 box-sizing: border-box;
}
.cont{
  font-size:30px;
  font-family:cursive;
  color:#fdfdfd;
```

```
margin-top:25px;
  margin-left:20px;
}
.cont1{
  font-size:20px;
  font-family:cursive;
  color:#fdfdfd;
  margin-top:30px;
  margin-left:20px;
  margin-right:700px;
}
input{
  color: rgb(255, 255, 255);
}
th{
  font-size:1.39em;
  text-align:center;
  color:#fdfdfd;
}
input[type=submit] {
  background-color: #04AA6D;
  color:#fdfdfd;
  padding: 12px 20px;
  margin-left: 350px;
  border: none;
  border-radius: 4px;
  cursor: pointer;
  float: left;
  font-family: cursive;
}
```

```
input[type=text], select,
textarea, input[type=time], input[type=calendar], input[type=number], input[type=month] \ \{ input[type=time], input[ty
         width: 100%;
         padding: 12px;
         border: 1px solid #fdfdfd;
         border-radius: 4px;
         padding: 5px;
}
#region,#country{
         width: 100%;
         padding: 5px;
         border: 1px solid #fdfdfd;
         border-radius: 4px;
        font-family: cursive;
         font-size:medium;
         background-color:transparent;
         margin:5px;
         box-sizing:border-box;
         color:#fdfdfd;
}
.col-25 {
         float: left;
         margin-left: 100px;
         width: 30%;
         margin-top: 13px;
         font-family:cursive;
}
.col-75 {
         margin-left: 100px;
         width: 30%;
```

```
float: left;
  margin-top: 13px;
  font-family:cursive;
  color: #fdfdfd;
}
.button:after {
  content: "";
  display: table;
  clear: both;
}
ul {
  list-style-type: none;
  margin:center;
  padding: 0;
  overflow: hidden;
}
li {
  float: left;
}
li a {
  display: block;
  color:#fdfdfd;
  text-align: center;
padding: 14px 16px;
 text-decoration: none;
 font-family: cursive;
}
li a:hover {
 background-color:#000000;
 width: auto;
```

```
}
  </style>
</head>
<body>
style="color:#fdfdfd;font-family:cursive;font-weight: bolder;font-size: xx-
large;">FLIGTH DELAY DURATION
    <a href="logout-user.php" >LogOut</a>
   <div class="cont">
 Developing A Flight Delay Prediction Model Using Machine Learning
</div>
<div class="cont1" >
</div>
  </form>
</body>
</html>
```