

Assignment-3


Date	10October2022
TeamID	PNT2022TMID30621
ProjectName	SkillandJobRecommenderA
	pplication

1. CREATE A BUCKET IN IBM OBJECT STORAGE.




Upload an 5 images to ibm object storage and make it public. Writehtmlcodetodisplaying all the 5 images.







2. Upload a css page to the object storage and use the same page in yourHTMLcode.



```
script:
window.watsonAssistantChatOptions = {
   integrationID: "ae181292-a140-4a37-9496-a0765d2ef42a", // The ID of this integration.
   region: "us-south", // The region your integration is hosted in.
   serviceInstanceID: "233da4c5-129a-4807-9c4c-961d868ee119", // The ID of your service instance.
                 onLoad: function(instance) { instance.render(); }
                const t=document.createElement('script');
t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
}.
});
</script>
</head>
<
<hr/>
<inputtype="file"name="file"/>
<hr/>
<inputtype="submit"/>
</form>
<br/>
<br/>
<br/>
chr/s
\{\text{divstyle="border:1pxsolid#EFEFEF; margin:10px;">
\text{divstyle="border:1pxsolid#EFEFEF; margin:10px;">
\text{divstyle="border:1pxsolid#EFEFEFEF; margin:10px;">
\text{divstyle="border:1pxsolid#EFEFEFEFEF; margin:10px;"
</div>
```

3. Design achatbotusing IBMW atson assistant for hospital.






WebURL for Assistant:


https://web-


chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F %2Fus-south.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-233da4c5-129a-4807-9c4c-961d868ee119%3A%3Aaee7fa08-b947-43b6-9739-f0c943bf27bc&integratio

4. Create Watson assistant service with 10 steps and use 3 conditions init.Load thatscriptin HTML page.



Included3conditions insteps:





Index.html

```
<!DOCTYPEhtml>
<htmllang="en">
 <head>
  <metacharset="UTF-8"/>
  <metahttp-equiv="X-UA-Compatible"content="IE=edge"/>
  <metaname="viewport"content="width=device-width,initial-scale=1.0"/>
  <title>Home</title>
k rel="stylesheet" href="{{url_for('redirect_to',link='https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/cloudbucket/assign3.css')}}"type="text/css">
<script>
 window.watsonAssistantChatOptions = {
  integrationID: "ae181292-a140-4a37-9496-a0765d2ef42a", // The ID of this integration.
  region: "us-south", // The region your integration is hosted in.
  serviceInstanceID: "233da4c5-129a-4807-9c4c-961d868ee119", // The ID of your service instance.
  onLoad: function(instance) { instance.render(); }
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
 });
</script>
 </head>
 <body>
  <formaction="/uploader"method="POST"enctype="multipart/form-data">
   <inputtype="text"placeholder="Enterfilename"name="filename"/>
   <br/>
   \langle br/ \rangle
   <inputtype="file"name="file"/>
   <br/>
   <br/>
   <inputtype="submit"/>
```

```
</form>
  <br/>
  <br/>br/>
  <br/>br/>
  {% forrowinfiles %}
     <divstyle="border:1pxsolid#EFEFEF;margin:10px;">
      <h3>Filename:{{row}}</h3>
      <img src="https://cloudbucket.s3.jp-tok.cloud-object-
storage.appdomain.cloud/{{row}}"width="150px">
     </div>
   { % endfor % }
 </body>
</html>
App.py
import io
from flask import
Flask,redirect,url_for,render_template,requestimport ibm_boto3
fromibm_botocore.client importConfig,ClientError
COS_ENDPOINT="https://s3.jp-tok.cloud-object-
storage.appdomain.cloud"COS_API_KEY_ID=""
COS_INSTANCE_CRN=""
\cos =
  ibm_boto3.resource("s3",ibm_api_key_id=COS_A
  PI_KEY_ID,ibm_service_instance_id=COS_INST
  ANCE_CRN,config=Config(signature_version="oa
  uth"),endpoint_url=COS_ENDPOINT
```

)

```
app=Flask(name)
@app.route('/')
def
index():try:
     files =
     cos.Bucket('cloudbucket').objects.all()files_n
     ames=[]
     for file in
       files:files_names.append(file
       .key)print(file)
       print("Item: {0} ({1} bytes).".format(file.key,
     file.size))returnrender_template('index.html',files=files_na
     mes)
 exceptClientErrorasbe:
     print("CLIENT ERROR:
     {0}\n".format(be))returnrender_template('in
     dex.html')
 exceptExceptionase:
     print("Unable to retrieve bucket contents:
     {0}".format(e))returnrender_template('index.html')
@app.route('/uploader',methods=['POST'])
upload():name_file=request.form['filenam
e']
f =
 request.files['file']try:
   part_size=1024 * 1024 * 5
```

```
file_threshold=1024* 1024* 15
```

```
transfer\_config = $$ ibm\_boto 3.s 3.transfer. Transfer Config (multipart\_threshold, $$ shold=file\_threshold, $$
```

```
multipart_chunksize=part_size
     )
   content=f.read()
   cos.Object('cloudbucket',
         name_file).upload_fileobj(Fileobj=io.BytesIO
         (content), Config=transfer_config
       )
   returnredirect(url_for('index'))
 exceptClientErrorasbe:
     print("CLIENT ERROR:
     {0}\n".format(be))returnredirect(url_for('ind
     ex'))
 exceptExceptionase:
     print("Unable to complete multi-part upload:
     {0}".format(e))returnredirect(url_for('index'))
if name ==' main _
 ':app.run(host='0.0.0.0',port=8080,debug=Tru
 e
```