
# **ASSIGNMENT-2**

# IBM CLOUD DBS

Assignment Date	29 September 2022
Student Name	M.Navanitha
Student Roll Number	6130191060037
Maximum Marks	2 Marks


# **Questions:**


1. Create User table with user with email, username, roll number, password.




2. Perform UPDATE, DELETE Queries with user table.


### **UPDATE TABLE:-**





### **DELETE TABLE:-**





### 3. CONNECT PYTHON CODE TO DB2.

### **NOTE:- Question 4 contains Question 3 answer**

4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome page

#### **Answers**

#### App.py

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm db
import re
app = Flask(_name_)
app.secret_key =
conn = ibm_db.connect(
    "DATABASE=Db2New;HOSTNAME=19af6446-6171-4641-8aba-
9dcff8e1b6ff.clogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=30699;USERNAM
E=kgb92696;PASSWORD=31lWyGYU3bMIvwnX;SECURITY=SSL;SSLSERVERCERTIFICATE=DigiCer
tGlobalRootCA.crt;", "", "")
@app.route("/", methods=['GET', 'POST'])
def register():
    msg = ''
    if request.method == 'POST':
        username = request.form['username']
        email = request.form['email']
        password = request.form['password']
        sql = "SELECT * FROM users WHERE username =?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt, 1, username)
        ibm db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            msg = 'Account already exists !'
        elif not re.match(r'[^@]+@[^@]+\.[^@]+', email):
            msg = 'Invalid email address !'
        elif not re.match(r'[A-Za-z0-9]+', username):
            msg = 'name must contain only characters and numbers !'
```

```
else:
            insert_sql = "INSERT INTO users VALUES (?, ?, ?)"
            prep_stmt = ibm_db.prepare(conn, insert_sql)
            ibm_db.bind_param(prep_stmt, 1, username)
            ibm_db.bind_param(prep_stmt, 2, email)
            ibm_db.bind_param(prep_stmt, 3, password)
            ibm db.execute(prep stmt)
            msg = 'You have successfully registered !'
    elif request.method == 'POST':
        msg = 'Please fill out the form !'
    return render template('register.html', msg=msg)
@app.route('/login', methods=['GET', 'POST'])
def Login():
   qlobal userid
   msg = ''
    if request.method == 'POST':
        username = request.form['username']
        password = request.form['password']
        sql = "SELECT * FROM users WHERE username =? AND password=?"
        stmt = ibm db.prepare(conn, sql)
        ibm_db.bind_param(stmt, 1, username)
        ibm db.bind param(stmt, 2, password)
        ibm db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            session['loggedin'] = True
            session['id'] = account['USERNAME']
            userid = account['USERNAME']
            session['username'] = account['USERNAME']
            msg = 'Logged in successfully !'
            msg = 'Logged in successfully !'
            return render_template('dashboard.html', msg=msg)
        else:
            msg = 'Incorrect username / password !'
    return render_template('login.html', msg=msg)
if name == ' main ':
    app.run(host='0.0.0.0')
    # app.run(debug=True)
```

```
<html <pre>lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Register Form</title>
    <!-- bootstrap css cdn -->
    <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css
        integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="Style.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    k
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stvlesheet">
    link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stvlesheet">
</head>
<body>
    <!-- bootstrap navbar -->
    <!-- Login form -->
    <div class="login text-center mt-5">
        <form action="/" method="post">
            <h2 class="form-text-h2"> Register Form </h2>
            <div class="msg">{{ msg }}</div>
            <input type="text" class="form-control" name="username"</pre>
placeholder="Enter Your Username" id="username"
                reauired>
            <input type="email" class="form-control" name="email"</pre>
placeholder="Enter Your Email ID" id="email" required>
            <input type="password" class="form-control" name="password"</pre>
placeholder="Enter Your Password" id="password"
                required>
            <button type="submit" id="button" class="btn btn-primary">
Register </button>
```

### Login.html

```
<!DOCTYPE html>
<html <pre>lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Login Form </title>
    <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-</pre>
32x32.png">
    link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
         integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.css">
    <link rel="stylesheet" href="styless.css">
    <link rel="preconnect" href="https://fonts.gstatic.com">
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
```

```
k
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>
<body>
    <div class="login text-center mt-5">
        <form action="/login" method="post">
            <h2 class="form-text-h2"> Login Form </h2>
            <div class="msg">{{ msg }}</div>
            <div class="form-group mb-3">
                <label class="label" for="username">Username</label>
                <input type="text" class="form-control" placeholder="Username"</pre>
name="username" required>
            </div>
            <div class="form-group mb-3">
                <label class="label" for="password">Password</label>
                <input type="password" class="form-control"</pre>
placeholder="Password" name="password" required>
            </div>
            <button type="submit" id="button" class="btn btn-primary"> Login
</button>
            <div class="note mt-3 text-center">
                <!--Register form -->
                > Don't have an account yet? Click here to <a</p>
href="/">register! </a> 
            </div>
        </form>
    </div>
</body>
</html>
```

### Style.css


```
* {
    margin: 0;
    padding: 0;
}
body {
    color: #444444;
    background:linear-gradient(-45deg, #EE7752, #E73C7E, #23A6D5, #23D5AB);
    background-size: 400% 400%;
    position: relative;
    display: flex;
    flex-direction: column;
```

```
align-items: center;
    justify-content: center;
    animation: anime 10s ease-in-out infinite;
@keyframes anime{
  0%{
        background-position: 0 50%;
  50%{
        background-position: 100% 50%;
  100%{
        background-position: 0 50%;
form {
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    background-color: white;
    width: 40%;
    height: 450px;
    border-radius: 50px;
    margin: 100px;
    gap: 25px;
h2 {
    font-size: large;
    font-weight: bolder;
input {
    width: 80% !important;
div {
    display: flex;
    align-items: center;
    justify-content: center;
    flex-direction: column;
    width: 90%;
.form-text-vk {
    font-size: small;
```


```
padding-bottom: 10px;
}
.form-text-h2 {
  font-size: x-large;
  padding-top: 10px;
}
```

## **OUTPUT:-**

## **REGISTRATION PAGE:-**



### **LOGIN PAGE:-**



### **WELCOME PAGE:-**

