1. Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

```
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title> Website Layout | CodingLab</title>
k rel="stylesheet" href="https://sriram.s3.jp-tok.cloud-object
storage.appdomain.cloud/style%20(1).css">
</head>
<body>
<img src="https://sriram.s3.jp-tok.cloud-object-storage.appdomain.cloud/image%201.png"/>
<img src="https://sriram.s3.jp-tok.cloud-object-storage.appdomain.cloud/image%202.jpg"/>
<img src="https://sriram.s3.jp-tok.cloud-object-storage.appdomain.cloud/image%203.jpg"/>
<img src="https://sriram.s3.jp-tok.cloud-object-storage.appdomain.cloud/image%204.png"/>
<img src="https://sriram.s3.jp-tok.cloud-object-storage.appdomain.cloud/image%205.jpg"/>
</body>
</html>
Footer
```

# **OUTPUT:**





Footer





### 2. Design a chatbot using IBM Watson assistant for hospital

```
<!DOCTYPE html>
<html>
<head>
        <title>DK HOSPITAL</title>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <link rel="stylesheet" href="https://pro.fontawesome.com/releases/v5.10.0/css/all.css">
        k rel="stylesheet" type="text/css" href="https://hospital-webpage-static.s3.jp-
tok.cloud-object-storage.appdomain.cloud/style.css">
        <script>
                window.watsonAssistantChatOptions = {
                 integrationID: "b8b38143-a95d-44b4-84f6-eef3ebb479f5", // The ID of this
integration.
                 region: "au-syd", // The region your integration is hosted in.
                 serviceInstanceID: "d05024f0-2dbf-4ca1-9961-dc3402b37937", // The ID of
your service instance.
                 onLoad: function(instance) { instance.render(); }
                setTimeout(function(){
                 const t=document.createElement('script');
                 t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
                 document.head.appendChild(t);
         </script>
</head>
<body>
        <div class="section">
                <div class="container">
                        <div class="content-section">
                                <div class="title">
                                        <h1>Welcome to DK Hospital </h1>
                                        <img src="https://hospital-webpage-static.s3.jp-</pre>
tok.cloud-object-storage.appdomain.cloud/hospital-building-modern-parking-lot-59693686.jpg"
style="width: 1000px; height: 300px;">
                <h1> Our Infrastructure</h2>
                <div class="gallery">
                        <img src="https://hospital-webpage-static.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/gallery_2.jpg" style="width: 1000px; height: 400px;">
                </div>
                <div class="gallery">
                        <img src="https://hospital-webpage-static.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/Emergency-and-Urgent-Care-Centre-2.jpg" style="width:1000px;
height:400px">
                </div>
                <div class="gallery">
                        <img src="https://hospital-webpage-static.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/hospitals.jpg" style="width: 1000px; height:400px">
                </div>
```

## **OUTPUT**

#### WELCOME TO DK HOSPITAL



### OUR INFRASTRUCTURE







