

OUTPUT command:

- Direct the output from a job to your terminal. The output includes the job's job control language statements (JCL), system messages (MSGCLASS), and system output (SYSOUT) data sets.

- Direct the output from a job to a specific data set.

- Delete the output for jobs.

- Change the output class(es) for a job.

- Route the output for a job to a remote workstation.

- Release the output for a job for printing by the subsystem.

OUTPUT is a foreground-initiated-background (FIB) command. This command is generally used in conjunction with SUBMIT, STATUS, and CANCEL commands.

The OUTPUT command applies to all jobs whose job names begin with your user identification. Access to jobs whose job names do not begin with a valid user identification must be provided by an installation-written exit routine.

The SUBMIT, STATUS, and CANCEL commands apply to batch jobs. You must have special permission to use these commands.

```

      .-+-----+-----+.
      | '-,-'           |
      v                 |
>>--+-OUTPUT+---(---jobname--+-----+--)----->
      '-OUT----'          '-(jobid)-'

>-+-----+-----+-----+-----+-----+-----+-----+-----+----->
|               .-----|.   |               .-*-----.|
|              v         |   |   '-PRINT(+--dsname+--)-'|
|-CLASS(-- class_name+--)-'

    .-HERE--.    .-NOPAUSE-.    .-NOKEEP-.    .-NOHOLD-.
>-+-----+-----+-----+-----+-----+-----+-----+-----+----->
+-BEGIN+-    '-PAUSE---'    '-KEEP---'    '-HOLD---'    '-DELETE-'
'-NEXT--'

>-+-----+-----+-----+-----+-----+-----+-----+-----+-----X<
'-NEWCLASS(class_name)-'    '-DEST(remote_station_id)-'
```