

-----Assignment -2
IBM CLOUD DB2

Assignment Date	27 October 2022
Student Name	RAMAKRISHNA K
Student Roll Number	95221903046
Maximum Marks	2 Marks

Questions:

1. Create User table with user with email, username, roll number, password.


The image shows two screenshots of the IBM Db2 on Cloud web interface. The top screenshot displays the 'Tables' tab with a search bar and a list of tables. A table named 'USERTABLE' is selected under the schema 'DTP46044'. The 'Table definition' panel on the right shows the table's structure:

Name	Data type	Nullable	Length	Scale
USERNAME	CHAR	Y	5	0
ROLLNUMBER	INTEGER	Y		0
EMAIL	CHAR	Y	5	0
PASSWORD	VARCHAR	Y	32	0

The bottom screenshot shows the 'DTP46044.USERTABLE' view. It displays the column headers: USERNAME, ROLLNUMBER, EMAIL, and PASSWORD. Below the headers, there is a message: 'There is no data here yet' accompanied by an icon of a person with a question mark.

2. Perform UPDATE,DELETE Queries with user table.

UPDATE TABLE:-




The screenshot shows the IBM Db2 on Cloud SQL editor interface. On the left, the 'Data objects' pane shows a database named 'DTP46044'. The main editor area shows a script titled '*Untitled - 1' with the following SQL query:

```
1 INSERT INTO USERTABLE VALUES ('VK',21,'VK@gamil.com','1234')
```

The query has been executed successfully. The 'History' pane at the bottom shows the execution details:

Script	Date	Status	Runtime
Untitled - 1	Oct 10, 2022 12:51:13 PM	✓ 1	0.018 s
INSERT INTO USERTABLE VALUES ('VK',21,'VK@gamil.com','1234')		✓	0.018 s




The screenshot shows the IBM Db2 on Cloud SQL editor interface with the 'Tables' tab selected. The table 'DTP46044.USERTABLE' is displayed. The table has the following columns: USERNAME, ROLLNO, EMAIL, and PASSWORD. The data is as follows:

USERNAME	ROLLNO	EMAIL	PASSWORD
VK	21	VK@gamil.com	1234


Buttons for 'Back' and 'Export to CSV' are visible in the top right corner.

DELETE TABLE:-



The screenshot shows the IBM Db2 on Cloud interface. The top navigation bar includes 'Load Data', 'Load History', 'Tables', 'Views', 'Indexes', 'Aliases', 'MQTs', 'Sequences', and 'Application objects'. The 'Tables' tab is selected, and the table 'DTP46044.USERTABLE' is displayed. The table has four columns: USERNAME, ROLLNO, EMAIL, and PASSWORD. The data rows are as follows:

USERNAME	ROLLNO	EMAIL	PASSWORD
SANJAI	49	sanjai31@gmail.com	12453
DHARMA	10	dharmal2@gmail.com	4253@12



The screenshot shows the IBM Db2 on Cloud interface with the SQL editor open. The SQL statement entered is:

```
1 DELETE FROM USERTABLE WHERE ROLLNO = 23 ;
```

The 'History' tab is selected, showing the execution history of the script. The history table is as follows:

Script	Date	Status	Runtime
Untitled - 1	Oct 10, 2022 1:02:49 PM	✓ 1	0.006 s
DELETE FROM USERTABLE WHERE ROLLNO = 23		✓	0.006 s
Untitled - 1	Oct 10, 2022 1:00:11 PM	✓ 1	0.007 s
INSERT INTO USERTABLE VALUES ('VK',23,'VK@gmail.com','12034')		✓	0.007 s
Untitled - 1	Oct 10, 2022 12:59:55 PM	✗ 1	0.044 s

3.Connect python code to db2.

NOTE:- Question 4 contains Question 3 answer

4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome page

Answers

App.py

```
from flask import Flask, render_template, request, redirect, url_for, session
```

```

import ibm_db
import re

app = Flask(__name__)

app.secret_key = 'a'

conn = ibm_db.connect(
    "DATABASE=bludb;HOSTNAME=fbd88901-ebdb-4a4f-a32e-
9822b9fb237b.clogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32731;USERNAM
E=dt46044;PASSWORD=95soX0sZGhb4ToUj;SECURITY=SSL;SSLSERVERCERTIFICATE=DigiCer
tGlobalRootCA.crt;", "", "")

@app.route("/", methods=['GET', 'POST'])
def register():
    msg = ''
    if request.method == 'POST':
        username = request.form['username']
        email = request.form['email']
        password = request.form['password']
        sql = "SELECT * FROM users WHERE username =?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt, 1, username)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            msg = 'Account already exists !'
        elif not re.match(r'^@+@[^@]+\.[^@]+', email):
            msg = 'Invalid email address !'
        elif not re.match(r'[A-Za-z0-9]+', username):
            msg = 'name must contain only characters and numbers !'
        else:
            insert_sql = "INSERT INTO users VALUES (?, ?, ?)"
            prep_stmt = ibm_db.prepare(conn, insert_sql)
            ibm_db.bind_param(prepare_stmt, 1, username)
            ibm_db.bind_param(prepare_stmt, 2, email)
            ibm_db.bind_param(prepare_stmt, 3, password)
            ibm_db.execute(prepare_stmt)
            msg = 'You have successfully registered !'
        elif request.method == 'POST':
            msg = 'Please fill out the form !'
        return render_template('register.html', msg=msg)

@app.route('/login', methods=['GET', 'POST'])
def login():
    global userid

```

```

msg = ''

if request.method == 'POST':
    username = request.form['username']
    password = request.form['password']
    sql = "SELECT * FROM users WHERE username =? AND password=?"
    stmt = ibm_db.prepare(conn, sql)
    ibm_db.bind_param(stmt, 1, username)
    ibm_db.bind_param(stmt, 2, password)
    ibm_db.execute(stmt)
    account = ibm_db.fetch_assoc(stmt)
    print(account)
    if account:
        session['loggedin'] = True
        session['id'] = account['USERNAME']
        userid = account['USERNAME']
        session['username'] = account['USERNAME']
        msg = 'Logged in successfully !'

        msg = 'Logged in successfully !'
        return render_template('dashboard.html', msg=msg)
    else:
        msg = 'Incorrect username / password !'
    return render_template('login.html', msg=msg)

if __name__ == '__main__':
    app.run(host='0.0.0.0')
    # app.run(debug=True)

```

Register.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Smart Fashion register</title>

    <!-- bootstrap css cdn -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
"
        integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpsSL0n8PARn9HuZ0nIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">

```

```

    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="/static/css/style.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>
    <!-- bootstrap navbar -->
    <!-- navbar ends -->
    <!-- Login form -->
    <div class="login text-center mt-5">

        <form action="/" method="post">
            <h2 class="form-text-h2"> Register Form </h2>
            <div class="msg">{{ msg }}</div>
            <input type="text" class="form-control" name="username"
placeholder="Enter Your Username" id="username"
required>
            <input type="email" class="form-control" name="email"
placeholder="Enter Your Email ID" id="email" required>
            <input type="password" class="form-control" name="password"
placeholder="Enter Your Password" id="password"
required>
            <button type="submit" id="button" class="btn btn-primary">
Register </button>
            <div class="note mt-3 text-center">
                <!-- Register form -->
                <p> already have an account ? please login <a
href="/login">login! </a> </p>

            </div>
        </form>

    </div>

</body>

</html>

```

Login.html

```

<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Smart Fashion Login</title>
  <!-- favicon -->
  <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico"
type="image/x-icon"> -->
  <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon">
-->
  <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-
32x32.png">
  <!-- bootstrap css cdn -->
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
"
    integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
  <!-- css stylesheet -->
  <link rel="stylesheet" href="/static/css/style2.css">
  <!-- font styles cdn -->
  <link rel="preconnect" href="https://fonts.gstatic.com">
  <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
  <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>

  <div class="login text-center mt-5">

    <form action="/login" method="post">
      <h2 class="form-text-h2"> Login Form </h2>
      <div class="msg">{{ msg }}</div>
      <div class="form-group mb-3">
        <label class="label" for="username">Username</label>
        <input type="text" class="form-control" placeholder="Username"
name="username" required>
      </div>

```

```

        <div class="form-group mb-3">
            <label class="label" for="password">Password</label>
            <input type="password" class="form-control"
placeholder="Password" name="password" required>
        </div>

        <button type="submit" id="button" class="btn btn-primary"> Login
</button>

        <div class="note mt-3 text-center">
            <!--Register form -->
            <p> Don't have an account yet? Click here to <a
href="/">register! </a> </p>
        </div>
    </form>
</div>

</body>

</html>

```

Style.css

```

* {
    margin: 0;
    padding: 0;
}

body {
    background-color: aqua !important;
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
}

form {
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    background-color: white;
    width: 40%;
    height: 450px;
    border-radius: 50px;
    margin: 100px;
    gap: 25px;
}

```



```

h2 {
  font-size: large;
  font-weight: bolder;
}

input {
  width: 80% !important;
}

div {
  display: flex;
  align-items: center;
  justify-content: center;
  flex-direction: column;
  width: 90%;
}

.form-text-vk {
  font-size: small;
  padding-bottom: 10px;
}

.form-text-h2 {
  font-size: x-large;
  padding-top: 10px;
}

```

Output:-

registration page:-

Register Form

Name: SANJAI H


Email: sanjaihari2002@gmail.com

Enter Your password

[Register](#)

[already have an account ? please login login!](#)

Login Page:-



A login form titled "Login Form" is centered on a solid blue background. The form is a white rounded rectangle containing a "Username" field with the text "SANJAI H", a "Password" field with masked characters and a toggle icon, a blue "Login" button, and a link for users without an account.

Login Form

Username


SANJAI H

Password

Login

Don't have an account yet? Click here to [register!](#)

Welcome Page:-



Data Base Table :-



DTP46044.USERTABLE

[Back](#)[Export to CSV](#)

USERNAME	ROLLNO	EMAIL	PASSWORD
SANJAI	49	sanjai311@gmail.com	12453
DHARMA	10	dharmal2@gmail.com	4253@12