


Assignment 3

Question



1.Create a bucket in IBM object Storage

Output



2.Upload 5 images to IBM object storage and make it public .Write code to displaying all the 5 images.

Output



Code

Visual Studio Code interface showing the Explorer sidebar on the left with the file structure:


- OBJECT STORAGE
 - index.css
 - index1.html (selected)

The main editor area displays the content of index1.html:

```

1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <link rel="stylesheet" href="._index.css">
8   <title>Document1</title>
9
10 </head>
11 <body>
12   <h3>Image-1:</h3>
13   
16   <h3>Image-3:</h3>
17   Image-5:</h3>
21   
  </body>
</html>
```

Output



5. Create a Watson Assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page

Code

```
<!DOCTYPE html>
<html>
  <body>
    <script>
      window.watsonAssistantChatOptions = {
        integrationID: "e6fad13c-5aa7-4afa-8af7-ece9aa5adaf0", // The ID of
        this integration.
```

```

        region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "72541452-cb52-4a85-b496-a346c7d80db7", // The ID of
your service instance.
        onLoad: function(instance) { instance.render(); }
    });
    setTimeout(function(){
        const t=document.createElement('script');
        t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
    });
</script>
</body>

</html>

```

Output

