

# **Assignment-3**


Date	10 October 2022
Team ID	PNT2022TMID30665
Project Name	News Tracker Application.

## 1. CREATE A BUCKET IN IBM OBJECT STORAGE.




Upload an 5 images to ibm object storage and make it public. Write html code to displaying all the 5 images.







2. Upload a css page to the object storage and use the same page in your HTML code.



## 3. Design a chatbot using IBM Watson assistant for hospital.







#### **Web URL for Assistant:**


 $\underline{https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https\%3A\%2F\%2Fussouth.assistant.watson.cloud.ibm.com\%2Fpublic%2Fimages\%2Fupx-d9dd9967-ecff-4a1c-9962-4dee2bc8b7f6%3A%3A83ae93e2-2612-41d0-b418-3cf32de165f5&integrationID=eee1f2f8-9379-4acd-beb0-904fe1375b16&region=us-south&serviceInstanceID=d9dd9967-ecff-4a1c-9962-4dee2bc8b7f6$ 


4. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.



# **Included 3 conditions in steps:**







### Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8"/>
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Home</title>
k rel="stylesheet" href="{{url_for('redirect_to',link='https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/cloudbucket/assign3.css')}}" type="text/css">
<script>
window.watsonAssistantChatOptions = {
integrationID: "eee1f2f8-9379-4acd-beb0-904fe1375b16", // The ID of this integration.
region: "us-south", // The region your integration is hosted in.
serviceInstanceID: "d9dd9967-ecff-4a1c-9962-4dee2bc8b7f6", // The ID of your service instance.
onLoad: function(instance) { instance.render(); }
setTimeout(function(){
const t=document.createElement('script');
t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
});
</script>
</head>
<body>
<form action="/uploader" method="POST" enctype="multipart/form-data">
<input type="text" placeholder="Enter file name" name="filename" />
<br/>br />
<br/>>
<input type="file" name="file" />
<br/>
<br/>>
<input type="submit" />
</form>
<br/>
<br/>
<br/>
{% for row in files %}
<div style="border: 1px solid #EFEFEF;margin:10px;">
<h3>Filename : {{row}} </h3>
<img src="https://cloudbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/{{row}}" width="150px">
</div>
{% endfor %}
</body>
</html>
```

# App.py

```
import io
from flask import Flask,redirect,url_for,render_template,request
import ibm_boto3
from ibm_botocore.client import Config, ClientError

COS_ENDPOINT="https://s3.jp-tok.cloud-object-storage.appdomain.cloud"
COS_API_KEY_ID=""

COS_INSTANCE_CRN=""

cos = ibm_boto3.resource("s3",
    ibm_api_key_id=COS_API_KEY_ID,
    ibm_service_instance_id=COS_INSTANCE_CRN,
    config=Config(signature_version="oauth"),
    endpoint_url=COS_ENDPOINT
)
```

```
app=Flask(_name_)
@app.route('/')
def index():
try:
     files = cos.Bucket('cloudbucket').objects.all()
     files_names = []
     for file in files:
       files_names.append(file.key)
       print(file)
       print("Item: {0} ({1} bytes).".format(file.key, file.size))
     return render_template('index.html',files=files_names)
 except ClientError as be:
     print("CLIENT ERROR: {0}\n".format(be))
     return render_template('index.html')
 except Exception as e:
     print("Unable to retrieve bucket contents: {0}".format(e))
     return render_template('index.html')
@app.route('/uploader',methods=['POST'])
def upload():
name_file=request.form['filename']
f = request.files['file']
 try:
   part_size = 1024 * 1024 * 5
   file_threshold = 1024 * 1024 * 15
   transfer_config = ibm_boto3.s3.transfer.TransferConfig(
       multipart_threshold=file_threshold,
```

```
multipart_chunksize=part_size
     )
    content = f.read()
   cos.Object('cloudbucket', name_file).upload_fileobj(
          Fileobj=io.BytesIO(content),
          Config=transfer_config
       )
   return redirect(url_for('index'))
 except ClientError as be:
     print("CLIENT ERROR: {0}\n".format(be))
     return redirect(url_for('index'))
 except Exception as e:
     print("Unable to complete multi-part upload: {0}".format(e))
     return redirect(url_for('index'))
if_name ==' main ': _
 app.run(host='0.0.0.0',port=8080,debug=True
```