PROJECT REPORT

TEAM ID: PNT2022TMID36388

PROJECT: NEWS TRACKER APPLICATION

1. INTRODUCTION

- a. Project Overview
- b. Purpose

2. LITERATURE SURVEY

- a. Existing problem
- b. References
- c. Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

- a. Empathy Map Canvas
- b. Ideation & Brainstorming
- c. Proposed Solution
- d. Problem Solution fit

4. REQUIREMENT ANALYSIS

- a. Functional requirement
- b. Non-Functional requirements

5. PROJECT DESIGN

- a. Data Flow Diagrams
- b. Solution & Technical Architecture
- c. User Stories

6. PROJECT PLANNING & SCHEDULING

- a. Sprint Planning & Estimation
- b. Sprint Delivery Schedule
- 7. CODING & SOLUTIONING (Explain the features added in the project along with code)
- **8. ADVANTAGES & DISADVANTAGES**
- 9. CONCLUSION
- **10. FUTURE SCOPE**
- 11. APPENDIX

Source Code

1. INTRODUCTION

1.1 Project Overview

News Tracker is a full stack web application which allows users to register along with their favourite topics, upon login the app displays the news based on the user's interest. The news displayed in the app is based on the New catcher API and Cric buzz API from Rapid API site. A news-sharing app wants to help users find relevant and important news easily every day and also provide explicitly news from that users locality/region which may of help to the user.

1.2 Purpose

Enabling users to view news from anywhere at anytime. It also helps to reduce the time to get information about a specific topic. Also enables a person to get an updated news which may help Business people to make business related decisions quickly and correctly.

2. LITERATURE SURVEY

2.1 Existing problem

A news application is a major intelligent data set that recounts a report. Think about it like you would some other piece of news coverage. It simply utilizes programming rather than words and pictures. As our lives are exceptionally bustling nowadays, we frequently feel we want in excess of 24 hrs. a day to adapt up to all that we have in our timetable. Indeed, that is unrealistic yet diminishing the time by changing the traditional strategy for pursuing news can help. Simply let us know what market news you're keen on and get a fast look for the afternoon. Just read what you feel is applicable and save your time. This application assists you with questioning all data about Indices, Commodities, Currencies, Future Rates, Bonds, and so on as on true sites.

INTRODUCTION:

The client wanted to create a solution to facilitate work for media professionals through a location-based assignment management tool. The main challenge was to create a system on which journalists and other staff remained connected, and could locate or contact each other swiftly to relay stories faster. The built a News Tracker to collect a variety of sources of misinformation on Facebook and aggregate the stories published so that they could have a clearer sense of the different types of misinformation out there. They wanted to know how frequently it was published and what strategies and narratives were employed to engage audiences on Facebook.

LITEREATURE SURVEY:

Author Describe [1], The Europe Media Monitor system (EMM) gathers and aggregates an average of 50,000 newspaper articles per day in over 40 languages. To manage the information overflow, it was decided to group similar articles per day and per language into clusters and to link daily clusters over time into stories. Large amounts of information are published daily on news web portals around the world. Presenting the most important news on simple, newspaper-like pagesis enough when the user wants to be informed about the latest news. Author Describe [2], The key findings of these three studies are: (1) mobile new readers can be characterized within three types; (2) it is possible to detect a user's newsreader type from analysis of their interactions with a news app, and; (3) different reader types benefit from different forms of news app interface. We showed that mobile news readers can be distinguished as Trackers, Reviewers or Dippers according to their frequency of news reading their duration of news reading, their browsing strategy, their reading style and their location. We showed that a Bayesian classifier can identify the user of a news app according to their news reader type from a log of interactions with a news app from which the clustering factors could be extracted. The evaluation study demonstrated that Trackers performed better with the adapted interface variant, whereas Reviewers and Dippers performed better with the baseline interface.

REFERENCES:

[1]. Vehicle Tracking Systems Overview [Online:] http://www.roseindia.net/technology/vehicletracking/ VehicleTrackingSystems.shtml. [2][Pouliquen, B., Steinberger, R., & Olivier Deguernel, O. (2008, August). Story tracking: linking similar news over time and across languages. In Coling 2008: Proceedings of the workshop Multi-Source Multilingual Information Extraction and Summarization (pp. 49-56).

2.3 Problem Statement Definition:


PROBLEM STATEMENT:

As our lives are very busy these days, we often feel we need more than 24 hrs. a day to cope up with everything we have in our schedule. Well, that's not possible but reducing the time by changing the conventional method of reading news can help. Just tell us what market news you're interested in and get a quick peek for the day. Only read what you feel is relevant and save your time. This app helps you to query for all information about Indices, Commodities, Currencies, Future Rates, Bonds, etc.... as on official websites.


QUESTIONS	DESCRIPTION
What is the issue?	Physical newspapers are old fashioned in
	this digital era. They cost money to buy,
	can easily be damaged, limited amount of
	information, not flexible to modifications,
	poor quality. Fixing these in such a way
	can make physical newspapers become
	extinct and their use can be abolished. If
	the problem isn't solved, it would become
	a greater problem to integrate people to
	become digitally aware.
When does this issue occur?	The issue occurs when the customer
	wants to read the news.
Who does the problem affect?	Customers
What are the boundaries of the problem?	geographic, workflow, daily life
Where is the issue occuring?	The issue occurs when people try to
	access information i.e during the usage.
	Accessing information is flawed through
	the usage of physical newspapers in the
	digital era.

3. IDEATION AND PROPOSED SOLUTION

3.1Empathy Map Canvas



3.2 Ideation and Brainstorming



3.3 Proposed Solution


S.No	Parameter	Description
1.	Problem Statement (Problem to be	Fake news detection
	solved)	News clean and crisp
		Time delay in Notifications
		Increase in number of
		irrelevant news
2.	Idea / Solution description	• Improve app speed and usage
		Automatic speech recognition
		User privacy and data security
		Create own Wishlist
		Authorized news
		Compact with mobile platform
3.	Novelty / Uniqueness	Fast loading and higher
		performance
		Category news
		• Easy access and able to share
		with the colleagues
		Helpful customer care support
4.	Social Impact / Customer Satisfaction	Daily email news report
		Providing more flexibility for
		everyone
		On going development and
		support strategy
		Neglect irrelevant news
5.	Scalability of the Solution	In scale of 10 :
		• As a product - 8.5
		• In point of user - 8
		• As a business - 9
		• As a developer -9.2
6.	Business Model (Revenue Model)	Affordable cost of subscription
		Multiplatform Support
		Design consistent experience
		Minimization of user input and
		work progress


3.4 Problem Solution fit:

Project Title: News Tracker Application

Project Design Phase-I - Solution Fit Template

Team ID: PNT2022TMID36388





Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Installation	User can install the app from google play store, App store and from website.
FR-2	User Registration	Registration through Form
		Registration through Gmail
		Registration through Mobile number.
FR-3	User Confirmation	Confirmation via Email
		Confirmation via OTP
FR-4	User login	User should login the app with the User's name or email
		and
		password.
FR-5	User Information	User can include their information in preferred topics so
		that they could be recommended by the application.


Non-functional Requirements:


Following are the non-functional requirements of the proposed solution. $\label{eq:following} % \[\begin{array}{c} (x,y) & (x,y) \\ (x,y)$

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	This app is user friendly app, where users can clear their queries with the chatbot.
NFR-2	Security	This app is secured app, where users information is encrypted properly.
NFR-3	Reliability	This app can be accessed anywhere and anytime. User can download the news offline.
NFR-4	Performance	The app is well tested and hence the performance of the app is great.
NFR-5	Availability	Chatbot is available in this app to rectify the queries of the users. Variety of news is provided by this app. More sub categories are available.

PROJECT DESIGN

5.1 Data Flow Diagrams:






5.2 Solution Architecture and Technical Architecture:

Solution architecture is a complex process – with many sub-processes – that bridges the gap between business problems and technology solutions.

Its goals are to:

- Find the best tech solution to solve existing business problems.
- Describe the structure, characteristics, behavior, and other aspects of the software to project stakeholders

Technical Architecture:



Project Workflow: -

- The user interacts with the application.
- Registers by giving thedetails.
- Integrate the application with news APIs and store the data in the database.
- The database will have all the details and the user can search the news by using a searchbar.

Table-1 : Components & Technologies:

S. No	Component	Description	Technology
1.	User Interface	User interacts with the application using web development, which is used to get the information needed for the user.	HTML, CSS, JavaScript / React Js etc.
2.	Application Logic	The Logic depends on the extraction news from the database	Python
3.	Database	Data type , configuration etc.	MYSQL, NOSQL, etc.
4.	Cloud database	Database service on cloud	IBM DB2, IBM Cloudnet etc
5.	File storage	File storage requirements	IBM Block Storage or Other Storage Service or Local Filesystem.
6.	Infrastructure (server/cloud)	Application deployment on local system / cloud local server configuration : Docker Cloud server configuration : Kubernetes	Local, Cloud Foundry, Kubernetes, etc.
7.	File Storage	File storage requirements	IBM Block Storage or Other Storage Service or Local Filesystem
8.	External API-1	Purpose of External API used in the application	IBM Weather API, etc.
9.	External API-2	Purpose of External API used in the application	Aadhar API, etc.
10.	Machine Learning Model	Purpose of Machine Learning Model	Object Recognition Model, etc.

User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint-1
		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-3	As a user, I can register for the application through Facebook	I can register & access the dashboard with Facebook Login	Low	Sprint-2
		USN-4	As a user, I can register for the application through Gmail	I can register & access the dashboard with Gmail Login	Low	Sprint-2
	Login	USN-5	As a user, I can log into the application by entering email & password	I can view all types of information through this application	High	Sprint-1
	Dashboard	USN-1	As a user, I can log into the application and look into my dashboard	I can Look into My Dashboard After my login	Low	Sprint-1
		USN-2	As a user, I can log into the application and update my personal data	I can View the personal data which can be updated by the user	Low	Sprint-2
		USN-3	As a user, I can log into the application and read news based on my filter contents	News contents are filtered based on the user needs	High	Sprint-1

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Web user)	Login	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password through web applications such as Chrome, Firefox, brave, Operamini etc.	I can access my account / dashboard	High	Sprint-1
Customer Care Executive	Dashboard	USN-1	As a user, I can Report to the customer service about the error or doubt of the application by calling to the customer service which is provided in the application help box	I can report to the customer service if I am facing an issue or I didn't know anything about the application	High	Sprint-1
		USN-2	As a user, I can Report to the customer service about the error or doubt of the application by emailing to the customer service which is provided in the application help box	I can report to the customer service if I am facing an issue or I didn't know anything about the application	High	Sprint-1
Administrator	Application	USN-1	Application administrator will rectify the error caused in the application as soon as possible and provide a patch update in order to have an error free software	I can report to the customer service what the issue has been faced and they might rectify by releasing patch updates	High	Sprint-1

PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation :

Product Backlog, Sprint Schedule, and Estimation

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	10	High	Swethasri R Mukesh V Jamuna R Gowtham R
Sprint-1		USN-2	As a user, I will receive confirmation email once I have registered for the application	5	High	Swethasri R Mukesh V Jamuna R Gowtham R
Sprint-1		USN-3	As a user, I can register for the application through Gmail	5	Medium	Jamuna R Gowtham R
Sprint-2	Dashboard	USN-4	User interface design and implementation of cards	5	High	Swethasri R Mukesh V Jamuna R Gowtham R
Sprint-2	Home page	USN -5	Interface for news card in brief with headline, related image and news contributor info	10	High	Swethasri R Mukesh V Jamuna R Gowtham R
Sprint-2		USN-6	Search related news	5	Medium	Jamuna R Gowtham R
Sprint-3	News card description	USN-7	Constitutes location, headline, time ago, news contributor info	10	Medium	Swethasri R Mukesh V Jamuna R Gowtham R

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-3		USN-8	News card comments, share and Related cards	10	Low	Swethasri R Mukesh V Jamuna R Gowtham R
Sprint-4	News card description	USN-9	News Contributor Profile and follow option	10	High	Swethasri R Mukesh V Jamuna R
Sprint-4	Chat bot	USN-10	Watson chat bot implementation	10	Medium	Swethasri R Mukesh V Jamuna R

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022


Velocity:

We have a 24-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

$$AV = \frac{sprint\ duration}{velocity} = \frac{20}{24} = 0.83$$


Burndown Chart:

A burn down chart is a graphical representation of work left to do versus time. It is often used in agile software development methodologies such as Scrum. However, burn down charts can be applied to any project containing measurable progress over time.



6.3 Reports from JIRA:

JIRA-BOARD



7. CODING AND SOLUTIONING

FRONTEND: LOGIN.CSS

```
img{
             width: 100%;
       }
       .login {
           height: 1000px;
           width: 100%;
           background: radial-gradient(#653d84, #332042);
           position: relative;
       }
       .login_box {
           width: 1050px;
           height: 600px;
           position: absolute;
           top: 50%;
           left: 50%;
           transform: translate(-50%, -50%);
           background: #fff;
           border-radius: 10px;
           box-shadow: 1px 4px 22px -8px #0004;
           display: flex;
           overflow: hidden;
       }
       .login_box .left{
         width: 41%;
         height: 100%;
         padding: 25px 25px;
       }
       .login_box .right{
         width: 59%;
         height: 100%
       }
       .left .top_link a {
           color: #452A5A;
           font-weight: 400;
       }
       .left .top_link{
         height: 20px
```

```
}
.left .contact{
      display: flex;
    align-items: center;
    justify-content: center;
    align-self: center;
    height: 100%;
   width: 73%;
    margin: auto;
}
.left h3{
  text-align: center;
 margin-bottom: 40px;
}
.left input {
    border: none;
    width: 80%;
    margin: 15px 0px;
    border-bottom: 1px solid #4f30677d;
    padding: 7px 9px;
    width: 100%;
    overflow: hidden;
    background: transparent;
    font-weight: 600;
    font-size: 14px;
}
.left{
      background: linear-gradient(-45deg, #dcd7e0, #fff);
}
.submit {
    border: none;
    padding: 15px 70px;
    border-radius: 8px;
    display: block;
    margin: auto;
    cursor: pointer;
    margin-top: 120px;
    background: #583672;
    color: #fff;
    font-weight: bold;
    -webkit-box-shadow: 0px 9px 15px -11px rgba(88,54,114,1);
    -moz-box-shadow: 0px 9px 15px -11px rgba(88,54,114,1);
    box-shadow: 0px 9px 15px -11px rgba(88,54,114,1);
```

```
.right {
       background: linear-gradient(212.38deg, rgba(242, 57, 127, 0.7) 0%, rgba(175, 70, 189,
01.png) no-repeat;
    background-size: cover;
    color: #fff;
       position: relative;
}
.right .right-text{
  height: 100%;
  position: relative;
  transform: translate(0%, 45%);
}
.right-text h2{
  display: block;
  width: 100%;
  text-align: center;
  font-size: 50px;
  font-weight: 500;
}
.right-text h5{
  display: block;
  width: 100%;
  text-align: center;
  font-size: 19px;
  font-weight: 400;
}
.right .right-inductor{
  position: absolute;
  width: 70px;
  height: 7px;
  background: #fff0;
  left: 50%;
  bottom: 70px;
  transform: translate(-50%, 0%);
}
.top_link img {
    width: 28px;
```

}

```
padding-right: 7px;
            margin-top: -3px;
        }
        .signup{
            display: flex;
            float: right;
            flex-direction: column;
            margin: 10px 10px 0px 15px;
        }
        .signup > form > button{
            border: none;
            padding: 15px 70px;
            border-radius: 8px;
            display: block;
            margin-top: 15px;
            float: right;
            background: #11daae;
            cursor: pointer;
            color: #fff;
            font-weight: bold;
            -webkit-box-shadow: 0px 9px 15px -11px rgba(242, 57, 127, 0.7);
            -moz-box-shadow: 0px 9px 15px -11px rgba(175, 70, 189, 0.71);
            box-shadow: 0px 9px 15px -11px rgba(242, 57, 127, 0.7);
        }
        .signup > form > h5{
            font-weight: bold;
            float: left;
            color: white;
            margin-right: 15px;
        }
NEWS.HTML
 <!DOCTYPE
 html>
                  <html lang="en">
                  <head>
                      <meta charset="UTF-8">
                      <meta http-equiv="X-UA-Compatible" content="IE=edge">
                      <meta name="viewport" content="width=device-width, initial-scale=1.0">
                      <title>Document</title>
                      <link rel="Stylesheet" href="login.css">
```

</head>

```
<body>
                         <section class="login">
                           <div class="signup">
                                 <form action="">
                               <h5>Click here to create a new Account</h5>
                               <button formaction="../index.html">SignUp</button>
                                </div>
                                <div class="login_box">
                                       <div class="left">
                                              <div class="top_link"><a href="#"><img src="https://dri</pre>
                  home</a></div>
                                              <div class="contact">
                                                     <form action="">
                                                            <h3>SIGN IN</h3>
                                                            <input type="text" placeholder="USERNAME">
                                                            <input type="password" placeholder="PASSWO</pre>
                                                            <button class="submit" formaction="./news.</pre>
                                                     </form>
                                              </div>
                                       </div>
                                       <div class="right">
                                              <div class="right-text">
                                                     <h2>News Tracker</h2>
                                                     <h5>Login to know about what is happening??</h5>
                                              </div>
                                </div>
                         </section>
                  </body>
                  </html>
STYLE.CSS
@import url("https://fonts.googleapis.com/css2?family=Roboto&display=swap");
 * {
          box-sizing: border-box;
        }
        body {
          display: absolute;
```

```
justify-content: center;
  align-items: center;
 margin: 0;
 background-color: #f7f8fc;
  font-family: "Roboto", sans-serif;
 color: #10182f;
}
.logo{
    display: flex;
    float: left;
}
nav{
    display: flex;
    align-items: center;
    justify-content: space-between;
}
ul{
   display: flex;
}
li{
    list-style: none;
    margin: 1rem;
   margin-right: 25px;
   margin-left: 25px ;
}
a{
    text-decoration: none;
   color: rgb(49, 49, 47);
}
a:hover {
      text-decoration: none;
      color: #daa800;
      opacity: 0.8;
      transition: 1s;
}
.container {
 display: flex;
 width: 1040px;
 justify-content: space-evenly;
 flex-wrap: wrap;
}
.card {
```

```
margin: 10px;
  background-color: #fff;
  border-radius: 10px;
  box-shadow: 0 2px 20px rgba(0, 0, 0,
0.2);
  overflow: hidden;
  width: 300px;
  height: 460px;
}
.card-header img {
  width: 100%;
  height: 200px;
  object-fit: cover;
}
.card-body {
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: flex-start;
  padding: 20px;
  min-height: 250px;
}
.tag {
  background: #ccccc;
  border-radius: 50px;
  font-size: 12px;
  margin: 0;
  color: #fff;
  padding: 2px 10px;
  text-transform: uppercase;
  cursor: pointer;
}
.tag-teal {
  background-color: #47bcd4;
}
.tag-purple {
  background-color: #5e76bf;
}
.tag-pink {
  background-color: #cd5b9f;
}
.tag-cyan{
```

```
background-color: #62e2f3;
}
.tag-aas{
  background-color: #838485;
}
.card-body p {
  font-size: 13px;
  margin: 0 0 40px;
}
.user {
  display: flex;
  margin-top: auto;
  margin-right: 20px;
  margin-top: 5px;
}
.user img {
  border-radius: 50%;
  width: 40px;
  height: 40px;
  margin-right: 10px;
}
.user-info h5 {
  margin: 0;
  margin-top: 5px;
}
.user-info small {
  color: black;
}
```

PAGE.HTML

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.</pre>
Gn5384xq01aoWXA+058RXPxPq6fy4IWvTNh0E263XmFcJlSAwiGqFAW/dAiS6JXm" crossorigin="an
<title>Daily Expense</title>
   <style type="text/css">
       body{
           background-color: #EAF6F6;
       }
       form{
           margin-left: 550px;
           width: 30%;
    }
</style>
</head>
<body>
     <nav class="h1 navbar navbar-inverse navbar-light p-3 mb-2 bg-warning text-l
           <div class="container-fluid">
                  <div class="navbar-header">
       <a class="navbar-brand" href="a">Personal Expense Tracker</a>
  </div>
<a class="navbar-brand" href="{{url_for('login')}}}"><span class="glyphic</pre>
     <a class="navbar-brand" href="{{url_for('register')}}"><span class="glyp</pre>
   </div>
</nav>
<br>
   <blockquote class="blockquote text-center">
     Fill your daily expense and minimize your unwanted expenses.
     <footer class="blockquote-footer">Save and Invest your money to profit.<cite
   </blockquote>
   <div class="card">
       <div class="card-body">
         Welcome Dinesh.
       </div>
     </div>
  <hr>
<div class="container">
   <div class="row">
       <div class="col-md-6">
           <h3>Add Expense</h3>
           <form action="/addexpense" method="POST">
<div class="form-group">
                    <label for="">Date</label>
```

```
<input class="form-control" type="datetime-local" name="date"</pre>
                    </div>
<div class="form-group"> <label for="">Expense name</label>
                    <input class="form-control" type="text" name="expensename" id=</pre>
                </div>
   <div class="form-group">
                     <label for="">Expense Amount</label>
                      <input class="form-control" type="number" min="0" name="amo</pre>
                </div>
                <div class="form-group">
                    <label for=""></label>
                    <select class="form-control" name="paymode" id="paymode">
                        <option selected hidden>Pay-Mode</option>
                        <option name="cash" value="cash">cash</option>
                        <option name="debitcard" value="debitcard">debitcard</opti</pre>
                        <option name="creditcard" value="creditcard">creditcard/o
                        <option name="epayment" value="epayment">UPI</option>
                        <option name="onlinebanking" value="onlinebanking">onlineb
                    </select>
                 <div class="form-group">
                    <label for=""></label>
                    <select class="form-control" name="category" id="category">
                         <option selected hidden>Category</option>
                                 name = "food" value="food">food</option>
                        <option name = "entertainment" value="entertainment">Enter
                        <option name = "business" value="business">Business</optio</pre>
                        <option name ="rent" value="rent">Rent</option>
                        <option name = "EMI" value="EMI">EMI</option>
                        <option name = "other" value="other">other</option>
                    </select>
                </div>
   <input class="btn btn-danger" type="submit" value="Add" id="">
            </form>
         </div>
    </div>
</div>
</body>
</html>
```

BACKEND: NEWSTRACKER.JS

```
const body =
 document.querySelector("body");
const homeAdd = function (arg) {
 arg.classList.add("home-
 body");
//axios requests that reach our server to run SA on said story and show result inside
button
const saButtons = document.querySelectorAll(".sa-button");
 for (let button of
 saButtons) {
                                     button.addEventListener("click", async function (evt) {
                                         evt.preventDefault();
                                         const text = button.firstChild;
                                         const input = text.nextSibling;
                                         const value = input.value;
                                         const storyID = button.getAttribute('data-story')
                                         if (value === "Get Polarity") {
                                             try {
                                                 const req = await
                                 axios.post(`/story/${storyID}/polarity`);
                                                 const resp = req.data.response;
                                                 input.value = resp;
                                             } catch (error) {
                                                 console.error(error.response.data)
                                             }
                                         else if (value === "Get Subjectivity") {
                                             const reg = await
                                 axios.post(`/story/${storyID}/subjectivity`);
                                             const resp = req.data.response;
                                             input.value = resp;
                                         }
                                     })
                                 }
                                 const deleteQueryButtons = document.querySelectorAll(".close")
                                 for (let button of deleteQueryButtons) {
```

```
button.addEventListener("click", async function (evt) {
        console.log("CLICKEDDDD")
        const queryID = button.getAttribute('data-query')
        console.log(queryID)
        const req = await axios.post(`/user/${queryID}/delete`);
        const resp = req.data.response;
        button.value = resp;
    })
}
//Replace broken images with default image
const default_avatar = 'https://secure.gravatar.com/avatar?d=wavata
window.addEventListener("load", event => {
    let images = document.querySelectorAll('img');
    for (let image of images) {
        let isLoaded = image.complete && image.naturalHeight !== 0;
        if (!isLoaded) {
            image.src = default_avatar;
        }
    }
});
// Source: https://www.techiedelight.com/replace-broken-images-with
javascript/
```

8. ADVANTAGES & DISADVANTAGES

- ➤ This app can be accessed anywhere and anytime, So that the user can view the news
- ➤ Its ad free
- ➤ The news is only based on the API
- ➤ It may contain some unwanted content but we don't have control over it
- ➤ The user can bookmark their favourite news

9. CONCLUSION

Thus we have developed a full stack application based on the plans and within the given time. We have tested the application in both desktop and mobile and it worked well, Overall it was a great experience.

10. FUTURE SCOPE

In future we may integrate our own news API instead of third party APIs and may develop a mobile native application so that it can be used in both android and ios.

11. APPENDIX

https://github.com/IBM-EPBL/IBM-Project-16095-1659607421