# **Assignment -3**

#### CONVOLUTIONAL NEURAL NETWORKS

| Assignment Date     | 11 November 2022 |
|---------------------|------------------|
| Student Name        | S.Padma Priya    |
| Student Roll Number | 9517201903100    |
| Maximum Marks       | 2 Marks          |

# **#Import necessary libraries**

from tensorflow.keras.models import Sequential

from tensorflow.keras.layers import Dense

from tensorflow.keras.layers import Convolution2D

from tensorflow.keras.layers import MaxPooling2D

from tensorflow.keras.layers import Flatten

# **#Image augmentation**

from tensorflow.keras.preprocessing.image import ImageDataGenerator

train\_datagen =

ImageDataGenerator(rescale=1./255,shear\_range=0.2,zoom\_range=0.2,horizontal\_flip=True,vertical\_flip=True)

test\_datagen = ImageDataGenerator(rescale=1./255)

```
#Import necessary libraries

from tensorflow.keras.models import Sequential

from tensorflow.keras.layers import Dense

from tensorflow.keras.layers import Convolution2D

from tensorflow.keras.layers import MaxPooling2D

from tensorflow.keras.layers import Flatten

#Image augmentation

from tensorflow.keras.preprocessing.image import ImageDataGenerator

train_datagen = ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True,vertical_flip=True)

test_datagen = ImageDataGenerator(rescale=1./255)
```

#### #data set

```
x_train =
```

 $train\_datagen.flow\_from\_directory(r"E:\Flowers\Training", target\_size=(128,128), batch\_size=32, class\_mode="categorical")$ 

```
x_test =
test_datagen.flow_from_directory(r"E:\Flowers\Testing",target_size=(128,128),batch_size=32,class_
mode="categorical")

x_train.class_indices
model = Sequential()

x_train = train_datagen.flow_from_directory(r"E:\Flowers\Training",target_size=(128,128),batch_size=32,class_mode="categorical")
    x_test = test_datagen.flow_from_directory(r"E:\Flowers\Testing",target_size=(128,128),batch_size=32,class_mode="categorical")
    x_test = test_datagen.flow_from_directory(r"E:\Flowers\Testing",target_size=(128,128),batch_size=32,class_mode="categorical")
    x_train.class_indices
```

## **#Add layers**

#### #Convolution layer

Found 3003 images belonging to 5 classes. Found 1325 images belonging to 5 classes.

model.add(Convolution2D(32,(3,3),input\_shape=(128,128,3),activation='relu'))

#### #Maxpooling layer

model.add(MaxPooling2D(pool\_size=(2,2)))

{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}

#### #flatten layer

model.add(Flatten())

## #hidden layer

```
model.add(Dense(units=300,kernel_initializer="random_uniform",activation="relu"))
model.add(Dense(units=200,kernel_initializer="random_uniform",activation="relu"))
model.add(Dense(units=5,kernel_initializer="random_uniform",activation="softmax"))
model.summary()
```

```
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
    model.add(MaxPooling2D(pool_size=(2,2)))
     model.add(Flatten())
    model.add(Dense(units=300,kernel_initializer="random_uniform",activation="relu"))
model.add(Dense(units=200,kernel_initializer="random_uniform",activation="relu"))
model.add(Dense(units=5,kernel_initializer="random_uniform",activation="softmax"))
Model: "sequential"
 Layer (type)
                                      Output Shape
                                                                        Param #
 conv2d (Conv2D)
 max_pooling2d (MaxPooling2D (None, 63, 63, 32)
 flatten (Flatten)
                                     (None, 127008)
 dense (Dense)
                                     (None, 300)
                                                                        38102700
 dense 1 (Dense)
                                     (None, 200)
                                                                        60200
 dense 2 (Dense)
                                      (None, 5)
                                                                         1005
```

```
Total params: 38,164,801
Trainable params: 38,164,801
Non-trainable params: 0
```

# #compile the model

model.compile(loss="categorical\_crossentropy",optimizer="adam",metrics=["accuracy"])

## #Fit the model

model.fit\_generator(x\_train,steps\_per\_epoch=75,epochs=15,validation\_data=x\_test,validation\_steps=80)

## **#Save the model**

```
model.save("flower.h5")
```

from tensorflow.keras.models import load\_model

from tensorflow.keras.preprocessing import image

import numpy as np

model = load\_model("Flower.h5")

```
#Save the model
model.save("flower.h5")

[7]
```

## **#Test the model:**

x.shape

```
img = image.load\_img(r"C:\Users\hp\Downloads\rose.jpg",target\_size=(128,128)) img type(img) x = image.img\_to\_array(img) x x.shape x = np.expand\_dims(x,axis=0)
```

```
pred\_prob = model.predict(x)
pred\_prob
```

```
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
import numpy as np
model = load_model("Flower.h5")

#Testing with the image
img = image.load_img(r"C:\Users\hp\Downloads\rose.jpg",target_size=(128,128))
img
type(img)

PIL.Image.Image

x = image.img_to_array(img)
x. shape
x = np.expand_dims(x,axis=0)
x. shape
(1, 128, 128, 3)

pred_prob = model.predict(x)
pred_prob
array([[0., 0., 1., 0., 0.]], dtype=float32)
```

```
class_name = ["daisy","dandelion","rose","sunfower","tulip"]
pred_id = pred_prob.argmax(axis=1)[0]
pred_id
print("Predicted flower is",str(class_name[pred_id]))
```

```
class_name = ["daisy", "dandelion", "rose", "sunfower", "tulip"]

pred_id = pred_prob.argmax(axis=1)[0]
pred_id
print("Predicted flower is", str(class_name[pred_id]))

Predicted flower is rose
```