



# IBM CLOUD

## ASSIGNMENT - 3

SRINIVASAN M A  
813819205057



### 1. Create a Bucket in IBM object storage.




2. Upload 5 images to ibm object storage and make it public. Write html code to display all the 5 images.

## Code File : display.html

### Uploading Images





Style file present in local machine

```
display - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
  <title>
    Display Images
  </title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <h2>Images From Cloud Object Storage</h2>
  </img>
  </img>
  </img>
  </img>
  </img>
</body>
</html>
```


## Images From Cloud Object Storage




3. Upload a css page to the object storage and use the same page in your HTMLcode.


## Code File : display\_que3.html

### Uploading Style page to cloud object storage



### Using the style page from cloud object storage





4.Design a chatbot using IBM Watson assistant for hospitals. Ex: User comes with a query to know the branches for that hospital in your city. Submit the web URL of that chat bot as an assignment.

<https://au-syd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2F58f8b3934b4b4ea599b75fe363236dfc%3A72c42f57-ebec-41d0-8ea9-da4e33c8000a%3A%3A/assistants/89b112b7-dc3c-4a3a-92b9-1b101fa57cc0/preview>

5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in the HTML page.

## Code File : display\_watson.html



```
display_watson - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
  <title>
    Display Images
  </title>
  <link rel="stylesheet" href="style.css">
  <script>
    window.watsonAssistantChatOptions = {
      integrationID: "35636669-cd5e-400e-a10e-4a7b22fa467c", // The ID of this integration.
      region: "au-syd", // The region your integration is hosted in.
      serviceInstanceID: "72c42f57-ebec-41d0-8ea9-da4e33c8000a", // The ID of your service instance.
      onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
      const t=document.createElement('script');
      t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistant";
      document.head.appendChild(t);
    });
  </script>
</head>
<body>
  <h1>ChatBot Page </h1>
</body>
</html>
```

Ln 12, Col 67    100%    Windows (CRLF)    UTF-8