PYTHON PACKAGES INSTALLATION

TEAM ID : PNT2022TMID32852

PROJECT NAME: UNIVERSITY ADMIT ELIGIBILITY PREDICTOR

STEP 1



STEP 2



STEP 3


Anaconda Navigator
File Help
ANACONDA.NAVIGATOR
Connect
Anaconda Prompt (anaconda3)
(base) C:\Users\kmayu>pip install numpy
Requirement already satisfied: numpy in c:\users\kmayu\anaconda3\lib\site-packages (1.21.5)
(base) C:\Users\kmayu>
Home
Environments
Learning
Community
Notebook
Powershell Prompt
PyCharm Professional
Launch
Deepnote
IBM Watson Studio Cloud
Oracle Data Science Service
Anaconda Notebooks
Cloud notebooks with hundreds of packages ready to code.
Learn More
Documentation
Anaconda Blog
Glueviz
Orange 3
RStudio

STEP 4


Anaconda Navigator
File Help
ANACONDA.NAVIGATOR
Connect
Anaconda Prompt (anaconda3)
(base) C:\Users\kmayu>pip install numpy
Requirement already satisfied: numpy in c:\users\kmayu\anaconda3\lib\site-packages (1.21.5)
(base) C:\Users\kmayu>pip install pandas
Requirement already satisfied: pandas in c:\users\kmayu\anaconda3\lib\site-packages (1.4.4)
Requirement already satisfied: python-dateutil>=2.8.1 in c:\users\kmayu\anaconda3\lib\site-packages (from pandas) (2.8.2)
Requirement already satisfied: numpy>=1.18.5 in c:\users\kmayu\anaconda3\lib\site-packages (from pandas) (1.21.5)
Requirement already satisfied: pytz>=2020.1 in c:\users\kmayu\anaconda3\lib\site-packages (from pandas) (2022.1)
Requirement already satisfied: six>=1.5 in c:\users\kmayu\anaconda3\lib\site-packages (from python-dateutil>=2.8.1->pandas) (1.16.0)
(base) C:\Users\kmayu>
Home
Environments
Learning
Community
Notebook
Powershell Prompt
PyCharm Professional
Launch
Deepnote
IBM Watson Studio Cloud
Oracle Data Science Service
Building Data Science Solutions with Anaconda
Available on Amazon
Documentation
Anaconda Blog
Glueviz
Orange 3
RStudio

STEP 5


Anaconda Navigator
File Help
ANACONDA.NAVIGATOR
Connect
Anaconda Prompt (anaconda3)
(base) C:\Users\kmayu>pip install numpy
Requirement already satisfied: numpy in c:\users\kmayu\anaconda3\lib\site-packages (1.21.5)
(base) C:\Users\kmayu>pip install pandas
Requirement already satisfied: pandas in c:\users\kmayu\anaconda3\lib\site-packages (1.4.4)
Requirement already satisfied: python-dateutil>=2.8.1 in c:\users\kmayu\anaconda3\lib\site-packages (from pandas) (2.8.2)
Requirement already satisfied: numpy>=1.18.5 in c:\users\kmayu\anaconda3\lib\site-packages (from pandas) (1.21.5)
Requirement already satisfied: pytz>=2020.1 in c:\users\kmayu\anaconda3\lib\site-packages (from pandas) (2022.1)
Requirement already satisfied: six>=1.5 in c:\users\kmayu\anaconda3\lib\site-packages (from python-dateutil>=2.8.1->pandas) (1.16.0)
(base) C:\Users\kmayu>pip install matplotlib
Requirement already satisfied: matplotlib in c:\users\kmayu\anaconda3\lib\site-packages (3.5.2)
Requirement already satisfied: kiwisolver>=1.0.1 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (1.4.2)
Requirement already satisfied: pyparsing>=2.2.1 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (3.0.9)
Requirement already satisfied: packaging>=20.0 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (21.3)
Requirement already satisfied: python-dateutil>=2.7 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (2.8.2)
Requirement already satisfied: fonttools>=4.22.0 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (4.25.0)
Requirement already satisfied: numpy>=1.17 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (1.21.5)
Requirement already satisfied: pillow>=6.2.0 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (9.2.0)
Requirement already satisfied: cycler>=0.10 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (0.11.0)
Requirement already satisfied: six>=1.5 in c:\users\kmayu\anaconda3\lib\site-packages (from python-dateutil>=2.7->matplotlib) (1.16.0)
(base) C:\Users\kmayu>
Home
Environments
Learning
Community
Notebook
Powershell Prompt
PyCharm Professional
Deepnote
IBM Watson Studio Cloud
Oracle Data Science Service
Glueviz
Orange 3
RStudio
Anaconda Notebooks
Cloud notebooks with hundreds of packages ready to code.
Learn More
Documentation
Anaconda Blog
Launch

STEP 6


Anaconda Navigator
File Help
ANACONDA.NAVIGATOR
Connect
Anaconda Prompt (anaconda3)
Requirement already satisfied: matplotlib in c:\users\kmayu\anaconda3\lib\site-packages (3.5.2)
Requirement already satisfied: kiwisolver>=1.0.1 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (1.4.2)
Requirement already satisfied: pyparsing>=2.2.1 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (3.0.9)
Requirement already satisfied: packaging>=20.0 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (21.3)
Requirement already satisfied: python-dateutil>=2.7 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (2.8.2)
Requirement already satisfied: fonttools>=4.22.0 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (4.25.0)
Requirement already satisfied: numpy>=1.17 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (1.21.5)
Requirement already satisfied: pillow>=6.2.0 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (9.2.0)
Requirement already satisfied: cycler>=0.10 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (0.11.0)
Requirement already satisfied: six>=1.5 in c:\users\kmayu\anaconda3\lib\site-packages (from python-dateutil>=2.7->matplotlib) (1.16.0)
(base) C:\Users\kmayu>pip install scikit-learn
Requirement already satisfied: scikit-learn in c:\users\kmayu\anaconda3\lib\site-packages (1.0.2)
Requirement already satisfied: numpy>=1.14.6 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn) (1.21.5)
Requirement already satisfied: scipy>=1.1.0 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn) (1.9.1)
Requirement already satisfied: joblib>=0.11 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn) (1.1.0)
Requirement already satisfied: threadpoolctl>=2.0.0 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn) (2.2.0)
(base) C:\Users\kmayu>
Home
Environments
Learning
Community
Notebook
Powershell Prompt
PyCharm Professional
Deepnote
IBM Watson Studio Cloud
Oracle Data Science Service
Glueviz
Orange 3
RStudio
Building Data Science Solutions with Anaconda
Available on Amazon
Documentation
Anaconda Blog
Launch

STEP 7


Anaconda Navigator
File Help
ANACONDA.NAVIGATOR
Connect
Anaconda Prompt (anaconda3)
Requirement already satisfied: packaging>=20.0 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (21.3)
Requirement already satisfied: python-dateutil>=2.7 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (2.8.2)
Requirement already satisfied: fonttools>=4.22.0 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (4.25.0)
Requirement already satisfied: numpy>=1.17 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (1.21.5)
Requirement already satisfied: pillow>=6.2.0 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (9.2.0)
Requirement already satisfied: cycler>=0.10 in c:\users\kmayu\anaconda3\lib\site-packages (from matplotlib) (0.11.0)
Requirement already satisfied: six>=1.5 in c:\users\kmayu\anaconda3\lib\site-packages (from python-dateutil>=2.7->matplotlib) (1.16.0)
(base) C:\Users\kmayu>pip install scikit-learn
Requirement already satisfied: scikit-learn in c:\users\kmayu\anaconda3\lib\site-packages (1.0.2)
Requirement already satisfied: numpy>=1.14.6 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn) (1.21.5)
Requirement already satisfied: scipy>=1.1.0 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn) (1.9.1)
Requirement already satisfied: joblib>=0.11 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn) (1.1.0)
Requirement already satisfied: threadpoolctl>=2.0.0 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn) (2.2.0)
(base) C:\Users\kmayu>pip install Flask
Requirement already satisfied: Flask in c:\users\kmayu\anaconda3\lib\site-packages (1.1.2)
Requirement already satisfied: Jinja2>=2.10.1 in c:\users\kmayu\anaconda3\lib\site-packages (from Flask) (2.11.3)
Requirement already satisfied: itsdangerous>=0.24 in c:\users\kmayu\anaconda3\lib\site-packages (from Flask) (2.0.1)
Requirement already satisfied: click>=5.1 in c:\users\kmayu\anaconda3\lib\site-packages (from Flask) (8.0.4)
Requirement already satisfied: Werkzeug>=0.15 in c:\users\kmayu\anaconda3\lib\site-packages (from Flask) (2.0.3)
Requirement already satisfied: colorama in c:\users\kmayu\anaconda3\lib\site-packages (from click>=5.1->Flask) (0.4.5)
Requirement already satisfied: MarkupSafe>=0.23 in c:\users\kmayu\anaconda3\lib\site-packages (from Jinja2>=2.10.1->Flask) (2.0.1)
(base) C:\Users\kmayu>
Notebook
Powershell Prompt
PyCharm Professional
Deepnote
IBM Watson Studio Cloud
Oracle Data Science Service
Glueviz
Orange 3
RStudio
Building Data Science Solutions with Anaconda
Documentation
Anaconda Blog

STEP 8


Anaconda Navigator
File Help
ANACONDA.NAVIGATOR
Connect
Anaconda Prompt (anaconda3)
Requirement already satisfied: scikit-learn in c:\users\kmayu\anaconda3\lib\site-packages (1.0.2)
Requirement already satisfied: numpy>=1.14.6 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn) (1.21.5)
Requirement already satisfied: scipy>=1.1.0 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn) (1.9.1)
Requirement already satisfied: joblib>=0.11 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn) (1.1.0)
Requirement already satisfied: threadpoolctl>=2.0.0 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn) (2.2.0)
(base) C:\Users\kmayu>pip install Flask
Requirement already satisfied: Flask in c:\users\kmayu\anaconda3\lib\site-packages (1.1.2)
Requirement already satisfied: Jinja2>=2.10.1 in c:\users\kmayu\anaconda3\lib\site-packages (from Flask) (2.11.3)
Requirement already satisfied: itsdangerous>=0.24 in c:\users\kmayu\anaconda3\lib\site-packages (from Flask) (2.0.1)
Requirement already satisfied: click>=5.1 in c:\users\kmayu\anaconda3\lib\site-packages (from Flask) (8.0.4)
Requirement already satisfied: Werkzeug>=0.15 in c:\users\kmayu\anaconda3\lib\site-packages (from Flask) (2.0.3)
Requirement already satisfied: colorama in c:\users\kmayu\anaconda3\lib\site-packages (from click>=5.1->Flask) (0.4.5)
Requirement already satisfied: MarkupSafe>=0.23 in c:\users\kmayu\anaconda3\lib\site-packages (from Jinja2>=2.10.1->Flask) (2.0.1)
(base) C:\Users\kmayu>pip install sklearn
Requirement already satisfied: sklearn in c:\users\kmayu\anaconda3\lib\site-packages (0.0)
Requirement already satisfied: scikit-learn in c:\users\kmayu\anaconda3\lib\site-packages (from sklearn) (1.0.2)
Requirement already satisfied: scipy>=1.1.0 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn->sklearn) (1.9.1)
Requirement already satisfied: numpy>=1.14.6 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn->sklearn) (1.21.5)
Requirement already satisfied: joblib>=0.11 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn->sklearn) (1.1.0)
Requirement already satisfied: threadpoolctl>=2.0.0 in c:\users\kmayu\anaconda3\lib\site-packages (from scikit-learn->sklearn) (2.2.0)
(base) C:\Users\kmayu>
Notebook
Powershell Prompt
PyCharm Professional
Deepnote
IBM Watson Studio Cloud
Oracle Data Science Service
Glueviz
Orange 3
RStudio
Building Data Science Solutions with Anaconda
Documentation
Anaconda Blog

STEP 9



STEP 10



STEP 11



STEP 12