


ASSIGNMENT – 3


Name : Seeni Arivazhakan.


Reg.No : 813819205053

1.Upload 5 images :




Style file present in local machine:






2.upload a css page to the object storage and use the same page in your html code.

Code file:display_que3.html





Images and Style page From Cloud Object Storage




4.Design a chat bot.


<https://au-syd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2F0de56282b8b7400f9d6dddfdd3ea3433%3A19a04437-8cc6-4c7f-b072-2adb796e37b9%3A%3A/assistants/00ca659d-53d2-4e9f-90dd-e196223bfe7a/preview>

5.Create Watson assistant:

Code file:display_watson.html



```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>
5     Display Images
6   </title>
7   <link rel="stylesheet" href="style.css">
8   <script>
9     window.watsonAssistantChatOptions = {
10       integrationID: "ecf19e50-37f0-4ce2-a771-d6aab7ca0b55", // The ID of this integration.
11       region: "au-syd", // The region your integration is hosted in.
12       serviceInstanceID: "19a04437-8cc6-4c7f-b072-2adb796e37b9", // The ID of your service instance.
13       onLoad: function(instance) { instance.render(); }
14     };
15     setTimeout(function(){
16       const t=document.createElement('script');
17       t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChat
18       document.head.appendChild(t);
19     });
20   </script>
21 </head>
22 <body>
23   <h1>ChatBot Page </h1>
24 </body>
25 </html>
26
```



ChatBot Page

