


## DEVELOP A WEB APPLICATION USING NODE-RED SERVICE

### WRITE A FUNCTION TO COMPARE THE TIME

Team ID	PNT2022TMID32772
Project Name	Project – PERSONAL ASSISTANCE FOR SENIORS WHO ARE SELF-RELIANT



node-red-umkdd-2022-11-16.au-syd.mybluemix.net/red/#

Node-RED

Flow 1

common

- debug

function

- delay

IBM Watson

- discovery document loader
- discovery query builder
- language identity
- Natural Language

timestamp

function

msg.payload

form

delay 10s

medrem

msg

Edit function node

Delete Cancel Done

Properties

Name

Setup On Start On Message On Stop

```
1 var d = new Date();
2 var utc = d.getTime()+(d.getTimezoneOffset()*60000);
3 var offset=5.5;
4 newDate= new Date(utc+(3600000*offset));
5 var n=newDate.toISOString();
6 var date = n.slice(0,10);
7 var time = n.slice(11,16);
8 global.set('time',time);
9 msg.payload=date+" "+time;
10 return msg;
```

Enabled

node-red-umkdd-2022-11-16.au-syd.mybluemix.net/red/#

Node-RED

Flow 1

common

- debug

function

- delay

IBM Watson

- discovery document loader
- discovery query builder
- language identity
- Natural Language

timestamp

function

msg.payload

form

delay 10s

medrem

msg

Edit function node

Delete Cancel Done

Properties

Name

Setup On Start On Message On Stop

```
1 msg.payload={"command":msg.payload.name};
2 return msg;
```

Enabled

node-red-umkdd-2022-11-16.au-syd.mybluemix.net/red/#

Node-RED

Flow 1

common

- debug

function

- delay

IBM Watson

- discovery document loader
- discovery query builder
- language identity
- Natural Language

timestamp

function

msg.payload

msg

form

function

msg

delay 10s

Edit function node

Delete Cancel Done

Properties

Name

Setup On Start On Message On Stop

```
1 var d=msg.payload.date
2 var t=msg.payload.time
3 msg.payload = {
4   "_id":d+"t",
5   "name":msg.payload.name,
6 }
7 return msg;
```

Enabled

node-red-umkdd-2022-11-16.au-syd.mybluemix.net/red/#

Node-RED

Flow 1

common

- debug

function

- delay

IBM Watson

- discovery document loader
- discovery query builder
- language identity
- Natural Language

timestamp

function

msg.payload

msg

form

function

msg

delay 10s

Edit function node

Delete Cancel Done

Properties

Name

Setup On Start On Message On Stop

```
1 msg.payload={
2   "date": "",
3   "name": "",
4   "time": ""
5 }
6 return msg;
```

Enabled

node-red-umkdd-2022-11-16-au-syd.mybluemix.net/ui/#/0?socketid=qk9DpCwH5FoqTa3CAAAB

GmailMapsMATLABA free online course - EL...Roundcube Webmail - L...

Home

Medicine\_Reminder

Enter Medicine Name: \*

Time: \*

Date: \*

SUBMITCANCEL

Sprint Delivery Plan.pdf

Type here to search

26°C

18:01

ENG IN

19/11/2022

