

Project Report

Team Id	PNT2022TMID37251
Project Title	AI-powered Nutrition Analyzer for Fitness Enthusiasts

1. INTRODUCTION

1. Project Overview
2. Purpose

2. LITERATURE SURVEY

1. Existing problem
2. References
3. Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

1. Empathy Map Canvas
2. Ideation & Brainstorming
3. Proposed Solution
4. Problem Solution fit

4. REQUIREMENT ANALYSIS

1. Functional requirement
2. Non-Functional requirements

5. PROJECT DESIGN

1. Data Flow Diagrams
2. Solution & Technical Architecture
3. User Stories

6. PROJECT PLANNING & SCHEDULING

1. Sprint Planning & Estimation
2. Sprint Delivery Schedule
3. Reports from JIRA

7. CODING & SOLUTIONING

1. Feature 1
2. Feature 2

8. TESTING

1. Test Cases
2. User Acceptance Testing

9. RESULTS

1. Performance Metrics

10.ADVANTAGES & DISADVANTAGES

11.CONCLUSION

12.FUTURE SCOPE 13. APPENDIX Source Code

GitHub & Project Demo Link

1. INTRODUCTION

The most crucial factor in living a healthy life is eating a balanced, healthy diet. It supports healthy outcomes, aging, normal growth, and the growth of a sense of well-being. Additionally, it lowers the chance of developing cardiac and heart disorders and aids in maintaining a healthy body weight. Age, way of life, culture, gender, and a host of other factors all affect a balanced diet. Therefore, there is a need for nutritionists that can analyze each and every person based on their unique culinary culture and way of life. Artificial intelligence fills a requirement in the current, developing society for identity and nutrition studies. When a huge amount of data is required for structuring and integrating the metabolomics, AI algorithms will help forecast the complicated non-linear relationships in fitness related data sets. Every person needs to be aware of how many calories they are consuming in their fruits because society as a whole is becoming more diet concerned. It encourages better digestion and helps you feel full on less food. One can become more aware of their food choices by making a few minor adjustments to their eating routine. This analyser will give users an assistant that will advise them on what to eat, how much to consume, and all of the fruit's calories and nutrients. Additionally, it aids in lowering birth weight, malnutrition, and other issues.

1.1. PROJECT OVERVIEW

The idea is to ensure that the food has an optimal requirement of vitamins and minerals wherein the examination of nutrition in food helps in understanding about the fat proportion, carbohydrates dilution, proteins, fiber, sugar, etc. And thereafter the appropriate presence of nutritional value assists in fulfilling the compliance regulations matched by the national and international bodies. Food nutritional analysis is a compulsory requirement for food products manufacturing industries as it's a necessary complaint for the products to get launched. Thus have the scanning of the food product's nutritional value and be rest assured.

1.2. PURPOSE

The purpose of nutritional assessment, however, is to define a patient's nutritional status, to define clinically relevant malnutrition and to monitor changes in nutritional status.

2. LITERATURE SURVEY

2.1 EXISTING PROBLEM

A Study of Calorie Estimation in Pictures of Food by Jun Zhou, Dane Bell, Sabrina Nusrat, Melanie Hingle, Mihai Surdeanu, Stephen Kobourov findings offer fresh knowledge on the method for estimating calories from food photographs, which may be used to improve analysis and software development. As a function of respondent characteristics and food features, their study aims to assess the accuracy of crowdsourced annotations of calorie content in food photographs as well as to identify and quantify sources of bias and noise. They distributed a custom-made webpage that conducts an online test and encouraged adult social media users to offer calorie estimates for 20 food photos (for which actual calorie data were known). The pictures were chosen to show different meal varieties and energy densities. Participants might have disclosed their height, weight, and gender. The identical data was also annotated by five nutrition specialists to serve as a basis for comparison. Using linear mixed effects models with participant and image index as random variables, they investigated estimated accuracy on the basis of competence, demographic information, and meal quality. They also looked at the benefit of combining estimates from different sources. [1] An analysis of calorie estimation accuracy by Hannah Mixon and Matthew E. Davis is obesity monitoring and controlling by understanding the risk factors of every individual. Understanding risk factors is crucial to comprehend the role that individual differences in cognitive abilities play in the nutritional decision-making process, from the assessment of calories to the influence of any cognitive biases or miscalculations that may occur. In the current study, researchers looked into how dietary aspects like limited eating and cognitive factors like cognitive reflection and numeracy affect biases and miscalculations about calories. Additionally, it primarily focuses on packaged goods and calculates risk and calories for them. [2] Popular Nutrition-Related Mobile Apps: A Feature Assessment by Rodrigo Zenun Franco, Rosalind Fallaize, Julie A Lovegrove, Faustina Hwang is a model proposed in 2016, is to examine and contrast the approaches and technologies used by the most widely used nutrition apps for dietary assessment and user feedback. 13 apps in total were deemed popular enough to be included in the analysis. Nine applications included a food diary function for prospectively documenting food intake. There were barcode scanners and text search capabilities for food selection. Selection of the portion size was only textual (ie, without images or icons). All nine of these apps have the ability to gather data on physical activity (PA) through wearable integrations, self-report, or GPS tracking. Their work mainly concentrated on achieving a healthy energy balance between dietary intake and PA. None of these nine applications provided elements specifically linked to meal plans and coaching for motivation. The remaining four of the 13 apps, however, concentrated on these prospects without including food diaries. Another cutting-edge feature of one app, Fat Secret, allowed users to communicate with medical experts, and S Health offered a nutrient balance score. [3] Artificial Intelligence Applications in Nutrition and Dietetics is a model that provides the advantages and disadvantages. Both dietitians and clients should track dietary assessments of individuals when assessing nutritional status. Artificial intelligence applications are becoming more prevalent in the fields of dietetics and nutrition, according to observations. For instance, the food consumption logs, which are assessed

by photographing the meals ingested, are helpful in determining the nutritional status. These smartphone-shot images demonstrate how useful and adaptable the application is. The dietician can follow the suggested diet plan using these apps, and the clients can take responsibility for their own diet adaption. In order to lower the danger in this approach, hospitalized patients' usual food consumption must be closely monitored. [4]

2.2 REFERENCES

- [1] A Study of Calorie Estimation in Pictures of Food by Jun Zhou, Dane Bell, Sabrina Nusrat, Melanie Hingle, Mihai Surdeanu, Stephen Kobourov
- [2] An analysis of calorie estimation accuracy by Hannah Mixon and Matthew E. Davis
- [3] Popular Nutrition-Related Mobile Apps: A Feature Assessment by Rodrigo Zenun Franco, Rosalind Fallaize, Julie A Lovegrove, Faustina Hwang
- [4] Artificial Intelligence Applications in Nutrition and Dietetics is a model provides the advantages and disadvantages


2.3 PROBLEM STATEMENT

The main aim of the project is to building a model which is used for classifying the fruit depends on the different characteristics like colour, shape, texture etc. Here the user can capture the images of different fruits and then the image will be sent the trained model. The model analyses the image and detect the nutrition based on the fruits like (Sugar, Fibre, Protein, Calories, etc.

To accomplish this, we have to complete all the activities and tasks listed below

- Data Collection.
 - Collect the dataset or Create the dataset
- Data Preprocessing.
- Import the ImageDataGenerator library
- Configure ImageDataGenerator class
- ApplyImageDataGenerator functionality to Train Set and Test Set
- Model Building
 - Import the model building Libraries
 - Initializing the model
 - Adding Input Layer
 - Adding Hidden Layer
 - Adding Output Layer

- Configure the Learning Process
- Training and testing the model
- Save the Model
- Application Building
 - Create an HTML file




- Build Python Code

3. IDEATION & PROPOSED SOLUTION

3.1 EMPATHY MAP CANVAS

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviors and attitudes. It is a useful tool to help teams better understand their users. Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.

3.2 IDEATION & BRAINSTORMING



3.3 PROPOSED SOLUTION

S.No.	Parameter	Description
1.	Problem Statement (Problem solved)	A nutrition analyser with AI powered fruit classifier based on the features to provide nutritional values like fiber, vitamins, minerals etc to Fitness Ethusiasts.
2.	Idea / Solution description	Creating web interface application to monitor and track health condition and helping the people to improve their health condition.
3.	Novelty / Uniqueness	Artificial Intelligence offers unparalleled opportunities of progress and applications in nutrition. There remain gaps to address to potentialize this emerging field

4.	Social Impact / Customer Satisfaction	The relationship between an individual's social, psychological, and cultural environment and his or her nutritional status is one of both cause and effect. With use of this application one can keep track of how much nutrients they can balance in their diet.
----	---	---

5.	Business Model (Revenue Model)	Offering monthly or yearly subscription for premium features. Monetizing data from the application.
6.	Scalability of the Solution	For now the nutrition analyser is limited to mostly fruits only, which can be scaled to other foods, Implementing in mobile app.

3.4 PROBLEM SOLUTION FIT

Define CL, RT into CL	1. CUSTOMER SEGMENT(S) CS Who is your customer? customers who need to keep track of their diet and exercise regime, take expert advice and connect to other fitness enthusiasts	6. CUSTOMER LIMITATIONS CL <small>EG. BUDGET, DEVICES</small> What limits your customers to act when problem occurs? 1.This application will be supported by all devices 2.this app is able to map its users nutritional patterns and needs. 3.it will monitor the progress	5. AVAILABLE SOLUTIONS AS <small>PLUSES & MINUSES</small> Which solutions are available to the customer when he/she is facing the problem? What had he/she tried in the past? Pluses & minuses 1.The system plans offer its customer and fitness enthusiasts many beauty tips options that can help them reach their goals. 2.Users will be able to order food as per their diet plan	Explore AS, differentiate
	2. PROBLEMS / PAINS PR <small>+ ITS FREQUENCY</small> Which problem do you solve for your customer? There could be more than one, explore different sides. 1.It wants to help millions of customers achieve their goals by Engaging with nutritionists and other health experts empowered with artificial intelligence. 2.It solves health problems such as fitness problem, inappropriate diet, mental problems etc. 3.The main objective of this work to recommend a diet to different individual for their health problems	9. PROBLEM ROOT / CAUSE RC What is the root of every problem from the list? 1.customer don't know where to start for the balanced diet. 2.they lack the information about health problems 3.Not following the guidance properly	7. BEHAVIOR BE <small>+ ITS INTENSITY</small> What does your customer do about / around / directly or indirectly related to the problem? 1.Make sure customers takes the balanced diet that gives your body the nutrients it needs to function correctly. 2.it will Build Activity into customer daily routine for health balance	Focus on PR, too into BE, understand RC
Focus on PR, too into BE, understand RC	3. TRIGGERS TO ACT TR What triggers customer to act? customer should know their process for their fitness goal	10. YOUR SOLUTION SL 1. To Consider your Fitness Goal 2.To Create a balanced routine 3. To Build Activity into your daily routine 4. Start slowly and build up gradually and Listen to your body 5. Will monitor your progress	8. CHANNELS of BEHAVIOR CH ONLINE Extract channels from Behavior block The model analyses the image and detect the nutrition based on the fruits like (Sugar, Fibre, Protein, Calories, etc.).	Focus on BE, too into BE, understand RC
	4. EMOTIONS EM <small>BEFORE / AFTER</small> Which emotions do people feel before/after this problem is solved? customer will be motivated and become confident after following fitness guidance to maintain their health issues		OFFLINE Extract channels from Behavior block and use for customer development The customer can capture the images of different fruits and then the image will be sent the trained model which will analyse nutrition	
Identify strong TR & EM		Extract online & offline CH of BE		

4. REQUIREMENT ANALYSIS

4.1 FUNCTIONAL REQUIREMENTS

AI-Powered Nutrition Analyzer for Fitness Enthusiasts

Function Requirements

FR. No	Functional Requirement	Sub Requirement
FR-1	User Registration	Registration through Form
FR-2	User Confirmation	Confirmation via Email
FR-3	User Profile	Filling the profile page after logging in
FR-4	Scan the Image	Capture the images of the fruits or food
FR-5	Data Processing	Provide the nutrition contents of the food


Non-Functional Requirement

NFR. No	Non-Functional Requirement	Description
---------	----------------------------	-------------

NFR-1	Usability	The system allows the user to perform the tasks easily and efficiently and effectively
NFR-2	Security	Assuring all data inside the system or parts will be protected against malware attacks or unauthorized attacks
NFR-3	Reliability	The website does not recover from failure quickly , it takes time as the application is running in single server
NFR-4	Performance	Response time and Net processing time is fast
NFR-5	Availability	The system will be available up to 95% of the time
NFR-6	Scalability	The website is scalable


5. PROJECT DESIGN

5.1 DATA FLOW DIAGRAMS



5.2 SOLUTION & TECHNICAL ARCHITECTURE

Technical Architecture:



5.3 USER STORIES

USER TYPE	FUNCTIONAL REQUIREMENTS	USER STORY NUMBER	USER STORY/TASK	ACCEPTANCE CRITERIA	PRIORITY	RELEASE
Customer	Registration	USN-1	As a user, I can register	I can access my account /	High	Sprint-1

			for the application by entering my Name, Age, Gender, E-mail, password, and confirming my password.	dashboard		
		USN-2	As a user, I will receive a confirmation email once I have registered for the application.	I can receive confirmation email & click confirm.	High	Sprint-1
	Profile Updating	USN-3	As a user, I have to enter my height, weight and daily activity details	I can update these information on Dashboard.	High	Sprint-1
	Login	USN-4	As a user, I can login to the application by entering Email and password.	I can access my account/ dashboard.	High	Sprint-1

	Dashboard	USN-5	As a user, I can login to the application by entering Email and password.	I can get the nutritional value of that particular meal.	High	Sprint-2
		USN-6	As a user, I can track my daily calorie intake.	I can access my account/ Dashboard	Medium	Sprint-2
Applic ation	Maintain Application	USN-7	Maintaining details for users.	I can access the database.	High	Sprint-3

6. PROJECT PLANNING & SCHEDULING

6.1. SPRINT PLANNING & ESTIMATION

SPRINT	FUNCTIONAL REQUIREMENT	USER STORY NO	USER STORY/TASK	STORY POINTS	PRIORITY	TEAM MEMBERS
1	Data Collection	USN-1	Dataset - Collecting images of food items apples , banana, orange, pineapple, watermelon for analysis	5	High	ANUSH HARSH
1	Image Processing	USN-2	Image data augmentation - Increasing the amount of data by generating new data points from existing data	4	Medium	KULDEEP HASHWANT

2	Image Processing	USN-3	Image Data Generator Class - Used for getting the input of the original data	4	Medium	ANUSH HASHWANT
1	Image Processing	USN-4	Applying image data generator functionality to train set and test set	4	Medium	HARSH KULDEEP
2	Model Phasing	USN-5	Defining the model architecture - Building the model using deep learning approach and adding CNN layers	4	Medium	ANUSH KULDEEP
2	Model phasing	USN-6	Training , saving, testing and predicting the model	5	High	HASHWANT HARSH
2	Recognise fruit type	USN-7	Data base creation for the input classes	4	High	KULDEEP ANUSH
2	Development Phase	USN-8	User database creation - It contains the details of users	2	Medium	HASHWANT KULDEEP
2	Development Phase	USN-9	Home page creation - It shows options of the application	2	Low	HARSH KULDEEP

2	Development Phase	USN-10	Login and registration page creation - User can register and login through gmail with Id and password	2	low	KULDEEP HARSH
3	Development Phase	USN-11	Dashboard creation – Dashboard contains the information of user profile and features of the application	2	low	ANUSH HASHWANT
3	Development Phase	USN-12	User Input Page Creation - It is for the user to feed the input images	4	Medium	HARSH KULDEEP
3		USN-13	Analysis and prediction page creation - It shows the prediction of given user input	4	Medium	KULDEEP ANUSH
3	Application Phase	USN-14	Creation of about us, feedback and rating page – It shows application history and feedback page to users	4	Medium	HASHWANT HARSH
3	Application Phase	USN-15	Building the python code and importing the flask module into the Project	6	High	ANUSH HARSH


4	Application Phase	USN-16	Create the Flask application and loading the model	5	High	KULDEEP HASHWANT
4	Application Phase	USN-17	API integration - Connecting front end and back end and perform routing and run the application	5	High	ANUSH KULDEEP
4	Deployment phase	USN-18	Cloud deployment – Deployment of application by using IBM cloud	4	High	HARSH HASHWANT
4	Testing Phase	USN-19	Functional testing – Checking usability and accessibility	3	Medium	ANUSH HASHWANT
4		USN-20	Non Functional testing – Checking scalability and performance of the application	3	Medium	HARSH KULDEEP

6.2. SPRINT DELIVERY SCHEDULE

SPRINT	TOTAL STORY POINTS	DURATION	SPRINT START DATE	SPRINT END DATE	STORY POINTS COMPLETED	SPRINT RELEASE DATE
1	20	6 Days	24 Oct 2022	29 Oct 2022	17	29 Oct 2022

2	20	6 Days	31 Oct 2022	05 Nov 2022	20	5 Nov 2022
3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022


6.3 REPORTS FROM JIRA




7. CODING & SOLUTIONING

7.1 FEATURE 1

Home.html



Feature 2




App.py

```
File Edit Selection View Go Run Terminal Help
app.py - Python Analyzer - Visual Studio Code

NUTRITION_ANALYSER
├── __pycache__
├── env
├── images
├── static
├── templates
├── test
├── train
├── app.py
├── DataSetup
├── Fruits_Nutrition.hs
├── fruits.hs
├── nutrition.hs
└── upload_images.py

app.py
1 from flask import Flask, render_template, url_for, request
2 import numpy as np
3 import os
4 import tensorflow as tf
5 from keras.models import load_model
6 from keras.preprocessing import image
7 from keras.utils import load_img, img_to_array
8 import requests
9 from bs4 import BeautifulSoup
10
11 print(tf.__version__)
12
13 APP_ROOT = os.path.dirname(os.path.abspath(__file__))
14
15 model = load_model('Fruits_Nutrition.hs')
16
17 class_name = {0: 'apple', 1: 'banana', 2: 'beetroot', 3: 'bell pepper', 4: 'cabbage', 5: 'capsicum', 6: 'carrot', 7:
18              19: 'mango', 20: 'onion', 21: 'orange', 22: 'paprika', 23: 'pear', 24: 'peas', 25: 'pineapple', 26: 'pomegra
19
20
21 app = Flask(__name__)
22
23 # Run Flask application on port 127.0.0.1:5000
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
```

```
2022-11-18 15:27:56.203618: W tensorflow/stream_executor/platform/default/dso_loader.cc:64] Could not load dynamic library 'nvidia.dll'; dlerror: nvidia.dll not found
2022-11-18 15:27:56.263389: W tensorflow/stream_executor/cuda/cuda_driver.cc:263] failed call to cuInit: UNKNOWN ERROR (303)
2022-11-18 15:27:56.279651: I tensorflow/stream_executor/cuda/cuda_diagnostics.cc:169] retrieving CUDA diagnostic information for host: DESKTOP-9F0F88L
2022-11-18 15:27:56.280522: I tensorflow/stream_executor/cuda/cuda_diagnostics.cc:176] hostname: DESKTOP-9F0F88L
2022-11-18 15:27:56.283897: I tensorflow/core/platform/cpu_feature_guard.cc:193] This TensorFlow binary is optimized with oneAPI Deep Neural Network Library (oneDNN) to use
the following CPU instructions in performance-critical operations: AVX AVX2
to enable them in other operations, rebuild TensorFlow with the appropriate compiler flags.
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment, use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
```



Data Collection

Download the dataset using the above given link

Unzipping the dataset

```
!unzip          '/content/Dataset.zip'          inflating:
Dataset/TRAIN_SET/PINEAPPLE/33_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/34_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/35_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/36_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/37_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/38_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/39_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/40_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/41_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/42_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/43_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/44_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/45_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/46_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/47_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/48_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/49_100.jpg inflating:
Dataset/TRAIN_SET/PINEAPPLE/4_100.jpg
```

Image ProProcessing

```
Importing the ImageDataGenerator Library import numpy as np
import tensorflow as tf from tensorflow.keras.models import
Sequential from tensorflow.keras import layers from
tensorflow.keras.layers import Dense,Flatten from
tensorflow.keras.layers import Conv2D,MaxPooling2D,Dropout
from keras.preprocessing.image import ImageDataGenerator
```

```
Config ImageDataGenerator Class train_datagen = ImageDataGenerator(rescale =
1./255,shear_range=0.2, zoom_range=0.2, horizontal_flip= True)
test_datagen = ImageDataGenerator(rescale = 1./255)
```

Applying Image DataGenerator Functionality To Trainset And Testset

```
#Applying Image DataGenerator Functionality To Trainset And Testset x_train =
train_datagen.flow_from_directory(r'/content/drive/MyDrive/DataSet-
IBM/TRAIN_SET', target_size=(64, 64),batch_size=5,color_mode='rgb',class_mode='sparse')
```


```
#Applying Image DataGenerator Functionality To Testset
```

```
x_test = test_datagen.flow_from_directory( r'/content/drive/MyDrive/DataSet-
```


IBM/TEST_SET', target_size=(64, 64), batch_size=5, color_mode='rgb', class_mode='sparse')

Found 4128 images belonging to 5 classes.
Found 929 images belonging to 5 classes.

Image PreProcessing



```
[2] test_datagen = ImageDataGenerator(rescale = 1./255)

[3] #splitting image data into training and testing
x_train = train_datagen.flow_from_directory(
    r'/content/drive/MyDrive/outset-IBM/TRAIN_SET',
    target_size=(64, 64), batch_size=5, color_mode='rgb', class_mode='sparse')
x_test = test_datagen.flow_from_directory(
    r'/content/drive/MyDrive/outset-IBM/TEST_SET',
    target_size=(64, 64), batch_size=5, color_mode='rgb', class_mode='sparse')

Found 4128 images belonging to 5 classes.
Found 929 images belonging to 5 classes.

[4] #extracting the number of classes
print(x_train.class_indices)

{'APPLES': 0, 'BANANA': 1, 'DRANGE': 2, 'PINEAPPLE': 3, 'WATERMELON': 4}

[5] #extracting the number of classes
print(x_test.class_indices)

{'APPLES': 0, 'BANANA': 1, 'DRANGE': 2, 'PINEAPPLE': 3, 'WATERMELON': 4}

[6] from collections import Counter as c
c(x_train.labels)

Counter([0: 895, 1: 1384, 2: 1419, 3: 229, 4: 475])
```

Model Creation

Importing libraries import numpy as np import tensorflow as tf from tensorflow.keras.models import Sequential from tensorflow.keras.layers import Dense, Flatten from tensorflow.keras.layers import Conv2D, MaxPooling2D, Dropout from keras.preprocessing.image import ImageDataGenerator

Initializing the Model

```
model = Sequential()
```

Adding CNN Layers

```
classifier = Sequential()
```

```
# First convolution layer and pooling classifier.add(Conv2D(32, (3, 3),
input_shape=(64, 64, 3), activation='relu'))
```


```
classifier.add(MaxPooling2D(pool_size=(2, 2))) # Second convolution layer
and pooling classifier.add(Conv2D(32, (3, 3), activation='relu'))
```

```
# input_shape is going to be the pooled feature maps from the previous convolution layer
classifier.add(MaxPooling2D(pool_size=(2, 2)))
```

```
# Flattening the layers classifier.add(Flatten())
```

Adding Dense Layers classifier.add(Dense(units=128,
activation='relu')) classifier.add(Dense(units=5,
activation='softmax'))

classifier.summary()




Layer (type)	Output Shape	Param #
conv2d (Conv2D)	(None, 62, 62, 32)	896
max_pooling2d (MaxPooling2D)	(None, 31, 31, 32)	0
conv2d_1 (Conv2D)	(None, 29, 29, 32)	9248
max_pooling2d_1 (MaxPooling2D)	(None, 14, 14, 32)	0
flatten (Flatten)	(None, 6272)	0
dense (Dense)	(None, 128)	802944
dense_1 (Dense)	(None, 5)	645
Total params: 813,733		
Trainable params: 813,733		
Non-trainable params: 0		

Configure the Learning Process

Compiling the CNN

categorical_crossentropy for more than 2
classifier.compile(optimizer='adam',
loss='sparse_categorical_crossentropy', metrics=['accuracy'])

Train The Model classifier.fit_generator(generator=x_train,steps_per_epoch = len(x_train),epochs=20, validation_data=x_test,validation_steps = len(x_test))



Save the Model

classifier.save('ainutrition.h5')

8. TESTING

8.1 TEST CASES & USER ACCEPTANCE TESTING

Test the Model

```

#Predict the results from
tensorflow.keras.models import load_model from
keras.preprocessing import image from
keras_preprocessing.image import load_img
model = load_model("ainutrition.h5")

```

from tensorflow.keras.utils import img_to_array

#loading of the image

img = load_img(r'/content/drive/MyDrive/DataSet-

IBM/TEST_SET/ORANGE/n07749192_1251.jpg', grayscale=False, target_size= (64,64))

```
#image to array x = img_to_array(img)
#changing the shape x =
np.expand_dims(x,axis = 0)
predict_x=model.predict(x)
classes_x=np.argmax(predict_x,axis=-
1) classes_x
```

```
1/1 [=====] - 0s 107ms/step
array([2])
```


```
index=['APPLES', 'BANANA',
'ORANGE', 'PINEAPPLE', 'WATERMELON']
result=str(index[classes_x[0]]) result
```

```
'ORANGE'
```

```
print(result) if result
== 'APPLES':
    print("One serving, or one medium apple, provides about 95 calories, 0 gram fat, 1 gram
protein, 25 grams carbohydrate, 19 grams sugar (naturally occurring), and 3 grams fiber.") elif
result == 'BANANA':
    print("One serving, or one medium ripe banana, provides about 110 calories, 0 gram fat, 1
gram protein, 28 grams carbohydrate, 15 grams sugar (naturally occurring), 3 grams fiber,
and 450 mg potassium.") elif result == 'ORANGE':
    print("60 calories, No fat or sodium, 3 grams of fiber, 12 grams of sugar, 1 gram of protein,
14 micrograms of vitamin A, 70 milligrams of vitamin C, 6% of your daily recommended
amount of calcium.") elif result == 'PINEAPPLE':
    print("Calories: 83, Fat: 1.7 grams, Protein: 1 gram, Carbs: 21.6 grams, Fiber: 2.3 grams,
Vitamin C: 88% of the Daily Value (DV), Manganese: 109% of the DV, Vitamin B6: 11% of
the DV.") elif result == 'WATERMELON':
    print("Calories: 46, Carbs: 11.5 grams, Fiber: 0.6 grams, Sugar: 9.4 grams, Protein: 0.9
grams, Fat: 0.2 grams, Vitamin A: 5% of the Daily Value (DV), Vitamin C: 14% of the DV.")
```

```
ORANGE
60 calories, no fat or sodium, 3 grams of fiber, 12 grams of sugar, 1 gram of protein, 14 micrograms of vitamin A, 70 milligrams of vitamin C, 6% of your daily recommended amount
```

Model Building



```
[12] classifier.save('classification.h5')

[14] #evaluate the results
from tensorflow.keras.models import load_model
from keras.preprocessing import image
from keras.preprocessing.image import load_img
model = load_model('classification.h5')


[15] from tensorflow.keras.utils import img_to_array
#loading of the image
img = load_img(r'/content/drive/MyDrive/Dataset_IMG/TEST_SET/OWAZE/n07749182_1251.jpg', grayscale=False, target_size= (64,64))
#image to array
x = img_to_array(img)
#resizing the image
x = np.expand_dims(x,axis = 0)
predict_x=model.predict(x)
classes_x=np.argmax(predict_x,axis=-1)
classes_x

1/1 [.....] - 0s 167ms/step
array([1])

[16] index=['apple', 'banana', 'orange', 'pineapple', 'watermelon']
result=str(index[classes_x[0]])
result

'orange'
```

Webpage





9. RESULTS

9.1 PERFORMANCE METRICS

```
loss: 0.2104 - accuracy: 0.9213 - val_loss: 0.3689 - val_accuracy: 0.8751
loss: 0.2100 - accuracy: 0.9191 - val_loss: 0.3579 - val_accuracy: 0.8827
loss: 0.1906 - accuracy: 0.9319 - val_loss: 0.4280 - val_accuracy: 0.8611
loss: 0.1827 - accuracy: 0.9329 - val_loss: 0.3347 - val_accuracy: 0.9031
loss: 0.1636 - accuracy: 0.9394 - val_loss: 0.4189 - val_accuracy: 0.8579
loss: 0.1609 - accuracy: 0.9397 - val_loss: 0.3509 - val_accuracy: 0.8967
loss: 0.1363 - accuracy: 0.9479 - val_loss: 0.3901 - val_accuracy: 0.8924
loss: 0.1339 - accuracy: 0.9537 - val_loss: 0.4557 - val_accuracy: 0.8730
loss: 0.1179 - accuracy: 0.9566 - val_loss: 0.3902 - val_accuracy: 0.9042
```

10. ADVANTAGES & DISADVANTAGES

Advantages :

- Easily detect and Estimate the food nutrition
- Most Accurate

- Flexible Model which can give maximized outcome
- No Specific Requirements needed to implement the model

Disadvantages :

- Training model is a time consuming process.
- Change in uploading image size or format will throw error

11. CONCLUSION

Thus we have constructed a model that can identify the fruit variety and it can analyze its nutrition by advanced AI techniques and CNN Algorithm, then the Prediction model is checked. Then the entire model is deployed to the IBM Cloud account that we have created with the studies we have done.

12. FUTURE SCOPE

- It can be developed as a Web or Android Application.
- In future Alternate Advanced technologies can be Implemented.
- The Identification and tracking system can be implemented if possible

13. APPENDIX Source**Code:**

Github : <https://github.com/IBM-EPBL/IBM-Project-16409-1659613531>