## Model Building Adding CNN Layers

| Date         | 15 November 2022                          |
|--------------|---|
| Team ID      | PNT2022TMID37251                          |
| Project Name | AI-Powered Nutrition Analyzer For Fitness |
|              | Enthusiasts                               |

## **Adding CNN Layers**

- For information regarding CNN Layers refer to the link https://www.upgrad.com/blog/basic-cnn-architecture/
- As the input image contains three channels, we are specifying the input shape as (64,64,3).
- We are adding a two convolution layer with activation function as "relu" and with a small filter size (3,3) and the number of filters (32) followed by a max-pooling layer.
- Max pool layer is used to down sample the input. (Max pooling is a pooling operation that selects the maximum element from the region of the feature map covered by the filter).
- Flatten layer flattens the input. Does not affect the batch size.

## Creating the model

```
[] # Initializing the CNN
classifier = Sequential()

# First convolution layer and pooling
classifier.add(Conv2D(32, (3, 3), input_shape=(64, 64, 3), activation='relu'))
classifier.add(MaxPooling2D(pool_size=(2, 2)))

# Second convolution layer and pooling
classifier.add(Conv2D(32, (3, 3), activation='relu'))

# input_shape is going to be the pooled feature maps from the previous convolution layer
classifier.add(MaxPooling2D(pool_size=(2, 2)))

# Flattening the layers
classifier.add(Flatten())
```