

PROJECT DEVELOPMENT PHASE

SPRINT 4

TEAM ID	PNT2022TMID32851
PROJECT NAME	Smart Fashion Recommender Application

1. Sendgrid integration with python

Before sending your first email, you'll need to create a sender identity.

API Keys

API Key Name *

API Key Permissions*

- ☒ **Full Access**
Allows the API key to access GET, PATCH, PUT, DELETE, and POST endpoints for all parts of your account, excluding billing and Email Address Validation.
- ☐ **Restricted Access**
Customize levels of access for all parts of your account, excluding billing and Email Address Validation.
- ☐ **Billing Access**
Allows the API key to access billing endpoints for the account. (This is especially useful for Enterprise or Partner customers looking for more advanced account management.)

Cancel Create & View

API Keys

Create API Key

NAME	API KEY	ACTION
trendy-fashion API Key ID: A77n0tHRRWPZ6ILNfvg	*****	

```
Administration: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Windows\system32> pip install sendgrid
Collecting sendgrid
  Downloading sendgrid-6.0.7-py3-none-any.whl (401 kB)
----- 101.1/101.1 KB 447.4 KB/s eta 0:00:00
Collecting python-http-client==3.2.1
  Downloading python_http_client-3.1.1-py3-none-any.whl (8.4 kB)
Collecting starkbank-ecdsa==2.0.1
  Downloading starkbank-ecdsa-2.0.1.tar.gz (14 kB)
  Preparing metadata (setup.py) ... done
Installing collected packages: starkbank-ecdsa, python-http-client, sendgrid
DEPRECATION: starkbank-ecdsa is being installed using the legacy 'setup.py install' method, because it does not have a 'pyproject.toml' and the 'wheel' package is not installed. pip 23.1 will enforce this beha
vour change. A possible replacement is to enable the '--use-pep517' option. Discussion can be found at https://github.com/pypa/pip/issues/8559
Running setup.py install for starkbank-ecdsa ... done
Successfully installed python-http-client-3.2.1 sendgrid-6.0.7 starkbank-ecdsa-2.0.1

[notice] A new release of pip available: 22.3 -> 22.5.1
[notice] To update, run: python.exe -m pip install --upgrade pip
PS C:\Windows\system32>
```

Ajisha Jayakumar

Dashboard

Email API

Marketing

Design Library

Data

Activity

Support Center

Settings

Account Details

Alert Settings

API Keys

Recent Items

Sender Authentication

Single Sender Verification



SENDER	ADDRESS
<div>Ajisha</div> <div>FROM: ajisha503@gmail.com</div> <div>REPLY: amiraj5@gmail.com</div>	stella.rarys https://www.stellamaryscoe.edu nagercoil, IND

Sender has been created


To verify sender identity, check your inbox at ajisha503@gmail.com.

Resend email

Close



2. Containerize the application




The screenshot shows the Visual Studio Code editor with a Dockerfile open. The Dockerfile contains the following instructions:


```
1 FROM python:2.7
2 LABEL maintainer="Kunal Malhotra, kunal.malhotra@ibm.com"
3 RUN apt-get update
4 RUN mkdir /app
5 WORKDIR /app
6 COPY . /app
7 RUN pip install -r requirements.txt
8 EXPOSE 5000
9 ENTRYPOINT [ "python" ]
10 CMD [ "app.py" ]
```

Below the Dockerfile, the terminal displays the help text for the `docker run` command:


```
--runtime string          Runtime to use for this container
--security-opt list       Security Options
--shm-size bytes          Size of /dev/shm
--sig-proxy                Proxy received signals to the
                           process (default true)
--stop-signal string       Signal to stop a container
                           (default "15")
--stop-timeout int         Timeout (in seconds) to stop a
                           container
--storage-opt list         Storage driver options for the
                           container
--sysctl map               Sysctl options (default map[])
--tmpfs list               Mount a tmpfs directory
-t, --tty                  Allocate a pseudo-TTY
--ulimit ulimit            Ulimit options (default [])
-u, --user string          Username or UID (format:
                           <name|uid[:group|gid>])
--userns string            User namespace to use
--uts string               UTS namespace to use
-v, --volume-driver string Bind mount a volume
                           Optional volume driver for the
                           container
--volumes-from list        Mount volumes from the specified
                           container(s)
                           Working directory inside the container
-W, --workdir string       Working directory inside the container
```



3. Upload images to cloud



4. Create responsive design for the application



```
64 <i class="fa fa-bars"></i>
65 </a>
66 </div>
67 </div>
68
69 <!-- Sidebar on small screens when clicking the menu icon -->
70 <nav class="w3-sidebar w3-bar-block w3-black w3-card w3-animate-left w3-hide-medium w3-hide-large"
71     style="display:none" id="mySidebar">
72   <a href="javascript:void(0)" onclick="w3_close()" class="w3-bar-item w3-button w3-large w3-padding:16">Close </a>
73   <a href="#about" onclick="w3_close()" class="w3-bar-item w3-button">ABOUT</a>
74   <a href="#team" onclick="w3_close()" class="w3-bar-item w3-button">TEAM</a>
75   <a href="#work" onclick="w3_close()" class="w3-bar-item w3-button">WORK</a>
76   <a href="#contact" onclick="w3_close()" class="w3-bar-item w3-button">CONTACT</a>
77 </nav>
78
79 <!-- Header with full-height image -->
80 <header class="bgimg-1 w3-display-container w3-grayscale-min" id="home">
81   <div class="w3-display-left w3-text-white" style="padding:48px">
82     <span class="w3-jumbo w3-hide-small">Start something that matters</span><br>
83     <span class="w3-xxlarge w3-hide-large w3-hide-medium">Start something that matters</span><br>
84     <span class="w3-large">Stop wasting valuable time with projects that just isn't you.</span>
85     <p><a href="#about"
86         class="w3-button w3-white w3-padding-large w3-large w3-margin-top w3-opacity w3-hover-opacity-off">Learn more
87         and start today</a></p>
88   </div>
89   <div class="w3-display-bottomleft w3-text-grey w3-large" style="padding:24px 48px">
90     <i class="fa fa-facebook-official w3-hover-opacity"></i>
91     <i class="fa fa-instagram w3-hover-opacity"></i>
92     <i class="fa fa-snapchat w3-hover-opacity"></i>
93     <i class="fa fa-pinterest-p w3-hover-opacity"></i>
94     <i class="fa fa-twitter w3-hover-opacity"></i>
95     <i class="fa fa-linkedin w3-hover-opacity"></i>
96   </div>
97 </header>
98
99 <!-- About Section -->
100 <div class="w3-container" style="padding:128px 16px" id="about">
```

