## SPRINT

## **Alert Page:**

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="utf-8">
<title>Warning Alert Notification</title>
<link rel="stylesheet" href="spr4.css">
k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/5.15.3/css/all.min.css"/>
<script src="https://code.jquery.com/jquery-3.4.1.js"></script>
</head>
<body>
<button>Show Alert</button>
<div class="alert hide">
<span class="fas fa-exclamation-circle"></span>
<span class="msg">Warning: Your Child is Unsafe!</span>
 <div class="close-btn">
<span class="fas fa-times"></span>
</div>
</div>
<script>
$('button').click(function(){
$('.alert').addClass("show");
$('.alert').removeClass("hide");
$('.alert').addClass("showAlert");
setTimeout(function(){
$('.alert').removeClass("show");
$('.alert').addClass("hide");
 },5000);
});
$('.close-btn').click(function(){
$('.alert').removeClass("show");
$('.alert').addClass("hide");
 });
</script>
</body>
</html>
```

```
CSS:
 @import
 url('https://fonts.googleapis.com/css?family=Poppins:400,500,600,700&display=swap');
 *{
 margin: 0;
 padding: 0;
 user-select: none;
 box-sizing: border-box;
 font-family: 'Poppins', sans-serif;
html,body{ height:
 100%;
body{ display:
 grid;
 place-items: center;
 overflow: hidden;
 button{
 padding: 8px 16px;
 font-size: 25px; font-
 weight: 500; border-
 radius: 4px; border:
 none; outline: none;
 background: #e69100;
 color: white;
 letter-spacing: 1px;
 cursor: pointer;
 }
 .alert{
 background: #ffdb9b;
 padding: 20px 40px;
 min-width: 420px;
 position: absolute; right:
 0;
 top: 10px;
 border-radius: 4px;
 border-left: 8px solid #ffa502;
 overflow: hidden;
 opacity: 0;
 pointer-events: none;
```

 $. alert. show Alert \{$ 

```
opacity: 1;
 pointer-events: auto;
 .alert.show{
 animation: show_slide 1s ease forwards;
@keyframes show_slide {
 0% {
   transform: translateX(100%);
 } 40% {
   transform: translateX(-10%);
 } 80% {
   transform: translateX(0\%);
 } 100% {
   transform: translateX(-10px);
 }
 .alert.hide{
 animation: hide_slide 1s ease forwards;
@keyframes hide_slide {
 0% {
   transform: translateX(-10px);
 } 40% {
   transform: translateX(0\%);
 } 80% {
   transform: translateX(-10%);
 } 100% {
   transform: translateX(100%);
.alert .fa-exclamation-circle{
 position: absolute;
 left: 20px;
 top: 50%;
 transform: translateY(-50%);
 color: #ce8500;
 font-size: 30px;
.alert .msg{ padding:
 0 20px; font-size:
 18px;
```

```
color: #ce8500;
.alert .close-btn{
 position: absolute;
 right: 0px;
 top: 50%;
 transform: translateY(-50%);
 background: #ffd080; padding:
 20px 18px;
 cursor: pointer;
.alert .close-btn:hover{
 background: #ffc766;
. alert \ . close-btn \ . fas \{
 color: #ce8500; font-
 size: 22px; line-
 height: 40px;
 }
```

