

Assignment - 4



Assignment Date	17 November 2022
Student Name	P.A.Yokesh
Student Roll Number	422119104031
Maximum Marks	2 Marks

Question 1:

Pull an image from docker hub and run it in docker playground.

03:57:32


CLOSE SESSION

Instances  

+ ADD NEW INSTANCE


192.168.0.8
node1


cddvksm0_cddvkvm0qau000a07j5g

IP
192.168.0.8  OPEN PORT

Memory
1.24% (49.52MiB / 3.906GiB)

CPU
0.31%

SSH
ssh ip172-18-0-22-cddvksm0qau000a07j50@direct.labs.pla 

DELETE  EDITOR

```
#####  
# WARNING!!!! #  
# This is a sandbox environment. Using personal credentials #  
# is HIGHLY! discouraged. Any consequences of doing so are #  
# completely the user's responsibilities. #  
# #  
# The PWD team. #  
#####  
[node1] (local) root@192.168.0.8 ~  
$ docker pull hello-world  
Using default tag: latest  
latest: Pulling from library/hello-world  
2db29710123e: Pull complete  
Digest: sha256:e18f0a777aefabe047a671ab3ec3eed05414477c951ab1a6f352a06974245fe7  
Status: Downloaded newer image for hello-world:latest  
docker.io/library/hello-world:latest  
[node1] (local) root@192.168.0.8 ~  
$ docker run hello-world
```

Activate Windows
Go to Settings to activate Windows.

03:57:05

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.8
node1

cddvksm0_cddvkvm0qau000a07j5g

IP
192.168.0.8
OPEN PORT

Memory
1.26% (50.45MiB / 3.906GiB)

CPU
0.39%

SSH
ssh ip172-18-0-22-cddvksm0qau000a07j50@direct.labs.pla

DELETE

EDITOR

2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
(amd64)

3. The Docker daemon created a new container from that image which runs the
executable that produces the output you are currently reading.

4. The Docker daemon streamed that output to the Docker client, which sent it
to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
\$ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
<https://hub.docker.com/>

For more examples and ideas, visit:
<https://docs.docker.com/get-started/>

[node1] (local) root@192.168.0.8 ~
\$

Activate Windows
Go to Settings to activate Windows.

Question 2:

Create a docker file for the job portal application and deploy it in Docker desktop application.

DOCKER FILE:

```
1 FROM python:3.8-buster
2
3 WORKDIR /app
4
5 COPY requirements.txt /app/
6
7 RUN pip install -r requirements.txt
8
9 COPY . /app/
10
11 RUN cp .env.dev.sample .env
12
13 EXPOSE 8000
14
15 RUN chmod +x entrypoint.sh
16
17 CMD ["sh", "entrypoint.sh"]
```

DEPLOYMENT OF JOBPORTAL APPLICATION:

Containers

Images

Volumes

Dev Environments BETA

Extensions BETA

Add Extensions

Containers [Give feedback](#)

A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. [Learn more](#)

☐ Only show running containers

	NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
<input type="checkbox"/>	<div>agitated_neumann</div> <div>918d20882039</div>	icr.io/helloapp/ibm:latest	Exited (137)	49160:8080		<div></div> <div></div> <div></div>
<input type="checkbox"/>	<div>jolly_turing</div> <div>b62c0712bdd3</div>	jobportalapplication:latest	Running	1234:8000	4 minutes ago	<div></div> <div></div> <div></div>

Showing 2 items

RAM 3.06GB

CPU 0.57%

Connected to Hub

v4.13.0

OUTPUT:

Job Board

Find your dream job

Home

Browse Job

Pages

Blog

Contact

Log in

Post A Job

Find Job

Popular Search:

Design & CreativeMarketingAdministrationTeaching & EducationEngineeringSoftware & WebTelemarketing

Popular Categories

Design & Creative

50 Available position

Marketing

50 Available position

Telemarketing

50 Available position

Software & Web

50 Available position

Administration

Teaching & Education


Engineering

Garments / Textile


Question 3:

Create a IBM container registry and deploy hello-world app or job port app.IBM CONTAINER

REGISTRY DEPLOYMENT:



OUTPUT:



Question 4:

Create a Kubernetes cluster in IBM cloud and deploy hello world image or job portal image and also expose the same app to run in node port.

Creating Kubernetes cluster in IBM cloud and exposing node port:

Clusters /

mycluster-free

Normal

Expires in 29 days

Add tags

Help

Kubernetes dashboard

Actions...

Overview

Worker nodes

Worker pools

DevOps New

Pool: Filter...

Search

Add

	Name	Status	Worker pool	Zone	Private IP	Public IP	Version
<div></div>	0000008c	Normal	default	Milan 01	10.144.187.51	159.122.179.68	1.23.12_1549

Items per page: 25

1-1 of 1 item

1 1 of 1 page

Output:

