


Assignment 3

Inventory Management For Retailers:


Team ID : PNT2022TMID05614


Name : Hariharasudhan R

1. Create a Bucket in IBM object storage.



2. Upload an 5 images to ibm object storage and make it public.
write html code to displaying all the 5 images.





<!DOCTYPE html>

<html>

<head>

<title>HTML Cloud Storage Buckets</title>

</head>

<body>

<div class="container">

<img src =

"C:\Users\Sabari\Desktop\IBM\istockphoto-157580200-170667a.jpg" alt = "image1"

height = "250" width = "270" />

<img src =

"C:\Users\Sabari\Desktop\IBM\istockphoto-1196215434-170667a.jpg" alt = "image2"

height = "250" width = "270" />

<img src =

"C:\Users\Sabari\Desktop\IBM\istockphoto-1436709759-170667a.jpg" alt = "image3"

height = "250" width = "270" />

<img src =

"C:\Users\Sabari\Desktop\IBM\istockphoto-157580200-170667a.jpg" alt = "image4"

height = "250" width = "270" />


<img src =

"C:\Users\Sabari\Desktop\IBM\istockphoto-509894935-170667a.jpg" alt = "image5"


height = "250" width = "270" />

</div>

</body>





3. Upload a css page to the object storage and use the same page in your HTML code.



<!DOCTYPE html>
<html>

```
<head>
<title>HTML & CSS Cloud Storage Buckets</title>
<style>
h1{
color: white;
text-align: center;
font-weight: bold;
font-family: Bodoni Mt;
}
</style>
<link rel="stylesheet" href="./CssProperty.css">
</head>
<body>
<h1>UNIVERSE OF GALAXIES</h1>
<div class="background">
<img src =
"C:\Users\Sabari\Desktop\IBM\istockphoto-157580200-170667a.jpg"alt = "image1"
height = "250" width = "270" />
<img src =
"C:\Users\Sabari\Desktop\IBM\istockphoto-1196215434-170667a.jpg"alt = "image2"
height = "250" width = "270" />
<img src =
"C:\Users\Sabari\Desktop\IBM\istockphoto-1436709759-170667a.jpg"alt = "image3"
height = "250" width = "270" />
<img src =
"C:\Users\Sabari\Desktop\IBM\istockphoto-157580200-170667a.jpg"alt = "image4"
height = "250" width = "270" />
<img src =
"C:\Users\Sabari\Desktop\IBM\istockphoto-509894935-170667a.jpg"alt = "image5"
height = "250" width = "270" />
</div>
</body>
</html>
```

Uploaded Images:



4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

url :

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fus-south.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-6fc9dc5a-aa0d-4a6e-b958-1da167683ee3%3A%3A12469e8d-1735-412d-8e42-df538344de03&integrationID=3dda54c3-0aef-465d-b5e2-81b3f4e1e9cb®ion=us-south&serviceInstanceID=6fc9dc5a-aa0d-4a6e-b958-1da167683ee3>

IBM Watson Assistant Lite Upgrade GH

Actions

- Actions
 - Created by you
 - Set by assistant
- Variables
 - Created by you
 - Set by assistant
- Set by integration**
- Saved responses

Name	Description	Variable
Timezone	User timezone that can be passed in by API client as context.global.system.timezone. Defaults to UTC.	Pre
Locale	User locale that affects understanding and formatting of dates, times and numbers. Example: en-US	
Channel Name	The name of the channel that your user is interacting with. Example: slack	

Items per page: 20 Showing 1–3 of 3 variables

Thank you and then date

Choose a date (mm/dd/yy)

11/16/2022

What time works best for you?

where would you like me to invite?

Type something...

IBM Watson Assistant Lite Upgrade GH

Actions

- Actions
 - Created by you
 - Set by assistant
- Variables
 - Created by you
 - Set by assistant
- Set by integration**
- Saved responses

Name	Description	Variable
Timezone	User timezone that can be passed in by API client as context.global.system.timezone. Defaults to UTC.	Pre
Locale	User locale that affects understanding and formatting of dates, times and numbers. Example: en-US	
Channel Name	The name of the channel that your user is interacting with. Example: slack	

Items per page: 20 Showing 1–3 of 3 variables

Greet customer [default]


Welcome, how can I assist you?

hi recognized

Would you like to book a table?

which branch?

coimbatore namakka



5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Html:

```
<head>
<title>Watson Assistant Preview</title>
<meta name="description" content="Preview of a Watson Assistant">
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="robots" content="none"><link rel="schema.dcterms"
href="http://purl.org/dc/terms/">
<meta name="dcterms.rightsHolder" content="IBM">
<meta name="dcterms.dateCopyrighted" content="2021">
<link rel="shortcut icon" href="https://web-
chat.global.assistant.watson.cloud.ibm.com/favicon.ico">
<link href="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/6.8.1/previewCarbon.css">
```



```
rel="stylesheet">
<script defer="defer" src="preview.js?daf92ca7640c31568853">
</script>
<script src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/latest/WatsonAssistantChatE
ntry.js"></script>
</head>
```

IBMIBM-EIBM-FIBM VIBM XOvervIBM DGettin(245)1500Leere(245)HTMLnormDownUntill+

au-syd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2F531fa0228047413e8baa2560d836dec5%3A7369cb6c-2369-4764-9...

IBM Watson Assistant LiteUpgradeGH

Actions

Actions

Created by you

Set by assistant

Variables

Created by you

Set by assistant

Set by integration

Saved responses

Name	Description	Variable
Timezone	User timezone that can be passed in by API client as context.global.system.timezone. Defaults to UTC.	Pre
Locale	User locale that affects understanding and formatting of dates, times and numbers. Example: en	11/16/2022
Channel Name	The name of the channel that your user is interacting with. Example: slack	What time works best for you?

Items per page: 20Showing 1–3 of 3 variables

IBMIBM-EIBM-FIBM VIBM XOvervIBM DGettin(245)1500Leere(245)HTMLnormDownUntill+

au-syd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2F531fa0228047413e8baa2560d836dec5%3A7369cb6c-2369-4764-9...

IBM Watson Assistant LiteUpgradeGH

Actions

Actions

Created by you

Set by assistant

Variables

Created by you

Set by assistant

Set by integration

Saved responses

Name	Description	Variable
Timezone	User timezone that can be passed in by API client as context.global.system.timezone. Defaults to UTC.	Pre
Locale	User locale that affects understanding and formatting of dates, times and numbers. Example: en	Greet customer [default]
Channel Name	The name of the channel that your user is interacting with. Example: slack	Welcome, how can I assist you?

Items per page: 20Showing 1–3 of 3 variables

hi recognized
Would you like to book a table?
which branch?
coimbatore namakkal
Type something...

IBMIBM-EIBM-FIBM VIBM XOvervIBM DGettin(245)1500Leere(245)HTMLnormDownUntitl+

au-syd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2F531fa0228047413e8baa2560d836dec5%3A7369cb6c-2369-4764-9...

IBM Watson Assistant LiteUpgradeGH

Actions

Actions

Created by you

Set by assistant

Variables

Created by you

Set by assistant

Set by integration

Saved responses

Name	Description	Variable
Timezone	User timezone that can be passed in by API client as context.global.system.timezone. Defaults to UTC.	Pre
Locale	User locale that affects understanding and formatting of dates, times and numbers. Example: en-US	
Channel Name	The name of the channel that your user is interacting with. Example: slack	

Items per page: 20Showing 1–3 of 3 variables

Thank you and then date
Choose a date (mm/dd/yyyy)
11/16/2022
What time works best for you?
where would you like me to invite?
Type something...

IBMIBM-EIBM-FIBM VIBM XOvervIBM DGettin(245)1500Leere(245)HTMLnormDownUntitl+

au-syd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2F531fa0228047413e8baa2560d836dec5%3A7369cb6c-2369-4764-9...

IBM Watson Assistant LiteUpgradeGH

Actions

Actions

Created by you

Set by assistant

Variables

Created by you

Set by assistant

Set by integration

Saved responses

Name	Description	Variable
Timezone	User timezone that can be passed in by API client as context.global.system.timezone. Defaults to UTC.	Pre
Locale	User locale that affects understanding and formatting of dates, times and numbers. Example: en-US	
Channel Name	The name of the channel that your user is interacting with. Example: slack	

Items per page: 20Showing 1–3 of 3 variables

11/16/2022
What time works best for you?
where would you like me to invite?
Thank you for booking today!!!!
Action complete
Type something...