

DEPLOY IN KUBERNETES CLUSTER

Date	13 November 2022
Team ID	PNT2022TMID49958
Project Name	Smart Fashion Recommended Application

KUBERNETES WORKER NODE:

IBM Cloud

Search resources and products...

Catalog

Manage

Madhave Susheel's Acc...

?

Clusters /

Mycluster

Normal

Expires in 25 days

Add tags

Help

Kubernetes dashboard

Actions...

Overview

Worker nodes

Worker pools

DevOps

Pool: Filter...

Search

Add

Name	Status	Worker pool	Zone	Private IP	Public IP	Version
0000008e	Normal	default	Milan 01	10.144.217.55	159.122.179.192	1.24.6_1541


Items per page: 25

1-1 of 1 item


1



1 of 1 page

KUBERNETE DEPLOYMENT:

 **kubernetes**

default

 Search

+  

Workloads

Workloads N

Cron Jobs

Daemon Sets

Deployments

Jobs

Pods

Replica Sets

Replication Controllers

Stateful Sets

Service

Ingresses N

Ingress Classes


Services N


Config and Storage


Config Maps N

Persistent Volume Claims N


Workload Status


Running: 1
Deployments


Running: 1
Pods


Running: 1
Replica Sets

Deployments

Name	Images	Labels	Pods	Created ↑
 app-dep	Show all	-	1 / 1	an hour ago

KUBERNETE SERVICE PODS:

The screenshot displays the Kubernetes dashboard interface. At the top, the 'kubernetes' logo is on the left, a 'default' namespace selector is in the center, and a search bar is on the right. Below the header, a blue bar contains the 'Workloads' menu item. A left-hand sidebar lists various Kubernetes resources: Workloads (with a sub-menu icon), Cron Jobs, Daemon Sets, Deployments, Jobs, Pods, Replica Sets, Replication Controllers, Stateful Sets, Service, Ingresses (with a sub-menu icon), Ingress Classes, Services (with a sub-menu icon), Config and Storage, Config Maps (with a sub-menu icon), and Persistent Volume Claims (with a sub-menu icon). The main content area is divided into three sections: Deployments, Pods, and Replica Sets. Each section contains a table of resources. The Deployments table shows one deployment named 'app-dep' with 1 pod and created 'an hour ago'. The Pods table shows one pod named 'app-dep-ff9596bdf-5hj8c' in a 'Running' state on node '10.144.217.55', with 0 restarts, 9.00m CPU usage, and 50.65Mi memory usage. The Replica Sets table shows one replica set named 'app-dep-ff9596bdf' with 1 pod and created 'an hour ago'.

Workloads

Deployments

Name	Images	Labels	Pods	Created ↑
app-dep	Show all	-	1 / 1	an hour ago

Pods

Name	Images	Labels	Node	Status	Restarts	CPU Usage (cores)	Memory Usage (bytes)	Created ↑
app-dep-ff9596bdf-5hj8c	Show all	Show all	10.144.217.55	Running	0	9.00m	50.65Mi	an hour ago

Replica Sets

Name	Images	Labels	Pods	Created ↑
app-dep-ff9596bdf	Show all	Show all	1 / 1	an hour ago