

Assignment -2

IBM CLOUD DB2

Assignment Date	29 September 2022
Student Name	SREE KUMARAN S
Student Roll Number	113119UG07092
Maximum Marks	2 Marks

Questions:

1. Create User table with user with email, username, roll number, password.

The first screenshot shows the IBM Db2 on Cloud console interface. The 'Tables' tab is selected, and a search for 'USERTABLE' in schema 'DTP46044' has been performed. The 'Table definition' panel on the right shows the structure of the 'USERTABLE' table:

Name	Data type	Nullable	Length	Scale
USERNAME	CHAR	Y	5	0
ROLLNUMBER	INTEGER	Y		0
EMAIL	CHAR	Y	5	0
PASSWORD	VARCHAR	Y	32	0

The second screenshot shows the 'DTP46044.USERTABLE' page. It displays the table structure with columns: USERNAME, ROLLNUMBER, EMAIL, and PASSWORD. Below the structure, there is a message: 'There is no data here yet' with an icon of a person with a question mark.

2. Perform UPDATE,DELETE Queries with user table.

UPDATE TABLE:-

The screenshot shows the IBM Db2 on Cloud console interface. On the left, the 'Data objects' pane shows a database named 'DTP46044'. The main editor area, titled '*Untitled - 1', contains the following SQL query:

```
1 INSERT INTO USERTABLE VALUES ('VK',21,'VK@gamil.com','1234')
```

The query has been executed successfully. The 'History' pane at the bottom shows the execution details:

Script	Date	Status	Runtime
Untitled - 1	Oct 10, 2022 12:51:13 PM	✓ 1	0.018 s
INSERT INTO USERTABLE VALUES ('VK',21,'VK@gamil.com','1234')		✓	0.018 s

The screenshot shows the IBM Db2 on Cloud console interface displaying the contents of the 'DTP46044.USERTABLE' table. The table has four columns: USERNAME, ROLLNO, EMAIL, and PASSWORD. The data is as follows:

USERNAME	ROLLNO	EMAIL	PASSWORD
VK	21	VK@gamil.com	1234

DELETE TABLE:-

The screenshot shows the IBM Db2 on Cloud console interface. The top navigation bar includes tabs for Load Data, Load History, Tables, Views, Indexes, Aliases, MQTs, Sequences, and Application objects. The 'Tables' tab is selected, displaying the table 'DTP46044.USERTABLE'. The table structure is shown with columns: USERNAME, ROLLNO, EMAIL, and PASSWORD. The data is as follows:

USERNAME	ROLLNO	EMAIL	PASSWORD
PARAMESH	21	VK@gamil.com	1234
VK	23	VK@gamil.com	12034

Buttons for 'Back' and 'Export to CSV' are visible. The bottom status bar shows the time as 13:00 on 10-10-2022.

The screenshot shows the IBM Db2 on Cloud console interface with the SQL editor open. The SQL statement being executed is:

```
1 DELETE FROM USERTABLE WHERE ROLLNO = 23 ;
```

The 'History' tab is selected, showing the execution history of the script. The history table is as follows:

Script	Date	Status	Runtime
Untitled - 1	Oct 10, 2022 1:02:49 PM	✓ 1	0.006 s
DELETE FROM USERTABLE WHERE ROLLNO = 23		✓	0.006 s
Untitled - 1	Oct 10, 2022 1:00:11 PM	✓ 1	0.007 s
INSERT INTO USERTABLE VALUES ('VK',23,'VK@gamil.com','12034')		✓	0.007 s
Untitled - 1	Oct 10, 2022 12:59:55 PM	✗ 1	0.044 s

The bottom status bar shows the time as 13:02 on 10-10-2022.

IBM Db2 on Cloud

Load Data Load History **Tables** Views Indexes Aliases MQTs Sequences Application objects

DTP46044.USERTABLE Back

Export to CSV

USERNAME	ROLLNO	EMAIL	PASSWORD
PARAMESH	21	VK@gamil.com	1234

3.Connect python code to db2.

NOTE:- Question 4 contains Question 3 answer

4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome page

Answers

App.py

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re

app = Flask(__name__)

app.secret_key = 'a'

conn = ibm_db.connect(
    "DATABASE=bludb;HOSTNAME=fbd88901-ebdb-4a4f-a32e-9822b9fb237b.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32731;USERNAM
E=ntp46044;PASSWORD=95soX0sZGhb4ToUj;SECURITY=SSL;SSLSERVERCERTIFICATE=DigiCer
tGlobalRootCA.crt;", "", "")

@app.route("/", methods=['GET', 'POST'])
def register():
    msg = ''
    if request.method == 'POST':
        username = request.form['username']
```

```

email = request.form['email']
password = request.form['password']
sql = "SELECT * FROM users WHERE username =?"
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt, 1, username)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
print(account)
if account:
    msg = 'Account already exists !'
elif not re.match(r'^@+@[^@]+\.[^@]+', email):
    msg = 'Invalid email address !'
elif not re.match(r'[A-Za-z0-9]+', username):
    msg = 'name must contain only characters and numbers !'
else:
    insert_sql = "INSERT INTO users VALUES (?, ?, ?)"
    prep_stmt = ibm_db.prepare(conn, insert_sql)
    ibm_db.bind_param(prepare_stmt, 1, username)
    ibm_db.bind_param(prepare_stmt, 2, email)
    ibm_db.bind_param(prepare_stmt, 3, password)
    ibm_db.execute(prepare_stmt)
    msg = 'You have successfully registered !'
elif request.method == 'POST':
    msg = 'Please fill out the form !'
return render_template('register.html', msg=msg)

```

```
@app.route('/login', methods=['GET', 'POST'])
```

```
def login():
```

```
    global userid
```

```
    msg = ''
```

```
    if request.method == 'POST':
```

```
        username = request.form['username']
```

```
        password = request.form['password']
```

```
        sql = "SELECT * FROM users WHERE username =? AND password=?"
```

```
        stmt = ibm_db.prepare(conn, sql)
```

```
        ibm_db.bind_param(stmt, 1, username)
```

```
        ibm_db.bind_param(stmt, 2, password)
```

```
        ibm_db.execute(stmt)
```

```
        account = ibm_db.fetch_assoc(stmt)
```

```
        print(account)
```

```
        if account:
```

```
            session['loggedin'] = True
```

```
            session['id'] = account['USERNAME']
```

```
            userid = account['USERNAME']
```

```
            session['username'] = account['USERNAME']
```

```
            msg = 'Logged in successfully !'
```

```

        msg = 'Logged in successfully !'
        return render_template('dashboard.html', msg=msg)
    else:
        msg = 'Incorrect username / password !'
        return render_template('login.html', msg=msg)

if __name__ == '__main__':
    app.run(host='0.0.0.0')
    # app.run(debug=True)

```

Register.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Smart Fashion register</title>

    <!-- bootstrap css cdn -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
"
        integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="/static/css/style.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>
    <!-- bootstrap navbar -->
    <!-- navbar ends -->
    <!-- Login form -->
    <div class="login text-center mt-5">

```

```

        <form action="/" method="post">
            <h2 class="form-text-h2"> Register Form </h2>
            <div class="msg">{{ msg }}</div>
            <input type="text" class="form-control" name="username"
placeholder="Enter Your Username" id="username"
                required>
            <input type="email" class="form-control" name="email"
placeholder="Enter Your Email ID" id="email" required>
            <input type="password" class="form-control" name="password"
placeholder="Enter Your Password" id="password"
                required>
            <button type="submit" id="button" class="btn btn-primary">
Register </button>
            <div class="note mt-3 text-center">
                <!--Register form -->
                <p> already have an account ? please login <a
href="/login">login! </a> </p>

            </div>
        </form>

    </div>

</body>

</html>

```

Login.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Smart Fashion Login</title>
    <!-- favicon -->
    <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico"
type="image/x-icon"> -->
    <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon">
-->
    <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-
32x32.png">
    <!-- bootstrap css cdn -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css
"

```

```

        integrity="sha384-
JcKb8q3iqJ61gNV9KgB8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="/static/css/style2.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>

    <div class="login text-center mt-5">

        <form action="/login" method="post">
            <h2 class="form-text-h2"> Login Form </h2>
            <div class="msg">{{ msg }}</div>
            <div class="form-group mb-3">
                <label class="label" for="username">Username</label>
                <input type="text" class="form-control" placeholder="Username"
name="username" required>
            </div>
            <div class="form-group mb-3">
                <label class="label" for="password">Password</label>
                <input type="password" class="form-control"
placeholder="Password" name="password" required>
            </div>

            <button type="submit" id="button" class="btn btn-primary"> Login
</button>

            <div class="note mt-3 text-center">
                <!--Register form -->
                <p> Don't have an account yet? Click here to <a
href="/">register! </a> </p>
            </div>
        </form>
    </div>

</body>

</html>

```


Style.css

```
* {
  margin: 0;
  padding: 0;
}

body {
  background-color: aqua !important;
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
}

form {
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  background-color: white;
  width: 40%;
  height: 450px;
  border-radius: 50px;
  margin: 100px;
  gap: 25px;
}

h2 {
  font-size: large;
  font-weight: bolder;
}

input {
  width: 80% !important;
}

div {
  display: flex;
  align-items: center;
  justify-content: center;
  flex-direction: column;
  width: 90%;
}

.form-text-vk {
  font-size: small;
  padding-bottom: 10px;
}
```

```
}  
  
.form-text-h2 {  
  font-size: x-large;  
  padding-top: 10px;  
}
```

Output:-


registration page:-

The screenshot shows a web browser window with the address bar displaying "192.168.202.55:5000". The page has a solid blue background. In the center, there is a white rounded rectangle containing the "Register Form". The form has three input fields: the first contains "Parameshwaran", the second contains "parameshvk3232@gmail.com", and the third is labeled "Enter Your Password". Below these fields is a blue "Register" button. At the bottom of the form, there is a link that says "already have an account ? please login [login!](#)". The browser's taskbar at the bottom shows various application icons and the system clock indicating 20:56 on 11-10-2022.

Login Page:-

The screenshot shows a web browser window with the address bar displaying "192.168.202.55:5000/login". The page has a solid blue background. In the center, there is a white rounded rectangle containing the "Login Form". The form has two input fields: the first is labeled "Username" and contains "Parameshwaran", and the second is labeled "Password" and contains six dots, with an eye icon to its right. Below these fields is a blue "Login" button. At the bottom of the form, there is a link that says "Don't have an account yet? Click here to [register!](#)". The browser's taskbar at the bottom shows various application icons and the system clock indicating 20:57 on 11-10-2022.

Welcome Page:-



Data Base Table :-

A screenshot of the IBM Db2 on Cloud console. The top navigation bar includes tabs for 'Load Data', 'Load History', 'Tables', 'Views', 'Indexes', 'Aliases', 'MQTs', 'Sequences', and 'Application objects'. The 'Tables' tab is selected. On the left sidebar, there are icons for 'SQL' and 'Query'. The main content area displays a table named 'DTP46044.USERS'. Above the table, there is a 'Back' button. To the right of the table, there is an 'Export to CSV' button. The table has three columns: 'USERNAME', 'EMAIL', and 'PASSWORD'. One row of data is visible, showing 'Parameshwaran' as the username, 'parameshvk3232@gmail.com' as the email, and '123432' as the password. The Windows taskbar is visible at the bottom of the screen.