Node -RED Service

Team ID : PNT2022TMID12350
IBM ID : IBM-Project-16775-1659621855

create Node -RED Service

Node RED MVPTH sp   Add tags ✎

Actions... ⌄

Details

App URL	You must deploy your app first
Source	Download code ⬇
Resource group	Default
Deployment target	You must deploy your app first
Created	11/12/2022

Deployment Automation

Configure Continuous Delivery

Continuous Delivery is not enabled for this app. Enable Continuous Delivery to automate builds, tests, and deployments through Delivery Pipeline, GitLab, and more.

Deploy your app 🤚

Services

Cloudant
Open dashboard ⧉   Documentation ⧉   API reference ⧉
Credentials ⌄

⋮

Connect existing services +   Create service +

ASK A QUESTION

Account

- Account resources ⌃
  - Resource groups
  - **Cloud Foundry orgs**
  - Licenses and entitlements
  - Tags
  - Dashboards
- Account settings
- IBM Cloud Shell settings
- Notification distribution list
- Classic infrastructure ⌃
  - Subscriptions
  - Audit log
  - Company information

Fire Management sp ✎

Spaces	Users	Domains	Info

🔍   Add a space ⊕

Name	Region	ID	Manager	Date Created	Actions
Fire Management	United Kingdom	4cb3a65c-6c28-4542-a6cf-9db5485683c5	✓	12/11/2022	⋮

ASK A QUESTION

ℹ **IBM Cloud Foundry Public is deprecated.** Learn more ⧉   ✕

IBM Cloud API key

•••••••••••••••••••••••••   👁 ⧉ 🔑   New +

Number of instances

1   ⌄

Memory allocation per instance

64 MB ●———————————————— 2000 MB   256

Region	Organization	Space
London ⌄	Fire Management sp ⌄	Fire Management ⌄

Host	Domain
node-red-mvpth-sp	eu-gb.mybluemix.net ⌄

ASK A QUESTION

Cancel   Next

Node RED MVPTH sp   Add tags ✎

Actions... ⌄

Details

App URL	You must deploy your app first
Source	https://eu-gb.git.cloud.ibm.com/nspgipsy/NodeREDMVPTHsp
Resource group	Default
Deployment target	You must deploy your app first
Created	11/12/2022

Services

🔒 **Cloudant**   ⋮

Open dashboard ↗   Documentation ↗   API reference ↗

Credentials ⌄

Connect existing services   +   Create service   +

Deployment Automation   ⋮

Name	NodeREDMVPTHsp
Location	London
Tool integrations	🔶 🔵 🟢

Delivery Pipelines

Name	pr-pipeline ↗
Status	◌ No stages detected ↗
Name	ci-pipeline ↗
Status	↻ In progress ↗

ASK A QUESTION

---

ci-pipeline Dashboard

Run pipeline ▷

PipelineRuns

Definitions

Worker

Triggers

Environment properties

Other settings

Status: All ⌄   Trigger: All   × ⌄

☐	Run	Status	
☐	#1 simple-hosted-pipeline-63c8c7f5-0092-4edc-93b1-056bb3b175dc ⊚ Manual	manual-run	↻ Running	🗓 Nov 12, 3:02 PM 🕐 6m 30s ⋮

Items per page: 25 ⌄   1 - 1 items

1 ⌄   Page 1   ‹   ›

ASK A QUESTION

simple-hosted-pipeline-63c8c7f5-0092-4edc-93b1-056bb3... Last updated 2 minutes ago

Running   Tasks Completed: 4 (Failed: 0, Cancelled 0), Incomplete: 2, Skipped: 0

Duration: 8m 4s

#1 Triggered by ⊗ nspgipsy@gmail.com manual-run   Worker: IBM Managed workers in LONDON   Show Context

✓ **extract-repository-url**

✓ extract-value-jq

✓ **clone-task**   ⌄

✓ **code-risk-analyzer**   ⌄

✓ **build**   ⌄

⟳ **rolling-deploy-task**   ⌄

⬤ **publish-deployable...**   ⌄

✓ extract-value-jq Completed
Duration: 0s

Logs   Details

```
https://eu-gb.git.cloud.ibm.com/nspgipsy/NodeREDMVPTHsp

Step completed successfully
```

ASK A QUESTION

---

simple-hosted-pipeline-63c8c7f5-0092-4edc-93b1-056bb3...   Last updated 3 minutes ago

Succeeded   Tasks Completed: 6 (Failed: 0, Cancelled 0), Skipped: 0

Duration: 10m 20s

#1 Triggered by ⊗ nspgipsy@gmail.com manual-run   Worker: IBM Managed workers in LONDON   Show Context

✓ **extract-repository-...**   ⌄

✓ **clone-task**   ⌄

✓ **code-risk-analyzer**   ⌄

✓ **build**   ⌄

✓ **rolling-deploy-task**   ⌄

✓ **publish-deployable-task**

✓ publish-deployable-mapping

✓ simple-1510eb9638351199d2af54900a3da757-publish-deplo... Succeeded
Duration: 17s

Parameters   Status   Pod

Name	Value	Description
deployable-type	app	type of the deployable. Can be either: - `app` for a CF application or - `kubernetes_cluster` for K8S deployment
deployable-	eu-gb	IBM Cloud Region where the deployable is located. A fully qualified id is expected (such as

ASK A QUESTION

Node RED MVPTH sp   Add tags ✎

Actions...   ⌄

Details

App URL	You must deploy your app first
Source	https://eu-gb.git.cloud.ibm.com/nspgipsy/NodeREDMVPTHsp
Resource group	Default
Deployment target	You must deploy your app first
Created	11/12/2022

Services

🔧 **Cloudant**   ⋮
   Open dashboard ↗ Documentation ↗ API reference ↗
   Credentials ⌄

Connect existing services   +   Create service   +

Deployment Automation   ⋮

Name	NodeREDMVPTHsp
Location	London
Tool integrations	🔧 ⬤ ⊘

Delivery Pipelines

Name	pr-pipeline ↗
Status	◯ No stages detected ↗

Name	ci-pipeline ↗
Status	✓ Success ↗

ASK A QUESTION

Welcome to your new Node-RED instance on IBM Cloud

We know you're eager to start wiring up your flows, but first there are a couple of tasks you should do:

- Secure your Node-RED editor
- Learn how to install additional nodes

Previous   Next

Node-RED
Flow-based programming for the Internet of Things

Node-RED is a programming tool for wiring together hardware devices, APIs and online services in new and interesting ways.

This instance is running as an IBM Cloud application, giving it access to the wide range of services available on the platform.

More information about Node-RED, including documentation, can be found at nodered.org.

Go to your Node-RED flow editor

Learn how to customise Node-RED

Node-RED

Loading Node catalogs