Skill / Job Recommender Application

Team ID - PNT2022TMID53102

Push the image to the IBM Cloud Registry

- 1. From your account dashboard, go to IBM Cloud Kubernetes Service.
- 2. From the left navigation menu, select **Private Repositories**.



- 3. Install the Container Registry plug-in.
- 4. ibmcloud plugin install container-registry -r "IBM Cloud"
- 5. Log in to your IBM Cloud account.
- 6. ibmcloud login -a <cloud_foundary_end_point_for_the_region>
- 7. Name and create your namespace. Use this namespace for the rest of the Quick Start.

- 8. ibmcloud cr namespace-add <namespace>
- 9. Log your local Docker daemon into the IBM Cloud Container Registry.
- 10. ibmcloud cr login
- 11. Choose a repository and tag by which you can identify the image.
- 12. docker tag <image_name> <region_url>/<namespace>/<image_name>:<tag>
- 13. Push the image.
- 14. docker push <region_url>/<namespace>/<image_name>:<tag>

```
kunals-móp:web kunalmalhotra$ docker pušh registry.ng.bluemix.net/flask-node/app;latest
The push refers to repository [registry.ng.bluemix.net/flask-node/app]
a095410872: Pushed
b96dea950728: Pushed
d37e8d040234: Pushed
1989a06f3739: Loyer already exists
fbec3e96233: Loyer already exists
1172bcd1177f: Loyer already exists
1172bcd1177f: Loyer already exists
8eb4c3e69e64: Loyer already exists
fd063f992cbc: Loyer already exists
fd063f992cbc: Loyer already exists
71045669035: Loyer already exists
1015111: Loyer already exists
1172bcd1177f: Loyer already exists
fd063f992cbc: Loyer already exists
fd063f992cbc: Loyer already exists
1172bcd1177f: Loyer already exists
fd063f992cbc: Loyer already exists
1172bcd1177f: Loyer already exists
1172bcd1177f: Loyer already exists
fd063f992cbc: Loyer already exists
1172bcd1177f: Loyer already exists
```

- 15. Verify that your image is in your private registry.
- 16. ibmcloud cr image-list