Project Design Phase-II
Technology Stack (Architecture & Stack)

| Date	19 October 2022
Team ID	PNT2022TMID53194
Project Name	Project – Corporate Employee Attrition Analysis
Maximum Marks	4 Marks

Technical Architecture:

Table-1 : Components & Technologies:

S.No	Component	Description	Technology
1.	User Interface	How user interacts with application e.g. Web UI, Mobile App, Chatbot etc.	HTML, CSS, JavaScript / Angular Js / React Js etc.
2.	Database	Data Type, Configurations etc.	MySQL, NoSQL, etc.
3.	Cloud Database	Database Service on Cloud and Storing the datasets uploaded	IBM DB2, IBM Cloudant etc.
4.	Machine Learning Model	Purpose of Machine Learning Model	Training the model
5.	Infrastructure (Server / Cloud)	Application Deployment on Local System / Cloud Local Server Configuration: Cloud Server Configuration :	Local, Cloud Foundry, Kubernetes, etc.

Table-2: Application Characteristics:

S No	Characteristics	Description	Technology
1.	Open-Source Frameworks	Visualization Dashboard	Python and IBM Cognos
2.	Security Implementations	Access permissions for the particular system information may only be changed by the system's data administrator. The user's data must be having an high security measures.	Encryption , Information verification and Face identification
3.	Scalable Architecture	The website attendance limit must be scalable enough to support 200,000 users at a time. The dashboard is scalable for the companies when their employee's dataset is used for analysis. The model can successfully predict the futuristic approach and suggests preventive measures.	Front end languages , database and backend process
4.	Availability	New module deployment mustn't impact front page, dashboard and check out pages availability and mustn't take longer than one hour. The rest of the pages that may experience problems must display a notification with a timer showing when the system is going to be up again.	Encryption, Machine Learning Algorithm and Natural Language Process
5.	Performance	The performance of the dashboard is flexible to every user's. The front-page load time must be no more than 2 seconds for users that access the website using an LTE mobile connection.	Content delivery Network