# **IBM Assignment -3**


**Project Title: Personal Expense Tracker Application** 

Team ID: PNT2022TMID32657


Name: Nithin T


Registration No: 813819104063


1) Create a Bucket in IBM object storage.



2) Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.







# Gallery.html


```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="style.css">
    <title>Gallery</title>
</head>
<body>
    <h1 class="head">Gallery</h1>
    <div class="container">
    <div class="left">
         <img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-</pre>
nithin/vb.jpg" alt="" class="img img-1">
         <img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-</pre>
nithin/vb2.jpg" alt="" class="img img-2">
         <img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-</pre>
nithin/vb3.jpg" alt="" class="img img-3">
    </div>
    <div class="right">
```

### Style.css

```
@import url('http://fonts.cdnfonts.com/css/lemon-tuesday');
    box-sizing: border-box;
   margin: 0%;
    padding: 0%;
    background-color: #5A20CB;
.container{
   display: grid;
    grid-template-columns: 1fr 1fr;
    overflow:visible;
.left,.right{
   display: flex;
    flex-direction: column;
    justify-content: center;
    align-items: center;
.img{
    /* width: 300px; */
   height: 500px;
   margin: 2rem 0rem;
    border: 2px solid #242B2E;
.head{
    color: aliceblue;
    font-size: 45px;
    font-weight: bold;
```

```
text-align: center;
font-family: 'Lemon Tuesday', sans-serif;
}
```

**3)** Upload a css page to the object storage and use the same page in your HTML code.



#### Gallery.html:


```
<title>Gallery</title>
    <h1 class="head">Gallery</h1>
    <div class="container">
    <div class="left">
         <img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-</pre>
nithin/vb.jpg" alt="" class="img img-1">
         <img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-</pre>
nithin/vb2.jpg" alt="" class="img img-2">
         <img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-</pre>
nithin/vb3.jpg" alt="" class="img img-3">
    </div>
    <div class="right">
        <img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-</pre>
nithin/vb4.jpg" alt="" class="img img-4">
        <img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-</pre>
nithin/vb6.jpg" alt="" class="img img-5">
        <img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/ibm-</pre>
nithin/vb.jpg" alt="" class="img img-6">
    </div>
    </div>
</body>
</html>
```

**4)** Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

# Web URL of Bot: https://web-

<u>chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-</u>

<u>c704e950-4eb4-45ae-ab09-951cc0400c49%3A%3A923fac6c-794c-4892-a012-3cbdfc6080f4&integrationID=d5eed346-00c7-44cf-b216-938bd28e0a06&region=au-syd&serviceInstanceID=c704e950-4eb4-45ae-ab09-951cc0400c49</u>



**5)** Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

```
justify-content: center;
            align-items: center;
        .container img{
            width: 70vw;
        h1{
            text-align: center;
            margin-top: 2rem;
            margin-bottom: 4rem;
    <h1>Welcome to ABC Hospital</h1>
    <div class="container">
        <img src="https://www.alert-</pre>
software.com/hubfs/it%20department%20hospital.png" alt="">
   </div>
    <script>
        window.watsonAssistantChatOptions = {
          integrationID: "d5eed346-00c7-44cf-b216-938bd28e0a06", // The ID of
this integration.
          region: "au-syd", // The region your integration is hosted in.
          serviceInstanceID: "c704e950-4eb4-45ae-ab09-951cc0400c49", // The ID
of your service instance.
          onLoad: function(instance) { instance.render(); }
        };
        setTimeout(function(){
          const t=document.createElement('script');
          t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
          document.head.appendChild(t);
        });
     </script>
</body>
```

