CLOUD BASED NUTRITION ASSISSTANT APPLICATION

TABLE OF CONTENTS

CHAPTER NO	TITLE ABSTRACT	PAGE NO
1	INTRODUCTION	1
	1.1 Project Overview	1
	1.2 Purpose	1
2	LITERATURE SURVEY	3
	2.1 Existing problems	3
	2.2 References	3
	2.3 Problem Statement Definition	5
3	IDEATION & PROPOSED SOLUTION	7
	3.1 Empathy Map Canvas	7
	3.2 Ideation & Brainstorming	8
	3.3 Proposed Solution	8
	3.3.1 Problem Statement	8
	3.3.2 Idea / Solution Description	8

	3.3.3 Novelty / Uniqueness	9
	3.3.4 Social Impact / Customer Satisfaction	9
	3.3.5 Business Model (Revenue Model)	9
	3.3.5 Scalability Of The Solution	9
	3.4 Problem Solution fit	10
	3.4.1 Purpose	10
4	REQUIREMENT ANALYSIS	12
	4.1 Functional requirement	12
	4.2 Non-Functional requirements	12
	4.2.1 Performance	12
	4.2.2 Safety And Security Requirements	12
5	PROJECT DESIGN	13
	5.1 Data Flow Diagrams	13
	5.2 Solution & Technical Architecture	13
	5.3 User Stories	17
6	PROJECT DI ANNING & SCHEDIJI ING	20

	6.1 Sprint Planning & Estimation	20
	6.2 Sprint Delivery Schedule	22
	6.3 Reports from JIRA	22
7	CODING & SOLUTIONING	23
	7.1.1 Feature 1 : Login	23
	7.1.2 Feature 2 : Signup	24
	7.1.3 Feature 3 : Home	25
	7.2 Database Schema	
8	TESTING	26
	8.1 Test Cases	26
	8.2 User Acceptance Testing	26
9	RESULTS	27
	9.1 Performance Metrics	27

ADVANTAGES & DISADVANTAGES

11	CONCLUSION	29
12	FUTURE SCOPE	30
13	APPENDIX	31

INTRODUCTION

Chronic diseases such as diabetes, obesity, and cardiovascular diseases are becoming the dominant sources of mortality and morbidity worldwide and recently an epidemic in many Asia Pacific countries. Unhealthy diet is one of the key common modifiable risk factors in preventing and managing chronic diseases. Personalized dietary intake intervention showed significant impact on influencing people's choice and promoting their health. The feedback on nutrition intake is substantial and behavioural changing when patients track their dietary intake for a considerable length of time. However, the burden of logging food makes compliance a challenge. Clinical studies rely on patients to recall dietary intake, which is time-consuming and prone to underestimation

PROJECT OVERVIEW

Tracking dietary intake is an important task for health management especially for chronic diseases such as obesity, diabetes, and cardiovascular diseases. Given the popularity of personal handheld devices, mobile applications provide a promising low-cost solution to tackle the key risk factor by diet monitoring. In this work, we propose a photo based dietary tracking system that employs deep-based image recognition algorithms to recognize food and analyze nutrition. The system is beneficial for patients to manage their dietary and nutrition intake, and for the medical institutions to intervene and treat the chronic diseases. To the best of our knowledge, there are no popular applications in the market that provide a high-performance food photo recognition like ours, which is more convenient and intuitive to enter food than textual typing.

PURPOSE

Experiments on evaluating the recognition accuracy on laboratory data and real user data on food, which shed light on uplifting lab trained image recognition models in real applications. We have also conducted user study to verify that our proposed method has the potential to foster higher user engagement rate as compared to existing apps based dietary tracking approaches.

LITERATURE SURVEY

EXISTING PROBLEM

With the rapid development of smart computing and Internet of Things (IoT), now we have a huge amount of data from social networks and mobile networks everyday. People keep uploading, sharing and recording what they do everyday in case of missing the chance of using them to improve our daily life. Food images, recipes and food diaries become the most popular information to be shared, we can learn the implication to build an automatic nutrition analysi system by taking the advantage of such large-scale datasets. With the help of food recognition and analysis systems, users are able to record their daily meals and assess dietary habits, as well as promote their health.

REFERENCES

- 1. P. Dollar and C. L. Zitnick, "Fast edge detection using structured forests," IEEE Trans. Pattern Anal. Mach. Intell., vol. 37, no. 8, pp. 1558–1570, Aug. 2014.
- 2. T. Ege and K. Yanai, "Image-based food calorie estimation using knowledge on food categories, ingredients and cooking directions," in Proc. Thematic Workshops ACM Multimedia-Thematic Workshops, 2017, pp. 367–375.
- 3. Eldridge, C. Piernas, A.-K. Illner, M. Gibney, M. Gurinović, J. D. Vries, and J. Cade, "Evaluation of new technology-based tools for dietary intake assessment—An ilsi europe dietary intake and exposure task force evaluation," Nutrients, vol. 11, no. 1, p. 55, 2019.
- 4. S. Fang, Z. Shao, R. Mao, C. Fu, E. J. Delp, F. Zhu, D. A. Kerr, and C. J. Boushey, "Single-view food portion estimation: Learning Image-to-Energy mappings using generative adversarial networks," in Proc. 25th IEEE Int. Conf. Image Process. (ICIP), Oct. 2018, pp. 251–255.
- 5. P. F. Felzenszwalb, "Representation and detection of deformable shapes," IEEE Trans. Pattern Anal. Mach. Intell., vol. 27, no. 2, pp. 208–220, Feb. 2005.
- 6. E. A. Finkelstein, J. G. Trogdon, J. W. Cohen, and W. Dietz, "Annual medical spending attributable to obesity: Payer-and service-specific estimates," Health Affairs, vol. 28, no. 5, pp. w822–w831, Jan. 2009.

- 7. Z. Ge, C. McCool, C. Sanderson, and P. Corke, "Modelling local deep convolutional neural network features to improve fine-grained image classification," in Proc. IEEE Int. Conf. Image Process. (ICIP), Sep. 2015, pp. 4112–4116.
- 8. R. Girshick, "Fast R-CNN," in Proc. IEEE Int. Conf. Comput. Vis. (ICCV), Dec. 2015, pp. 1440–1448.
- 9. R. Girshick, J. Donahue, T. Darrell, and J. Malik, "Rich feature hierarchies for accurate object detection and semantic segmentation," in Proc. IEEE Conf. Comput. Vis. Pattern Recognit., Jun. 2014, pp. 580–587.
- 10.H. Hassannejad, G. Matrella, P. Ciampolini, I. De Munari, M. Mordonini, and S. Cagnoni, "Food image recognition using very deep convolutional networks," in Proc. 2nd Int. Workshop Multimedia Assist. Dietary Manage. (MADiMa), 2016, pp. 41–49

PROBLEM STATEMENT DEFINITION

This is based on the propose of a deep learning based system for food item detection and analyze the nutrition components of each meal image. Our model consists of three main steps.


- We first extract the regions of interests (ROIs) by applying the Region Proposal Network derived from the Faster R-CNN model. The ROIs would help to separate the food items from the background, and improve the detection model efficiency
- The second step is to apply a well designed Convolutional Neural Network (CNN) on selected RoIs and classify them into different food item categories. Meanwhile, a regression module is also used to locate the food coordinates in the image.
- The final step is to use modern technology-based dietary assessment tools for food nutrition analysis and generate a health report for users based on their meal images.

Problem	l am	I'm trying to	But	Because	Which makes me feel
Statement (PS)	(Customer)				
PS-1	a student	I'm trying to reduce my weight.	I'm unaware about the food habits.	There are so many types of diets to follow	Confused
PS-2	a pregnant women	To follow a proper food diet.	I'm not sure on what to have and what not to.	There are so many foods that seem to be healthy but actually not.	Unclear
PS-3	a student	reduce my weight as I have PCOS.	I'm not sure what diet to follow	I don't know what type of food should be consumed by me	Frustrated
PS-4	a diabetic patient	get a clear idea on the food habits for me.	but i dont know where to gain the knowledge about it.	There are so resourses for nutrition health but no clear idea.	Confused




IDEATION AND PROPOSED SYSTEM

EMPATHY MAP CANVAS



IDEATION AND BRAINSTORMING



PROPOSED SOLUTION

PROBLEM STATEMENT (PROBLEM TO BE SOLVED)

Due to the ignorance of healthy food habits, obesity rates are increasing at an alarming speed, and this is reflective of the risks to people's health. People need to control their daily calorie intake by eating healthier foods, which is the most basic method to avoid obesity. However, although food packaging comes with nutrition (and calorie) labels, it's still not very convenient for people to refer to App-based nutrient dashboard systems which can analyze real-time images of a meal and analyze it for nutritional content which can be very handy and improves the dietary habits, and therefore, helps in maintaining a healthy lifestyle.

IDEA / SOLUTION DESCRIPTION

This project aims at building a web App that automatically estimates food attributes such as ingredients and nutritional value by classifying the input image of food. Our method employs Clarifai's AI-Driven Food Detection Model for accurate food identification and Food API's to give the nutritional value of the identified food

NOVELTY / UNIQUENESS

In this project, User interacts with the Web App to Load an image. The image is passed to the server application, which uses Clarifai's AI-Driven Food Detection Model Service to analyze the images and Nutrition API to provide nutritional information about the analyzed Image. Nutritional information of the analyzed image is returned to the app for display.

SOCIAL IMPACT / CUSTOMER SATISFACTION

Due to the ignorance of healthy food habits, obesity rates are increasing at an alarming speed, and this is reflective of the risks to people's health. People need to control their daily calorie intake by eating healthier foods, which is the most basic method to avoid obesity. However, although food packaging comes with nutrition (and calorie) labels, it's still not very convenient for people to refer to App-based nutrient dashboard systems which can analyze real-time images of a meal and analyze it for nutritional content which can be very handy and improves the dietary habits, and therefore, helps in maintaining a healthy life.

BUSINESS MODEL (REVENUE MODEL)

A revenue model means understanding how a startup can make money. Our major revenue sources consist of sales, government funds, and public donations. The introduction of novel ideas increases revenue streams, such as special dietary needs, Clarifai's AI-Driven Food Detection Model, Food API's to give the nutritional value etc..

SCALABILITY OF THE SOLUTION

Making use of cloud-native techniques is one way to automatically estimates food attributes such as ingredients and nutritional value by classifying the input image of food. IBM Cloud, for instance, is one of the cloud-based AI scalability options. Run and manage AI models, as well as optimise decisions at scale across any cloud, with the aid of IBM Cloud Build. The benefit of using the cloud to scale solutions is that we can install our AI programme there, the specific cloud environment that best supports our business needs. We can take advantage of built-in security capabilities and AI model monitoring, we can drive better business outcomes by optimizing our decisions and also make our solution scalable using cloud.

PROBLEM SOLUTION FIT

The Problem solution aims at building a web App that automatically estimates food attributes

such as ingredients and nutritional value by classifying the input image of food. Our method


employs Clarifai's AI-Driven Food Detection Model for accurate food identification and Food

API's to give the nutritional value of the identified food..

PURPOSE:

☐ Solve complex problems in a way that fits the state of your customers.
☐ Succeed faster and increase your solution adoption by tapping into existing mediums and
channels of behavior.

 Sharpen your communication and marketing strategy with the right triggers and messaging.
 Increase touch-points with your company by finding the right problem behavior fit and
building trust by solving frequent annoyances, or urgent or costly problems.
☐ Understand the existing situation in order to improve it for your target group.



REQUIREMENT ANALYSIS

FUNCTIONAL REQUIREMENTS

- Users have to register their personal details.
- User has to upload the image of the food
- The nutritional values of the food will be dispalyed

NON-FUNCTIONAL REQUIREMENTS

PERFORMANCE

Performance is measured in terms of the output provided by the application. Requirement specification plays an important part in the analysis of a system. Only when the requirement specifications are properly given, it is possible to design an application, which will fit into the required environment. The load for the user interface screens shall take no longer than 2 seconds. The login information shall be verified within 5 seconds. Queries shall return results within 5 seconds.

SAFETY AND SECURITY REQUIREMENTS

• User Identification:

The system requires the user to identify himself/herself User

• Login ID:

Any user who uses the system shall have a Login.

Modification:

Any modification (insert, delete (or) update) for the Database shall be synchronized and done only by the admin in the ward.


• Admin Rights:

Admin shall be able to view and modify the information.

PROJECT DESIGN

DATA FLOW DIAGRAMS

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.




SOLUTION AND TECHNICAL ARCHITECTURE

PROJECT DESCRIPTION:

Due to the ignorance of healthy food habits, obesity rates are increasing at an alarming speed, and this is reflective of the risks to people's health. People need to control their daily calorie intake by eating healthier foods, which is the most basic method to avoid obesity. However, although food packaging comes with nutrition (and calorie) labels, it's still not very convenient for people to refer to App-based nutrient dashboard systems which can analyze real-time images of a meal and analyze it for nutritional content which can be very handy and improves the dietary habits, and therefore, helps in maintaining a healthy lifestyle. This project aims at building a web App that automatically estimates food attributes such as ingredients and nutritional value by classifying the input image of food. Our method employs Clarifai's AI-Driven Food Detection

Model for accurate food identification and Food API's to give the nutritional value of the identified food.

TECHNICAL ARCHITECTURE



SOLUTION

- User interacts with the Web App to Load an image.
- The image is passed to the server application, which uses Clarifai's AI-Driven Food Detection.
- Model Service to analyze the images and Nutrition API to provide nutritional information about the analyzed Image.
- Nutritional information of the analyzed image is returned to the app for display.

PROCEDURE

1. IMPLEMENTING WEB APPLICATION

- Registration (Push the registration data into the database)
- Login (Fetch the data upon login)
- Upload the food image and get the prediction

- Get Calories from the food items
- Add food data to the database

2. CREATE UI TO INTERACT WITH THE APPLICATION

- Registration Page
- Login Page
- Upload Image page
- Prediction results page for food items
- View history of items

3. CREATE IBM DB2 AND CONNECT WITH PYTHON

• Create the IBM Db2 service in the IBM cloud and connect the python code with DB.

4. INTEGRATE NUTRITION API

• Integrate the Nutrition API to the flask with API call.

APPROACH:

Nutrition assistant application is designed to compress the broad knowledge that exists in nutrition, Many people will be attracted to Nutrition because they have special dietary needs. Some had food allergies or sensitivities; others were vegan or vegetarian; many were pregnant. A number of pregnant women reached out to us asking for more detailed information and guidance.

KUBERNETES CLUSTERS - Kubernetes clusters allow containers to run across multiple machines and cloud based application.

IBM DB2- Used for Backup & recovery. Comprehensive data resilience for physical and virtual servers. Cloud hosting. Dedicated, virtual private, and bare metal server options

CONTAINER REGISTRY - Container Registry is a single place for your team to manage Docker images, perform vulnerability analysis, and decide who can access what with fine-grained access control NUTRITION API - A nutrition API acts as a container for information from thousands of products. When an application sends a GET request to the API, it returns the nutrition information about a given product.

RESULT:

Despite processing, we do not believe that our outcomes are flawless. There is always opportunity for improvement in your procedure because cloud computing is a topic that is constantly developing. Additionally, there will always be new approaches that offer better results for the same problems. It has been done, the application. Clarifai's AI-Driven Food Detection Model Service, Nutrition API.

USER STORIES

User Type	Functional Requireme nt (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Visitor	Registration	USN-1	As an initial visitor, I want to see what the application is about, what it does, and see if I am interested in creating an account to use the application.	I can access my account	High	Sprint-1
		USN-2	As a visitor I would like a link to a demo page of what the	I can visit a demo page	High	Sprint-1

		application looks like and does.			
	USN-3	As a visitor who has made an account I would like to sign in to access my account.	I can register with Outlook Credentials	Low	Sprint-1
Login	USN-4	As a interested user, I want a simple sign up page	I can register with Gmail Credentials	Low	Sprint-1
Meals	USN-5	As a user, I want be able to add meals and have a over all view of what I am eating.	I can add the meal and view the task	High	Sprint-1
	USN-6	As a user I want to see the macro and micro nutrient totals each day	I can able to view the nutrients	High	Sprint-2
	USN-7	As a user I want a link to a weekly summary	I can view the summary	High	Sprint-2
	USN-8	As a user, I want to be able to add ingrediants in	I can read the ingredients in name & quantity	High	Sprint-2

		name and quantity			
	USN-9	As a user, I want to save my recipes	I can store the recipes	Medium	Sprint-2
	USN-10	As a user, I want to be able to upload a picture of the recipe	I can upload the recipe's picture	High	Sprint-3
	USN-11	As a user, I want to be able to view the nutrition profile of the meal in my saved recipes	I can view my profile Account / save recipes to my profile	Low	Sprint-3
	USN-12	As a user, when i click on the nutrition profile i want it easily readable with most relevant information at the top.	I want to study the profile with readable information	Medium	Sprint-4
	USN-13	As a user, when i view my weekly totals I want averages and other pertinant information	I can manage the average of information in weekly basis	High	Sprint-1

PROJECT PLANNING & SCHEDULING

SPRINT PLANNING & ESTIMATION PRODUCT BACKLOG, SPRINT SCHEDULE, AND ESTIMATION

Sprint	Functional Requiremen ts(Epic)	User Story Number	User Story/Task	Story Points	Priority	Team Members
Sprint 1	User Panel	USN-1	The user will login into the website and go through the products available on the website.	20	High	Muthukumaran Mehavarthini Madhumitha Preeti
Sprint 2	Admin Panel	USN-2	The role of the admin is to check out the database about the stock and have a truck of all the things that the users are purchasing.	20	High	Muthukumaran Mehavarthini Madhumitha Preeti
Sprint 3	ChatBot	USN-3	The user can directly talk to Chatbot regarding the products. Get the recommendat ions based on information provided by	20	High	Muthukumaran Mehavarthini Madhumitha Preeti

			the user			
Sprint 4	Final Delivery	USN-4	Container of applications using docker Kubernetes and development the application. Create the documentation and final submit the application	20	High	Muthukumaran Mehavarthini Madhumitha Preeti

PROJECT TRACKER, VELOCITY & BURNDOWN CHART


Sprint	Total Story points	Duration	Sprint Start Date	Sprint End Date(Planne d)	Story Points Completed (as on planned end date)	Sprint Release Date(actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

VELOCITY:

Imagine we have a 10-day sprint duration, and the velocity of the team 20(points per sprint).Let's calculate the team's average velocity (AV) per iteration unit.

$$AV = \frac{sprint\ duration}{velocity} = \frac{20}{10} = 2$$

SPRINT DELIVERY SCHEDULE REPORT FROM JIRA



CONCLUSION

Dietary tracking is an essential task in chronic disease management and intervention. Food photo taking and image recognition significantly reduce the burden of food entering on personal mobile devices. In this work, we have developed a dietary tracking system that applies the deep-based image recognition to accurately and efficiently log food and nutrition intake. Through real user food photo testing and user study, we found that laboratory models form the foundation of the solution but miss out some of the key challenges. The diversity of real food photos is higher than the lab trained model. An ingredient based recognition is a promising way of tracking the free style and homemade food recognition problems in which training data is sparse and not representative. Moreover, the proposed photo based portion selection method is shown to be more accurate and engages the users better than the existing methods.

CODING & SOLUTIONS

Sample Code are below

Login:-

```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>IBM Nutrition Login</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1">
    <link rel="icon" type="image/png"</pre>
href="../static/images/icons/logo.ico"/>
    <link rel="stylesheet" type="text/css"</pre>
href="../static/vendor/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="../static/fonts/font-awesome-4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="../static/vendor/animate/animate.css">
    <link rel="stylesheet" type="text/css"</pre>
href="../static/vendor/css-hamburgers/hamburgers.min.css">
```

```
<link rel="stylesheet" type="text/css"</pre>
href="../static/vendor/select2/select2.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="../static/css/util.css">
    <link rel="stylesheet" type="text/css"</pre>
href="../static/css/main.css">
</head>
<body>
    <div class="limiter">
        <div class="container-login100">
            <div class="wrap-login100">
                 <div class="login100-pic js-tilt" data-tilt>
                     <img src="../static/images/img-01.png"</pre>
alt="IMG">
                 </div>
                 <form class="login100-form validate-</pre>
form" action="{{ url_for('login') }}" method="POST">
                     <span class="login100-form-title2">
                         IBM
                     </span>
                     <span class="login100-form-title">
                         Member Login
                     </span>
                     <div class="wrap-input100 validate-input" data-</pre>
validate = "Valid email is required: ex@abc.xyz">
                         <input id="usermail" class="input100"</pre>
type="text" name="usermail" placeholder="Email">
                         <span class="focus-input100"></span>
                         <span class="symbol-input100">
                             <i class="fa fa-envelope" aria-</pre>
hidden="true"></i>
                         </span>
                     </div>
```

```
<div class="wrap-input100 validate-input" data-</pre>
validate = "Password is required">
                         <input id="password" class="input100"</pre>
type="password" name="password" placeholder="Password">
                         <span class="focus-input100"></span>
                         <span class="symbol-input100">
                             <i class="fa fa-lock" aria-</pre>
hidden="true"></i>
                         </span>
                     </div>
                     <div class="container-login100-form-btn">
                         <button class="login100-form-btn">
                             Login
                         </button>
                         {{ msg }}
                         {{ error }}
                     </div>
                     <div class="text-center p-t-12">
                         <span class="txt1">
                             Forgot
                         </span>
                         <a class="txt2" href="#">
                             Username / Password?
                         </a>
                     </div>
                     <div class="text-center p-t-136">
                         <a class="txt2" href="{{ url_for('register')}</pre>
                             Create your Account
                             <i class="fa fa-long-arrow-right m-l-5"</pre>
aria-hidden="true"></i>
                         </a>
                     </div>
                </form>
            </div>
        </div>
    </div>
```

```
<script src="../static/vendor/jquery/jquery-</pre>
3.2.1.min.js"></script>
    <script src="../static/vendor/bootstrap/js/popper.js"></script>
    <script
src="../static/vendor/bootstrap/js/bootstrap.min.js"></script>
    <script src="../static/vendor/select2/select2.min.js"></script>
    <script src="../static/vendor/tilt/tilt.jquery.min.js"></script>
    <script >
        $('.js-tilt').tilt({
            scale: 1.1
        })
    </script>
    <script src="../static/js/main.js"></script>
</body>
</html>
```

Login Page




Register:

```
<!DOCTYPE html>
<html lang="en" >
<head>
  <meta charset="UTF-8">
  <title>IBM Nutrition Registration</title>
  <link rel="icon" type="image/png"</pre>
href="../static/images/icons/logo.ico"/>
  <meta name="viewport" content="width=device-width, initial-</pre>
scale=1"><link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/normalize/5.0.0/normali
<link rel='stylesheet'</pre>
href='https://cdnjs.cloudflare.com/ajax/libs/twitter-
<link rel='stylesheet'</pre>
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,
<link rel='stylesheet'</pre>
href='https://fonts.googleapis.com/css?family=Roboto:400,700,300'>
```

```
<link rel='stylesheet' href='https://maxcdn.bootstrapcdn.com/font-</pre>
<link rel="stylesheet" href="../static/css/style.css">
</head>
<body>
<!-- partial:index.partial.html -->
<div class="signup_container">
  <div class="container child signup thumbnail">
    <div class="thumbnail logo">
      <img src="../static/images/logo.png" alt="logo" style="height:</pre>
50px; width:50px;"/>
      <h1 class="logo text">IBM</h1>
    </div>
    <div class="thumbnail content text-center">
      <h1 class="heading--primary">Welcome to IBM Nutrition</h1>
      <h2 class="heading--secondary">Are you ready to join the
elite?</h2>
    </div>
    <div class="signup overlay">
      <img class="regPic" src="../static/images/registerImage2.png"</pre>
alt="logo" />
    </div>
  </div>
  <div class="container child signup form">
    <form action="{{ url_for('register') }}" method="POST">
      <div class="form-group">
        <label for="username">Name {{ msg }} </label>
        <input class="form-control" type="text" name="username"</pre>
id="username" required_/>
      </div>
      <div class="form-group">
        <label for="email">Email</label>
        <input class="form-control" type="text" name="email"</pre>
id="email" required />
      </div>
      <div class="form-group">
        <label for="password">Password</label>
        <input class="form-control" type="password" name="password"</pre>
id="password" required />
      </div>
      <div class="form-group">
```

```
<label for="passwordRepeat">Repeat Password</label>
       <input class="form-control" type="password"</pre>
name="passwordRepeat" id="passwordRepeat"required />
     </div>
     <div class="m-t-lg">
       <1i>>
           <input class="btn btn--form" type="submit"</pre>
value="Register" />
         <1i>>
          <a class="signup_link" href="{{ url_for('login') }}">I
am already a member</a>
         </div>
   </form>
 </div>
</div>
</body>
</html>
```

Register page




Upload:

```
link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;6008
display=swap" rel="stylesheet">
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/all.min.css">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet"</pre>
href="../static/home/css/bootstrap.min.css">
    <!-- Style -->
    <link rel="stylesheet" href="../static/home/css/style.css">
    <link rel="stylesheet" type="text/css"</pre>
href="../static/css/home.css">
    k rel="stylesheet" type="text/css"
href="../static/css/upload.css">
    <title>IBM Upload</title>
    <link rel="icon" type="image/png"</pre>
href="../static/images/icons/logo.ico"/>
  </head>
  <body style="overflow: hidden;">
    <div class="site-mobile-menu">
      <div class="site-mobile-menu-header">
        <div class="site-mobile-menu-close mt-3">
          <span class="icon-close2 js-menu-toggle"></span>
        </div>
      </div>
      <div class="site-mobile-menu-body"></div>
    </div>
    <header class="site-navbar" role="banner">
      <div class="container">
        <div class="row align-items-center">
          <div class="col-11 col-xl-2">
```

```
<img src="../static/images/logo.png" alt="logo"</pre>
style="height: 50px; width:50px;"/><br></br>
           <h1 class="mb-0 site-logo"><a href="index.html"</pre>
class="text-white mb-0">IBM Nutrition</a></h1>
         </div>
         <div class="col-12 col-md-10 d-none d-xl-block">
           <nav class="site-navigation position-relative text-</pre>
right" role="navigation">
             block">
               <a href="{{ url_for('home')}</p>
}}"><span>Home</span></a>
               <a><span>Upload</span></a>
               <a
href="contact.html"><span>Profile</span></a>
               <a href="{{ url for('logout')}</pre>
}}"><span>Logout</span></a>
             </nav>
         </div>
         <div class="d-inline-block d-xl-none ml-md-0 mr-auto py-3"</pre>
style="position: relative; top: 3px;"><a href="#" class="site-menu-</pre>
toggle js-menu-toggle text-white"><span class="icon-menu
13"></span></a></div>
         </div>
       </div>
     </div>
   </header>
    <div class="hero" style="background-image:</pre>
brightness(50%);"></div>
   <script class="jsbin"</pre>
src="https://ajax.googleapis.com/ajax/libs/jquery/1/jquery.min.js">
/script>
<div class="file-upload">
```

```
<form action="{{ url for('upload') }}" enctype="multipart/form-</pre>
data" method="POST">
        <input type="text" name="URloftheImage" placeholder="url of</pre>
the image" style="width: 100%;
        <br></br>
        <button class="file-upload-btn" type="submit">Fetch
Results</button>
        <br></br>
  <button class="file-upload-btn" type="button" onclick="$('.file-</pre>
upload-input').trigger( 'click' )">Add Image</button>
  <div class="image-upload-wrap">
    <input class="file-upload-input" type='file' name="imageFetched"</pre>
onchange="readURL(this);" accept="image/*" />
    <div class="drag-text">
      <h3>Drag and drop a file or select add Image. {{ error }}</h3>
    </div>
  </div>
  <div class="file-upload-content">
    <img class="file-upload-image" src="#" alt="your image" />
    <div class="image-title-wrap">
      <button type="submit" onclick="removeUpload()" class="send-</pre>
image">Request Nutrients</span></button>
      <button type="button" onclick="removeUpload()" class="remove-</pre>
image">Remove <span class="image-title">Uploaded
Image</span></button>
    </div>
  </div>
  </form>
</div>
    <script src="../static/home/js/jquery-3.3.1.min.js"></script>
    <script src="../static/home/js/popper.min.js"></script>
    <script src="../static/home/js/bootstrap.min.js"></script>
    <script src="../static/home/js/jquery.sticky.js"></script>
    <script src="../static/home/js/main.js"></script>
    <script src="../static/js/home.js"></script>
    <script src="../static/js/upload.js"></script>
  </body>
</html>
```

Upload Page:



Results Page:

