


## Project Development Phase


### Sprint - 2

Date	17 November 2022
Team ID	IBM-Project-17289-1659633579
Project Name	IoT Based Safety Gadget for Child Safety Monitoring & Notification

### SPRINT 2:

### NODERED CONNECTION





## PYTHON FILE FOR CONNECTION TO IBM WATSON IOT PLATFORM:

```
import time
import wiotp.sdk.application
print("Hello")
myConfig={
    "identity":{
        "orgId":"af8k8g",
        "typeId":"Tracker",
        "deviceId":"12345",
    },
    "auth":{
        "token":"12345678"
    }
}

client=wiotp.sdk.device.DeviceClient(config=myConfig,logHandlers=None)
client.connect()
while True:
    name="Child"
    latitude=17.4219272
    longitude=78.5488783
    myData={'name':name,'lat':latitude,'lon':longitude}
    client.publishEvent(eventId="status",msgFormat="json",data=myData,qos=0,onPublish=None)
    print("Data published to IBM IoT Platform: ",myData)
    time.sleep(5)
client.disconnect()
```

## CONNECTING THE IOT DEVICE:

```
Command Prompt - python child.py
Microsoft Windows [Version 10.0.22000.1219]
(c) Microsoft Corporation. All rights reserved.

C:\Users\snnam>cd Downloads

C:\Users\snnam\Downloads>python child.py
Hello
2022-11-18 11:49:20,484 wiotp.sdk.device.client.DeviceClient INFO Connected successfully: d:af8k8g:Tracker:12345
Data published to IBM IoT Platform: {'name': 'Child', 'lat': 17.4219272, 'lon': 78.5488783}
Data published to IBM IoT Platform: {'name': 'Child', 'lat': 17.4219272, 'lon': 78.5488783}
Data published to IBM IoT Platform: {'name': 'Child', 'lat': 17.4219272, 'lon': 78.5488783}
Data published to IBM IoT Platform: {'name': 'Child', 'lat': 17.4219272, 'lon': 78.5488783}
Data published to IBM IoT Platform: {'name': 'Child', 'lat': 17.4219272, 'lon': 78.5488783}
```

## IBM CLOUD DATABASE:

af8k8g.internetofthings.ibmcloud.com/dashboard/devices/browse

IBM Watson IoT Platform

namshika19067@cse.ssn.edu.in  
ID: af8k8g

Browse Action Device Types Interfaces

Add Device +

Event	Value	Format	Last Received
status	{"name":"Child","lat":17.4219272,"lon":78.5488...	json	a few seconds ago
status	{"name":"Child","lat":17.4219272,"lon":78.5488...	json	a few seconds ago
status	{"name":"Child","lat":17.4219272,"lon":78.5488...	json	a few seconds ago
status	{"name":"Child","lat":17.4219272,"lon":78.5488...	json	a few seconds ago
status	{"name":"Child","lat":17.4219272,"lon":78.5488...	json	a few seconds ago

## NOTIFICATION ALERT CODE:

### NOTIFICATION and STORE DATA

```
#include<WiFi.h>//library for wifi
#include<PubSubClient.h>//library for
MQTT
void callback(char* subscribe topic, byte* payload, unsigned int payloadlength);
//-----credentials of IBM Account----- #define ORG "frpi8s"// IBM ORGANIZATION ID
#define DEVICE_TYPE "NodeMCU"//DEVICE TYPE MENTIONEDINIOTWATSON
PLATFORM #define DEVICE_ID "12345"//DEVICE ID MENTIONEDINIOTWATSONPLATFORM
#define TOKEN "12345678"//Token String data3;float
dist;
//-----customize the above value-----char server []
=ORG".messaging.internetofthings.ibmcloud.com";//servername
char publish topic[]="ultrasonic/evt/Data/fmt/json";//*topic nameandtype
of event perform and format
in which data to be send*/
char subscribetopic[]="ultrasonic/cmd/test/fmt/String";//*cmd
REPRESENT
Command tupe and
COMMAND IS TEST OF FORMAT STRING*/
char authMethod[]="use-token-auth";//authentication method char
token[]=TOKEN;
char clientid[]="d:" ORG ":" DEVICE_TYPE":" DEVICE_ID;//CLIENT ID//
WiFiClient wifiClient;// creating an instance for wificlient
PubSubClient client(server, 1883 , callback , wifiClient);//*calling thepredefined
client id by passing parameter like server id,portand wificredential*/
int LED =4;
int trig =5; int echo=18; void setup(){
Serial.begin(115200); pinMode(trig,OUTPUT); pinMode(echo,INPUT);
pinMode(LED,OUTPUT); delay(10); Serial.println(); wificonnect();
mqttconnect();
void loop() { digitalWrite(trig,LOW); digitalWrite(trig,HIGH);
delayMicroseconds(10); digitalWrite(trig,LOW);
float dur=pulseIn(echo,HIGH); float dist=(dur * 0.0343)/2;
Serial.print("distance in
cm"); Serial.println(dist); PublishData(dist);
delay(1000);
if (!client.loop()){ mqttconnect();
}
}
```

```

/*.....retriving to
cloud. .... */
void PublishData(float dist){ mqttconnect();//function call for connectingto ibm
/*creating the string in form of JSON to update the data to ibmcloud*/String
object;if(dist<100)
{
digitalWrite(LED,HIGH); Serial.println("no object is near");
object="Near";
}
else
{
digitalWrite(LED,LOW); Serial.println("no object found"); object="No";
}
String payload="{\"distance\":"; payload +=dist;
payload +="," "\"object\":\":"; payload += object;
payload += "\"}";
Serial.print("Sending payload: ");
Serial.println(payload);
if(client.publish(publishtopic, (char*) payload.c_str())){
Serial.println("Publish ok");/* if its sucessfully upload data on the
cloud then it will print publish ok in serial monitor or else it will print
publish
failed*/
} else{
Serial.println("Publish failed");
}
}
void mqttconnect(){ if(!client.connected()){
Serial.print("Reconnecting client to "); Serial.println(server);
while(!client.connect(clientid,authMethod, token)){ Serial.print("."); delay(500);
}
initManagedDevice();
Serial.println();
}
}
void wificonnect();//function defenition for wificonnect
{
Serial.println(); Serial.print("Connecting to ");WiFi.begin("vivo 1816", "taetae95",6);//PASSING THE WIFI
CREDENTIALS TO
ESTABLISH CONNECTION
while (WiFi.status() !=WL_CONNECTED){ delay(500);
Serial.print(".");

```

```

}
Serial.println(""); Serial.println("WiFi connected"); Serial.println("IPaddress");
Serial.println(WiFi.localIP());
}
void initManagedDevice(){ if(client.subscribe(subscribetopic)){
Serial.println((subscribetopic)); Serial.println("subscribe to cmd OK");
}else{
Serial.println("subscribe to cmd failed");
}
}
void callback(char* subscribetopic,byte*payload,unsigned int
payloadLength)
{
Serial.print("callback invoked for topic: ");
Serial.println(subscribetopic); for(int i=0; i< payloadLength; i++){
//Serial.print((char)payload[i]); data3 +=(char)payload[i];
}
//Serial.println("dta: "+ data3);
//if(data3=="Near")
//{
//Serial.println(data3);
//digitalWrite(LED,HIGH);
//}
//else //{
//Serial.println(data3);
//digitalWrite(LED,LOW);//} data3="";
}

```