SENDGRID INTEGRATION WITH PYTHON

| Team ID	PNT2022TMID01744
Project Name	Nutrition Assistant Application

STEP 1:

REQUIREMENTS:

Python 2.6, 2.7, 3.4 or 3.5.

STEP 2:

Create an API key

STEP 3:
INSTALL
PAKAGE: > pip install sendgrid

SETP 4:

SEND EMAIL


```python
import sendgrid
import os
from sendgrid.helpers.mail import *

#sg = sendgrid.SendGridAPIClient(api_key=os.environ.get('SENDGRID_API_KEY'))
sg = sendgrid.SendGridAPIClient(api_key=os.environ.get(                    ))
from_email = Email("tariharano@gmail.com")
to_email = To("tariharano@gmail.com")
subject = "Sending with SendGrid is Fun"
content = Content("text/plain", "and easy to do anywhere, even with Python")
mail = Mail(from_email, to_email, subject, content)
response = sg.client.mail.send.post(request_body=mail.get())

print(response.status_code)
print(response.body)
print(response.headers)
```

SENDGRID PYTHON CODE :

```python
1    import os
2    from sendgrid import SendGridAPIClient
3    from sendgrid.helpers.mail import Mail
4
5    message = Mail(
6        from_email='from_email@example.com',
7        to_emails='to@example.com',
8        subject='Sending with Twilio SendGrid is Fun',
9        html_content='<strong>and easy to do anywhere, even with
     Python</strong>')
10   try:
11       sg = SendGridAPIClient(os.environ.get('SENDGRID_API_KEY'))
12       response = sg.send(message)
13       print(response.status_code)
14       print(response.body)
15       print(response.headers)
16   except Exception as e:
17       print(e.message)
```

HTTP CLIENT PROGRAM

```python
1    """HTTP Client library"""
2    import json
3    import logging
4    from .exceptions import handle_error
5
6    try:
7        # Python 3
8        import urllib.request as urllib
9        from urllib.parse import urlencode
10       from urllib.error import HTTPError
11   except ImportError:
12       # Python 2
```

```python
13      import urllib2 as urllib
14      from urllib2 import HTTPError
15      from urllib import urlencode
16
17 _logger = logging.getLogger(__name__)
18
19
20 class Response(object):
21     """Holds the response from an API call."""
22
23     def __init__(self, response):
24         """
25         :param response: The return value from a open call
26                          on a urllib.build_opener()
27         :type response:  urllib response object
28         """
29         self._status_code = response.getcode()
30         self._body = response.read()
31         self._headers = response.info()
32
33     @property
34     def status_code(self):
35         """
36         :return: integer, status code of API call
37         """
38         return self._status_code
39
40     @property
41     def body(self):
42         """
43         :return: response from the API
44         """
45         return self._body
46
47     @property
```

```python
48      def headers(self):
49          """
50          :return: dict of response headers
51          """
52          return self._headers
53
54      @property
55      def to_dict(self):
56          """
57          :return: dict of response from the API
58          """
59          if self.body:
60              return json.loads(self.body.decode('utf-8'))
61          else:
62              return None
63
64
65  class Client(object):
66      """Quickly and easily access any REST or REST-like API."""
67
68      # These are the supported HTTP verbs
69      methods = ('delete', 'get', 'patch', 'post', 'put')
70
71      def __init__(self,
72                   host,
73                   request_headers=None,
74                   version=None,
75                   url_path=None,
76                   append_slash=False,
77                   timeout=None):
78          """
79          :param host: Base URL for the api. (e.g.
    https://api.sendgrid.com)
80          :type host:   string
81          :param request_headers: A dictionary of the headers you want
```

```
82                                  applied on all calls
83          :type request_headers: dictionary
84          :param version: The version number of the API.
85                          Subclass _build_versioned_url for custom
    behavior.
86                          Or just pass the version as part of the URL
87                          (e.g. client._("/v3"))
88          :type version: integer
89          :param url_path: A list of the url path segments
90          :type url_path: list of strings
91          """
92          self.host = host
93          self.request_headers = request_headers or {}
94          self._version = version
95          # _url_path keeps track of the dynamically built url
96          self._url_path = url_path or []
97          # APPEND SLASH set
98          self.append_slash = append_slash
99          self.timeout = timeout
100
101     def _build_versioned_url(self, url):
102         """Subclass this function for your own needs.
103            Or just pass the version as part of the URL
104            (e.g. client._('/v3'))
105         :param url: URI portion of the full URL being requested
106         :type url: string
107         :return: string
108         """
109         return '{}/v{}{}'.format(self.host, str(self._version),
    url)
110
111     def _build_url(self, query_params):
112         """Build the final URL to be passed to urllib
113
114         :param query_params: A dictionary of all the query
```

```python
            parameters
115             :type query_params: dictionary
116             :return: string
117             """
118             url = ''
119             count = 0
120             while count < len(self._url_path):
121                 url += '/{}'.format(self._url_path[count])
122                 count += 1
123
124             # add slash
125             if self.append_slash:
126                 url += '/'
127
128             if query_params:
129                 url_values = urlencode(sorted(query_params.items()),
    True)
130                 url = '{}?{}'.format(url, url_values)
131
132             if self._version:
133                 url = self._build_versioned_url(url)
134             else:
135                 url = '{}{}'.format(self.host, url)
136             return url
137
138     def _update_headers(self, request_headers):
139         """Update the headers for the request
140
141         :param request_headers: headers to set for the API call
142         :type request_headers: dictionary
143         :return: dictionary
144         """
145         self.request_headers.update(request_headers)
146
147     def _build_client(self, name=None):
```

```python
148            """Make a new Client object
149
150            :param name: Name of the url segment
151            :type name: string
152            :return: A Client object
153            """
154            url_path = self._url_path + [name] if name else
       self._url_path
155            return Client(host=self.host,
156                          version=self._version,
157                          request_headers=self.request_headers,
158                          url_path=url_path,
159                          append_slash=self.append_slash,
160                          timeout=self.timeout)
161
162        def _make_request(self, opener, request, timeout=None):
163            """Make the API call and return the response. This is
       separated into
164                it's own function, so we can mock it easily for testing.
165
166            :param opener:
167            :type opener:
168            :param request: url payload to request
169            :type request: urllib.Request object
170            :param timeout: timeout value or None
171            :type timeout: float
172            :return: urllib response
173            """
174            timeout = timeout or self.timeout
175            try:
176                return opener.open(request, timeout=timeout)
177            except HTTPError as err:
178                exc = handle_error(err)
179                exc.__cause__ = None
180                _logger.debug('{method} Response: {status}
```

```python
       (body)'.format(
181                   method=request.get_method(),
182                   status=exc.status_code,
183                   body=exc.body))
184           raise exc
185
186     def _(self, name):
187         """Add variable values to the url.
188            (e.g. /your/api/(variable_value)/call)
189            Another example: if you have a Python reserved word,
    such as global,
190            in your url, you must use this method.
191
192         :param name: Name of the url segment
193         :type name: string
194         :return: Client object
195         """
196         return self._build_client(name)
197
198     def __getattr__(self, name):
199         """Dynamically add method calls to the url, then call a
    method.
200            (e.g. client.name.name.method())
201            You can also add a version number by using
    .version(<int>)
202
203         :param name: Name of the url segment or method call
204         :type name: string or integer if name == version
205         :return: mixed
206         """
207         if name == 'version':
208             def get_version(*args, **kwargs):
209                 """
210                 :param args: dict of settings
211                 :param kwargs: unused
```

```python
212                     :return: string, version
213                     """
214                     self._version = args[0]
215                     return self._build_client()
216             return get_version

218         # We have reached the end of the method chain, make the API call
219         if name in self.methods:
220             method = name.upper()

222             def http_request(
223                     request_body=None,
224                     query_params=None,
225                     request_headers=None,
226                     timeout=None,
227                     **_):
228                 """Make the API call
229                 :param timeout: HTTP request timeout. Will be propagated to
230                     urllib client
231                 :type timeout: float
232                 :param request_headers: HTTP headers. Will be merged into
233                     current client object state
234                 :type request_headers: dict
235                 :param query_params: HTTP query parameters
236                 :type query_params: dict
237                 :param request_body: HTTP request body
238                 :type request_body: string or json-serializable object
239                 :param kwargs:
240                 :return: Response object
241                 """
242                 if request_headers:
```

```python
243                     self._update_headers(request_headers)
244
245             if request_body is None:
246                 data = None
247             else:
248                 # Don't serialize to a JSON formatted str
249                 # if we don't have a JSON Content-Type
250                 if 'Content-Type' in self.request_headers and \
251                         self.request_headers['Content-Type'] != \
                              \
252                         'application/json':
253                     data = request_body.encode('utf-8')
254                 else:
255                     self.request_headers.setdefault(
256                         'Content-Type', 'application/json')
257                     data =
    json.dumps(request_body).encode('utf-8')
258
259             opener = urllib.build_opener()
260             request = urllib.Request(
261                 self._build_url(query_params),
262                 headers=self.request_headers,
263                 data=data,
264             )
265             request.get_method = lambda: method
266
267             _logger.debug('{method} Request: {url}'.format(
268                 method=method,
269                 url=request.get_full_url()))
270             if request.data:
271                 _logger.debug('PAYLOAD: {data}'.format(
272                     data=request.data))
273             _logger.debug('HEADERS: {headers}'.format(
274                 headers=request.headers))
275
```

```python
276                      response = Response(
277                          self._make_request(opener, request,
    timeout=timeout)
278                      )
279
280                      _logger.debug('{method} Response: {status}
    {body}'.format(
281                          method=method,
282                          status=response.status_code,
283                          body=response.body))
284
285                      return response
286
287                  return http_request
288              else:
289                  # Add a segment to the URL
290                  return self._(name)
291
292      def __getstate__(self):
293          return self.__dict
294
295      def __setstate__(self, state):
```