IMPLEMENTING WEB APPLICATION - CREATE UI TO INTERACT WITH UI APPLICATION

Team ID	PNT2022TMID01744
Project Name	Nutrition Assistant Application

1.LOGIN login.html

```
<!DOCTYPE html>
<!-- Created By CodingLab - <u>www.codinglabweb.com</u> -->
<html lang="en" dir="ltr">
 <head>
  <meta charset="UTF-8">
  <!---<title> Responsive Login Form | CodingLab </title>--->
  <link rel="stylesheet" href="style22.css">
  <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/5.15.2/css/all.min.css"/>
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
 </head>
 <body>
  <div class="container">
   <form action="#">
     <div class="title">Login</div>
     <div class="input-box underline">
      <input type="text" placeholder="Enter Your Email" required>
      <div class="underline"></div>
```

```
</div>
                   <div class="input-box">
                        <input type="password" placeholder="Enter Your Password" required>
                        <div class="underline"></div>
</div>
                   <div class="input-box button">
                       <input type="submit" name="" value="Continue">
                   </div>
               </form>
                  <div class="option">or Connect With Social Media</div>
                   <div class="twitter">
                        <a href="#"><i class="fab fa-twitter"></i>Sign in With Twitter</a>
                                                                                                                                                                                                                                                                                                                      </div>
                   <div class="facebook">
                        <a href="#"><i class="fab fa-facebook-f"></i>Sign in With Facebook</a>
                   </div>
         </div>
    </body>
</html>
.style22.css
 @import
url ("https://fonts.googleap is.com/css2?family=Poppins:wght@200;300;400;500;600;700\&displants) and the properties of 
y=swap'
);
```

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;700&displa
y=swap'
);
*{ margin: 0; padding: 0;
boxsizing: border-box;
fontfamily: 'Poppins', sans-
serif;
html, body{ display: grid; height: 100vh; width: 100%; place-items:
center; background: linear-gradient(to right,
#99004d 0%, #ff0080 100%);
}
::selection{
background: #ff80bf;
.container{ background: #fff; maxwidth:
350px;
         width: 100%; padding: 25px
30px; border-radius: 5px; boxshadow: 0
10px 10px rgba(0, 0, 0, 0.15);
}
.container form .title{ font-
size: 30px; fontweight: 600;
margin:
```

```
20px 0
              10px 0;
position: relative;
.container form .title:before{ content: "; position: absolute;
height: 4px;
                width: 33px;
                                 left: 0px;
                                              bottom: 3px;
borderradius: 5px;
                       background: linear-gradient(to right,
#99004d
0%, #ff0080 100%);
.container
                 form
.inputbox{
               width:
100%; height: 45px;
margintop:
                25px;
position:
relative;
.container form .input-box input{
width: 100%; height:
100%; outline: none;
 font-size: 16px;
 border: none;
.container form
```

```
.underline::before{ content: "; position:
absolute; height: 2px;
width: 100%; background:
#ccc;
 left: 0;
bottom: 0; }
.container form .underline::after{ content: "; position: absolute;
height: 2px; width: 100%; background: lineargradient(to right,
#99004d 0%, #ff0080 100%);
 left: 0; bottom: 0;
transform: scaleX(0);
transform-origin: left;
transition: all 0.3s ease;
.container form .input-box input:focus ~ .underline::after,
.container form .input-box input:valid ~ .underline::after{
transform: scaleX(1); transform-origin: left;
}
.container form .button{ margin:
40px 0 20px 0;
}
```

```
.container .input-box input[type="submit"]{ background:
linear-gradient(to right, #99004d 0%, #ff0080 100%); fontsize:
17px; color: #fff; border-radius: 5px; cursor: pointer;
transition: all 0.3s ease;
.container .input-box input[type="submit"]:hover{ letterspacing:
1px; background: linear-gradient(to left, #99004d
0%, #ff0080 100%);
}
.container
.option{ font-
size: 14px; textalign:
center;
.container .facebook a,
.container .twitter a{
display: block; height:
45px; width:
100%; font-size:
15px;
textdecoration: none;
padding-left: 20px;
line-height: 45px;
color: #fff;
```

```
borderradius: 5px;
transition: all 0.3s
ease; }
.container .facebook i,
.container .twitter
i{ padding-right: 12px;
font-size:
20px;
}
.container .twitter a{ background: linear-gradient(to right,
#00acee 0%, #1abeff 100%); margin: 20px 0 15px 0;
}
.container .twitter a:hover{ background: linear-gradient(to left,
#00acee 0%, #1abeff 100%); margin: 20px 0 15px 0;
}
.container .facebook a{ background: linear-gradient( to right,
#3b5998 0%, #476bb8 100%); margin: 20px 0 50px 0;
}
.container .facebook a:hover{ background: linear-gradient( to left,
#3b5998 0%, #476bb8 100%); margin: 20px 0 50px 0;
```

