## Sreenidhi

## 195001310

Nalaiya Thiran IBM Assignment - 02

1. Create User table with user with email.username.roll number password.

ıble definitioı <sub>ERS</sub>	n				: ×
LNS				No statist	ics available.
Name	Data type	Nullable	Length	Scale	
JSERNAME	VARCHAR	Υ	300	0	0
EMAIL	VARCHAR	Υ	300	0	0
ROLLNUMBER	VARCHAR	Υ	300	0	0
PASSWORD	VARCHAR	Υ	300	0	0

2. Performing update & delete queries INSERT INTO USERS VALUES ('NAVEEN', 'naveenmr13122001@gmail.com', '12344', '1234'); INSERT INTO USERS VALUES ('ROHIT', 'rohit@gmail.com', '195001305', '4321'); INSERT INTO USERS VALUES ('SAI', 'sai@gmail.com', '195001309', '5678'); INSERT INTO USERS VALUES ('SREENIDTHI', 'sreenidthi@gmail.com', '195001310', '6789')

USERNAME	EMAIL	↑↓ ROLLNUMBER	PASSWORD
NAVEEN	naveenmr13122001@gmail.com	12344	1234
ROHIT	rohit@gmail.com	195001305	4321
SAI	sai@gmail.com	195001309	5678
SREENIDTHI	sreenidthi@gmail.com	195001310	6789

## DELETE FROM USERS WHERE USERNAME = 'SREENIDTHI';

USERNAME	↑↓ EMAIL	ROLLNUMBER	PASSWORD
NAVEEN	USERNAME nmr13122001@gmail.com	12344	1234
ROHIT	rohit@gmail.com	195001305	4321
SAI	sai@gmail.com	195001309	5678

## UPDATE USERS SET EMAIL = 'rohita@gmail.com' WHERE USERNAME = 'ROHIT';

USERNAME	EMAIL	ROLLNUMBER	PASSWORD
NAVEEN	naveenmr13122001@gmail.com	12344	1234
ROHIT	rohita@gmail.com	195001305	4321
SAI	sai@gmail.com	195001309	5678

3. Connect python code to db2
conn = ibm\_db.connect("DATABASE=bludb;"
"HOSTNAME=b0aebb68-94fa-46ec-a1fc1c999edb6187.c3n41cmd0nqnrk39u98g.databases.appdomain.cloud;" "PORT=31249;"
"SECURITY=SSL;"
"SSLServerCertificate=DigitCertGlobalRootCA.crt;"
"UID=nsc03399;"
"PWD="Naveen@01;", "", "")

4. Create a flask app with registration page, login page and welcome page. By default load the

registration page once the user enters all the fields store the data in database and navigate to login

page authenticate user username and password, if the user is valid show the welcome page

```
App.py
from flask import Flask, render_template, request, redirect, url_for, session import
ibm_db
import re
app = Flask(_name_)
app.secret_key = 'Zenik'
conn = ibm_db.connect("DATABASE=bludb;"
"HOSTNAME=b0aebb68-94fa-46ec-a1fc-
1c999edb6187.c3n41cmd0nqnrk39u98g.databases.appdomain.cloud;"
"PORT=31249;"
"SECURITY=SSL;"
"SSLServerCertificate=DigitCertGlobalRootCA.crt;"
"UID=nsc03399;"
"PWD="Naveen@01;", "", "")
@app.route('/')
@app.route('/home') def
home():
return render_template('home.html', title='Home', msg=" ") @app.route('/dashboard')
def dashboard():
sql = "SELECT * FROM USERS WHERE username =?" stmt =
ibm_db.prepare(conn, sql) ibm_db.bind_param(stmt, 1,
session['username']) ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
return render_template('dashboard.html', title='Dashboard', account=account)
@app.route('/logout')
def logout():
session.pop('Loggedin', None)
session.pop('id', None)
session.pop('username', None)
return redirect('/')
```

```
@app.route('/login', methods=['GET', 'POST']) def
login():
global userid msg
if request.method == "POST":
username = request.form['username'] password =
request.form['password']
sql = "SELECT * FROM USERS WHERE username =? AND password =?" stmt =
ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt, 1, username)
ibm_db.bind_param(stmt, 2, password)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
print(account)
if account:
session['Loggedin'] = True session['id'] =
account['USERNAME'] userid =
account['USERNAME']
session['username'] = account['USERNAME'] return
redirect('/dashboard')
else:
msg = "Incorrect login credentials"
return render_template('login.html', title='Login', msg=msg) @app.route('/register',
methods=['GET', 'POST'])
def register():
msg = " "
if request.method == "POST": username =
request.form['username'] email =
request.form['email'] password =
request.form['password']
password1 = request.form['password1'] rollno =
request.form['rollno']
```

```
sql = "SELECT * FROM USERS WHERE username =? or email=?" stmt =
ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt, 1, username)
ibm_db.bind_param(stmt, 2, email)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
print(account)
if account:
msg = "Account already exists" elif
password1 != password:
msg = "re-entered password doesnt match" elif not
re.match(r'[A-Za-z0-9]+', username):
msg = "Username should be only alphabets and numbers" else:
sql = "INSERT INTO USERS VALUES (?,?,?,?)"
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt, 1, username)
ibm_db.bind_param(stmt, 2, email)
ibm_db.bind_param(stmt, 3, rollno)
ibm_db.bind_param(stmt, 4, password)
ibm_db.execute(stmt)
return redirect('/login')
return render_template('register.html', msg=msg, title="Register") if_name
  ____== '_main_':
```

app.run()





