ASSIGNMENT-4

1.Pull an Image from docker hub and run it in docker playground.

BUILT AN DOCKER IMAGE

```
C:\Users\musammil-pt5773\Desktop\Hello_world>docker build -t hello_world .
[+] Building 35.7s (11/11) FINISHED
 => [internal] load build definition from Dockerfile                                                0.1s
 => => transferring dockerfile: 184B                                                                0.0s
 => [internal] load .dockerignore                                                                   0.0s
 => => transferring context: 2B                                                                     0.0s
 => [internal] load metadata for docker.io/library/python:3.10.6                                   30.1s
 => [auth] library/python:pull token for registry-1.docker.io                                       0.0s
 => [internal] load build context                                                                   0.0s
 => => transferring context: 941B                                                                   0.0s
 => [1/5] FROM docker.io/library/python:3.10.6@sha256:745efdfb7e4aac9a8422bd8c62d8bc35a693e8979a240d29677cb03e6aa  0.0s
 => CACHED [2/5] WORKDIR /app                                                                       0.0s
 => [3/5] COPY requirements.txt ./                                                                  0.1s
 => [4/5] RUN pip install -r requirements.txt                                                       4.9s
 => [5/5] COPY . .                                                                                  0.1s
 => exporting to image                                                                              0.2s
 => => exporting layers                                                                             0.2s
 => => writing image sha256:a7dbd8150241a2be3ab2687eaed6a80971e4ed0d82040db40041b596edcda9d0        0.0s
 => => naming to docker.io/library/hello_world                                                      0.0s

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them

C:\Users\musammil-pt5773\Desktop\Hello_world>docker run -p 5002:5002 hello_world
```

```
Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them

C:\Users\musammil-pt5773\Desktop\Hello_world>docker run -p 5002:5002 hello_world
 * Serving Flask app 'app'
 * Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
 * Running on all addresses (0.0.0.0)
 * Running on http://127.0.0.1:5002
 * Running on http://172.17.0.2:5002
Press CTRL+C to quit
```

RUNNING IN DOCKER:

Hello World

2. CREATE AN IBM CONTAINER REGISTRY AND DEPLOY



3.Create a IBM container registry and deploy helloworld app or jobportalapp.





4.Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport.




```
C:\Users\musammil-pt5773\Desktop\Hello_world>kubectl get svc
NAME                  TYPE        CLUSTER-IP      EXTERNAL-IP   PORT(S)          AGE
flask-app-service     NodePort    172.21.127.57   <none>        8080:30036/TCP   90m
flask-ibmapp-service  ClusterIP   172.21.59.183   <none>        5000/TCP         60m
kubernetes            ClusterIP   172.21.0.1      <none>        443/TCP          3h59m

C:\Users\musammil-pt5773\Desktop\Hello_world>kubectl get nodes -o wide
NAME             STATUS   ROLES    AGE     VERSION       INTERNAL-IP      EXTERNAL-IP      OS-IMAGE             KERNEL-V
ERSION       CONTAINER-RUNTIME
10.144.183.253   Ready    <none>   3h52m   v1.24.7+IKS   10.144.183.253   169.51.194.250   Ubuntu 18.04.6 LTS   4.15.0-1
94-generic   containerd://1.6.8

C:\Users\musammil-pt5773\Desktop\Hello_world>kubectl apply -f kubernetes/flask_service.yaml
service/flask-app-service configured

C:\Users\musammil-pt5773\Desktop\Hello_world>kubectl apply -f kubernetes/ibm_deployemt.yaml
deployment.apps/flask-app unchanged

C:\Users\musammil-pt5773\Desktop\Hello_world>kubectl apply -f kubernetes/flask_ingres.yaml
ingress.networking.k8s.io/flask-app-ingress unchanged

C:\Users\musammil-pt5773\Desktop\Hello_world>kubectl get svc
NAME                  TYPE        CLUSTER-IP      EXTERNAL-IP   PORT(S)          AGE
flask-app-service     NodePort    172.21.127.57   <none>        5005:30036/TCP   92m
flask-ibmapp-service  ClusterIP   172.21.59.183   <none>        5000/TCP         62m
kubernetes            ClusterIP   172.21.0.1      <none>        443/TCP          4h2m

C:\Users\musammil-pt5773\Desktop\Hello_world>
```


Not secure | 169.51.194.250:30036/home
Gmail
YouTube
Maps
Download Udemy...
zoom_0.mp4 - Goo...
30 Days of Google...
Vision-based huma...
GoToMeeting
Video classification...
Human Activity Rec...
Mickey - Micro Ker...
IBM

Hello World