

Create a database in cloudant DB

Team ID	PNT2022TMID41546
Project Name	Smart waste management system for metropolitan cities

(no subject) - abinayaselvarIBM-Project-6269-1658825IBMService Details - IBM CloudCloudant DashboardCloudant | IBM Cloud API

cloud.ibm.com/services/cloudantnosqldb/crn%3Av1%3Abluemix%3Apublic%3Acloudantnosqldb%3AAu-syd%3Aa%2F16ca63dfea724b4ca4279eb43a307224%3A433f3899-10ce-40dc-be...

IBM CloudSearch resources and products...CatalogManageAbinaya S's Account

Resource list /node-red-rswad-2022--cloudant-1669023238506ActiveAdd tagsDetailsActions...

ManageService credentialsPlanConnections

OverviewCapacityDocs

Launch Dashboard

Deployment details

CRN

crn:v1:bluemix:public:cloudantnosqldb:au-syd:a/16ca63dfea724b4ca4279eb43a307224:433f3899-10ce-40dc-be4d-2bcf3a2623a0::

Location

Sydney

External endpoint

<https://8ad8d7c9-a16b-44d0-8386-d994ae2bc13c-bluemix.cloudant.com>

External endpoint (preferred)

<https://8ad8d7c9-a16b-44d0-8386-d994ae2bc13c-bluemix.cloudantnosqldb.appdomain.cloud>

Authentication methods

[IBM Cloud IAM](#) and [Cloudant credentials](#)

Migrate to IAM Only

Activity Tracker event types ⓘ

Management

Save

Disk encryption

Yes. Automatically generated disk encryption key.

31°C
Haze

ENG
IN15:56
21-11-2022

IBM

Cloud

Products

Solutions

Pricing

Docs

Support

Explore more

Cloudant

Overview

Introduction

Endpoint URLs

Authentication

Auditing

Event tracking

Error handling

Additional headers

Rate limits

Related APIs

Logging

Methods

Server

Databases

Query a list of all database names in the instance

Query a list of all database names in the instance

Authorization

To call this method, you must be assigned one or more IAM access roles that include the following action. You can check your access by going to [Users](#) > [User](#) > [Access](#).

- `cloudantnosqldb.account-all-dbs.read`

Auditing

Calling this method generates the following auditing event.

- `cloudantnosqldb.account-all-dbs.read`

Request

parameters	
descending boolean	Query parameter to specify whether to return the documents in descending by key order. Default: <code>false</code>
endKey	Query parameter to specify to stop returning records when

CurlJavaNodePythonGo

getAllDbs (params)

Feedback

Example request

```
import { CloudantV1 } from '@ibm-cloud/cloudant';

const service = CloudantV1.newInstance({});

service.getAllDbs().then(response => {
```

31°C
Haze

ENG
IN

15:54
21-11-2022