# Assignment -3

# **Build CNN for Classification of Flowers**

Assignment Date	10 October 2022
Student Name	ASVANTH R
Student Roll Number	7376191CS130
Maximum Marks	2 Marks

# Import required packages

[]	import keras
[]	<pre>from google.colab import drive drive.mount('<u>/content/drive</u>')</pre>
	Mounted at /content/drive
[]	from keras.preprocessing.image import ImageDataGenerator
[ ]	train_datagen=ImageDataGenerator(rescale=1./255,
	test_dataGen=ImageDataGenerator(rescale=1./255)
[]	#install Kaggle !pip install -q kaggle
[]	#create a kaggle folder !mkdir ~/.kaggle
[]	<pre>#copy the kaggle.json to folder created !cp kaggle.json ~/.kaggle/</pre>
	cp: cannot stat 'kaggle.json': No such file or directory
[]	<pre>#permission for the json to act ! chmod 600 ~/.kaggle/kaggle.json</pre>
	chmod: cannot access '/root/.kaggle/kaggle.json': No such file or directory

#### 1. Download the dataset

```
x_train = train_datagen.flow_from_directory(r'/content/drive/MyDrive/IBM/train_set',
target_size = (128,128),
batch_size = 32,
class_mode = 'binary')
Found 2313 images belonging to 5 classes.
```

```
[ ] x_test = test_dataGen.flow_from_directory(r'/content/drive/MyDrive/IBM/test_set',
    target_size = (128,128),
    batch_size = 32,
    class_mode = 'binary')
```

Found 2068 images belonging to 5 classes.

# 2. Image Augmentation

```
[ ] #give any random image path
img = image.load_img(r'/content/drive/MyDrive/IBM/test_set/daisy/10300722094_28fa978807_n.jpg')
x = image.img_to_array(img)
#expand the image shape
x = np.expand_dims(x,axis= 0)
```

[] img



Looking in indexes: <a href="https://uymi.org/simple">https://us.python.pkg.dev/colab.sheels/public/simple/</a>
Requirement already satisfied: imgaug in /usr/local/lib/python3.7/dist-packages (0.4.0)
Requirement already satisfied: scity in /usr/local/lib/python3.7/dist-packages (from imgaug) (1.7.3)
Requirement already satisfied: scitit-image>=0.14.2 in /usr/local/lib/python3.7/dist-packages (from imgaug) (3.2.2)
Requirement already satisfied: shaply in /usr/local/lib/python3.7/dist-packages (from imgaug) (3.2.2)
Requirement already satisfied: shaply in /usr/local/lib/python3.7/dist-packages (from imgaug) (2.9.0)
Requirement already satisfied: six in /usr/local/lib/python3.7/dist-packages (from imgaug) (2.9.0)
Requirement already satisfied: six in /usr/local/lib/python3.7/dist-packages (from imgaug) (1.7.6)
Requirement already satisfied: unumy=1.15 in /usr/local/lib/python3.7/dist-packages (from imgaug) (1.7.6)
Requirement already satisfied: pytawalets=1.11 in /usr/local/lib/python3.7/dist-packages (from imgaug) (1.7.12)
Requirement already satisfied: pytawalets=1.11 in /usr/local/lib/python3.7/dist-packages (from imgaug) (1.7.12)
Requirement already satisfied: pytawalets=1.1.1 in /usr/local/lib/python3.7/dist-packages (from scikit-image>=0.14.2-imgaug) (2021.11.2)
Requirement already satisfied: etworkx-2.0 in /usr/local/lib/python3.7/dist-packages (from scikit-image>=0.14.2-imgaug) (2021.11.2)
Requirement already satisfied: etworkx-2.0 in /usr/local/lib/python3.7/dist-packages (from matplotlib-imgaug) (1.3.8)
Requirement already satisfied: pyparsingle.2.0.4.[=2.1, =2.1, =2.6, =2.6]
Requirement already satisfied: pyparsingle.2.0.4.[=2.1, =2.1, =2.6

```
[ ] pip install ipyplot
```

### 3. Create Model

```
[ ] import ipyplot
      import imageio
      import imgaug as ia
import imgaug.augmenters as iaa
                WARNING! Google Colab Environment detected!
You might encounter issues while running in Google Colab environment.
                If images are not displaying properly please try setting `force_b64` param to `True`.
[ ] input=imageio.imread("/content/drive/MyDrive/IBM/test_set/daisy/10559679065_50d2b16f6d.jpg")
[ ] hflip = iaa.Fliplr(p=1.0)
     input_hf = hflip.augment_image(input)
[ ] vflip=iaa.Flipud (p=1.0)
       input_vf=vflip.augment_image(input)
       images_list=[input, input_hf, input_vf]
labels =['Original', 'Horizontally flipped', 'Vertically flipped']
ipyplot.plot_images (images_list,labels=labels, img_width=180)
       show html
```





```
[ ] noise=iaa. AdditiveGaussianNoise (18,48)
  input_noise=noise.augment_image(input)
  images_list=[input, input_noise]
  labels= ["Original", "Gaussian Noise Image"]
  ipyplot.plot_images(images_list, labels=labels, img_width=188)
```

## show html



```
input_rot1 = iaa.Affine(rotate=(-30,30))
input_rot1 = rot1.augment_image(input)
images_list=[input, input_rot1]
labels= ['Original', 'Rotated Image']
ipyplot.plot_images(images_list,labels=labels, img_width=180)
```

# show html



## 4. Add Layers (Convolution, MaxPooling, Flatten, Dense-(Hidden Layers), Output)

```
[ ] #To define Linear intialisation import
    from keras.models import Sequential
     #To add Layers import Dense
    from keras.layers import Dense
    #To create Convolution kernel import Convolution20 from keras.layers import Convolution20
    from keras.layers import Convolution2D
    from keras.layers import MaxPooling2D
    #import Flatten Layer
    from keras.layers import Flatten
    import warnings
    warnings.filterwarnings('ignore')
[ ] #initialize our model
    model = Sequential()
[ ] #Adding Convolutional Layer
    model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
[ ] #Adding Pooling LayerMax Pooling
     model.add(MaxPooling2D(pool_size=(2,2)))
[] #Adding Flatten Layer
     model.add(Flatten())
```

# **Adding Hidden Layers**

```
[ ] model.add(Dense(2,activation='relu'))
[ ] model.add(Dense(150, bias_initializer='uniform', activation='relu'))
```

## **Adding Output Layer**

```
[ ] model.add(Dense (1, bias_initializer='uniform', activation='sigmoid'))
```

# 5. Compile the Model

## 6. Fit the Model

### 7. Save the Model & Test the Model

```
[ ] model.save("flowers.h5")

[ ] ls

    drive/ flowers.h5 sample_data/

[ ] from keras.models import load_model

    #import image class from keros

    from keras.preprocessing import image

    #import numpy

    import numpy

    import cv2

    import cv2

[ ] #Load the saved model

    model = load_model("flowers.h5")
```