

Flask Program

Team ID : PNT2022TMID08196

```
from flask import Flask, render_template
app = Flask(__name__)
@app.route("/")
def hello_world():
    return render_template("index")

if __name__ == '__main__':
    app.run(debug=True)
```

```
<html>
<head>
<title>Flask</title>
<h2>Welcome to Flask Program </h2>
</head>
<body>

<div>
<h3>Plasma Donor Application</h3>
<h3>Team ID : PNT2022TMID16634 </h3>
<h3>Team Member</h3>
<ul>
<li>Dhanush TL </li>
<li>jayasurya TM </li>
<li>kesavaraj TM</li>
<li>mohan TM</li>
</ul>
</div>
</body>
<script>
window.watsonAssistantChatOptions = {
    integrationID: "d95ff33f-c8f7-4e81-8769-1e1eca074049", // The ID of
    this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "63655d47-62bd-484a-89fb-7d6fd54af48a", // The
    ID of your service instance.
    onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
    const t=document.createElement('script');
    t.src=
"https://web-chat.global.assistant.watson.appdomain.cloud/versions/"
+ (window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
});
</script>
```

```
C:\Users\GAMER_YT\Desktop\New folder>python main.py
* Serving Flask app 'main'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment.
Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 544-463-607
127.0.0.1 - - [27/Oct/2022 15:01:49] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [27/Oct/2022 15:02:03] "GET /favicon.ico HTTP/1.1" 404 -

C:\Users\GAMER_YT\Desktop\New folder>
```

Welcome to Flask Program



Plasma Donor Application

Team ID : PNT2022TMID16634

Team Member

- Dhanush TL
- jayasurya TM
- kesavaraj TM
- mohan TM

