Project Design Phase-II Solution Requirements (Functional & Non-functional)

Team ID	PNT2022TMID22022	
Project Name	A Novel Method for Handwritten Digit Recognition System	
Date	19 october 2022	
Maximum Marks	4 Marks	

Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Sub Requirement (Story / Sub-Task)	
FR-1	Image Data: Handwritten digit recognition refers to a computer's capacity to identify human handwritten digits from a variety of sources, such as photographs, documents, touch screens, etc., and categorise them into ten established classifications (0-9). In the realm of deep learning, this has been the subject of countless studies.	
FR-2	Website: Web hosting makes the code, graphics, and other items that make up a website accessible online. A server hosts every website you've ever visited. The type of hosting determines how much space is allotted to a website on a server. Shared, dedicated, VPS, and reseller hosting are the four basic varieties.	
FR-3	Digit Classifier Model: To train a convolutional network to predict the digit from an image, use the MNIST database of handwritten digits. get the training and validation data first.	
FR-4	Cloud: The cloud offers a range of IT services, including virtual storage, networking, servers, databases, and applications. In plain English, cloud computing is described as a virtual platform that enables unlimited storage and access to your data over the internet.	
FR-5	Modified National Institute of Standards and Technology dataset: The abbreviation MNIST stands for the MNIST dataset. It is a collection of 60,000 tiny square grayscale photographs, each measuring 28 by 28, comprising handwritten single digits between 0 and 9.	

Non-functional Requirements:

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	One of the very significant problems in pattern recognition applications is the recognition of handwritten characters. Applications for digit recognition include filling out forms, processing bank checks, and sorting mail.
NFR-2	Security	1) The system generates a thorough description of the instantiation parameters, which might

		reveal information like the writing style, in
		addition to a categorization of the digit.
		2) The generative models are capable of
		segmentation driven by recognition.
		3) The procedure uses a relatively.
NFR-3	Reliability	The samples are used by the neural network to
		automatically deduce rules for reading
		handwritten digits. Furthermore, the network
		may learn more about handwriting and hence
		enhance its accuracy by increasing the quantity
		of training instances.
		Numerous techniques and algorithms, such as
		Deep Learning/CNN, SVM, Gaussian Naive
		Bayes, KNN, Decision Trees, Random Forests,
		etc., can be used to recognise handwritten
		numbers.
NFR-4	Accuracy	With typed text in high-quality photos, optical
		character recognition (OCR) technology offers
		accuracy rates of greater than 99%. However,
		variances in spacing, abnormalities in
		handwriting, and the variety of human writing
		styles result in less precise character
		identification.
NFR-5	Availability	