

SPRINT-1 DELIVERY

Date	October 29,2022
Team ID	PNT2022MID08171
Project Name	Real-Time River Water Quality Monitoring and Control System
Maximum Marks	

PYTHON PROGRAM:

```
import time
```

```
import sys
```

```
import ibmiotf.application
```

```
import ibmiotf.device
```

```
import random
```

```
#Provide your IBM Watson Device Credentials
```

```
organization = "7wqirt"
```

```
deviceType = "raspberrypi"
```

```
deviceId = "12345"
```

```
authMethod = "token"
```

```
authToken = "123456789"
```

```
try:
```

```
    deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method":  
authMethod, "auth-token": authToken}
```

```
    deviceCli = ibmiotf.device.Client(deviceOptions)
```

```
    #.....
```

```
except Exception as e:
```

```
    print("Caught exception connecting device: %s" % str(e))
```

```
    sys.exit()
```

```
# Connect and send a datapoint "hello" with value "world" into the cloud as an event of type  
"greeting" 10 times
```

```
deviceCli.connect()
```

SPRINT-1 DELIVERY

```
while True:
```

```
#Get Sensor Data from random value function
```

```
temp=random.randint(0,50)
```

```
ph=random.uniform(0.0,14.0)
```

```
turb=random.uniform(0.0,3.0)
```

```
data1={'temp':temp,'ph':ph,'turb':turb,'str1':"Not safe to drink"}
```

```
data2={'temp':temp,'ph':ph,'turb':turb,'str2':"safe to drink"}
```

```
#print data
```

```
def myOnPublishCallback():
```

```
    print ("Published Temperature = %s C" % temp,"Ph = %.1f " % ph,"Turbidity = %.1f NTU" %  
turb, "to IBM Watson")
```

```
    if((temp > 6 and temp < 20) and (ph > 6.5 and ph < 8.5) and turb < 1):
```

```
        print(data2)
```

```
    else:
```

```
        print(data1)
```

```
    success = deviceCli.publishEvent("IoTSensor", "json", data1 or data2, qos=2,  
on_publish=myOnPublishCallback)
```

```
if not success:
```

```
    print("Not connected to IoT")
```

```
time.sleep(20)
```

```
# Disconnect the device and application from the cloud
```

```
deviceCli.disconnect()
```

SPRINT-1 DELIVERY

```
*Python 3.7.0 Shell
File Edit Shell Debug Options Window Help
Python 3.7.0 (v3.7.0:1bf9cc5093, Jun 27 2018, 04:59:51) [MSC v.1914 64 bit (AMD64)] on win32
Type "copyright", "credits" or "license()" for more information.
>>>
== RESTART: C:\Users\Vogeswari\AppData\Local\Programs\Python\Python37\y.py ==
2022-11-08 14:44:32,006 ibmiotf.device.Client INFO Connected successfully: d:7wqirt:raspberrypi:12345
Published Temperature = 25 C Ph = 6.0 Turbidity = 1.7 NTU to IBM Watson
{'temp': 25, 'ph': 6.008843170620842, 'turb': 1.6685171546617292, 'str1': 'Not safe to drink'}
Published Temperature = 13 C Ph = 12.9 Turbidity = 2.0 NTU to IBM Watson
{'temp': 13, 'ph': 12.910709067311084, 'turb': 1.9896687105621376, 'str1': 'Not safe to drink'}
Published Temperature = 17 C Ph = 7.3 Turbidity = 1.6 NTU to IBM Watson
{'temp': 17, 'ph': 7.279174028321403, 'turb': 1.5744146656831783, 'str1': 'Not safe to drink'}
Published Temperature = 17 C Ph = 8.8 Turbidity = 2.9 NTU to IBM Watson
{'temp': 17, 'ph': 8.772369156413223, 'turb': 2.9057665782375413, 'str1': 'Not safe to drink'}
Published Temperature = 28 C Ph = 8.3 Turbidity = 0.1 NTU to IBM Watson
{'temp': 28, 'ph': 8.294675872542246, 'turb': 0.06379089776931008, 'str1': 'Not safe to drink'}
Published Temperature = 25 C Ph = 5.1 Turbidity = 1.5 NTU to IBM Watson
{'temp': 25, 'ph': 5.146384012439278, 'turb': 1.548283925486118, 'str1': 'Not safe to drink'}
Published Temperature = 12 C Ph = 12.9 Turbidity = 0.0 NTU to IBM Watson
{'temp': 12, 'ph': 12.902129206936976, 'turb': 0.030282886309795698, 'str1': 'Not safe to drink'}
Published Temperature = 4 C Ph = 5.4 Turbidity = 2.2 NTU to IBM Watson
{'temp': 4, 'ph': 5.430311325053765, 'turb': 2.1574300292791415, 'str1': 'Not safe to drink'}
Published Temperature = 16 C Ph = 2.6 Turbidity = 0.2 NTU to IBM Watson
{'temp': 16, 'ph': 2.622234024889428, 'turb': 0.18176557662345472, 'str1': 'Not safe to drink'}
Published Temperature = 34 C Ph = 0.5 Turbidity = 2.0 NTU to IBM Watson
{'temp': 34, 'ph': 0.49396959041823085, 'turb': 2.0157767911790003, 'str1': 'Not safe to drink'}
Published Temperature = 36 C Ph = 1.0 Turbidity = 0.1 NTU to IBM Watson
{'temp': 36, 'ph': 1.0381425828719237, 'turb': 0.0649364727948285, 'str1': 'Not safe to drink'}
Published Temperature = 31 C Ph = 8.3 Turbidity = 0.8 NTU to IBM Watson
{'temp': 31, 'ph': 8.284073625903849, 'turb': 0.8495317624711473, 'str1': 'Not safe to drink'}
Published Temperature = 10 C Ph = 12.4 Turbidity = 2.0 NTU to IBM Watson
{'temp': 10, 'ph': 12.367262128319883, 'turb': 1.9584053699954944, 'str1': 'Not safe to drink'}
Published Temperature = 37 C Ph = 13.5 Turbidity = 2.1 NTU to IBM Watson
{'temp': 37, 'ph': 13.531311555593934, 'turb': 2.1400948916251875, 'str1': 'Not safe to drink'}
Published Temperature = 7 C Ph = 1.6 Turbidity = 2.3 NTU to IBM Watson
{'temp': 7, 'ph': 1.592304061664799, 'turb': 2.2840994637464496, 'str1': 'Not safe to drink'}
Published Temperature = 41 C Ph = 0.4 Turbidity = 3.0 NTU to IBM Watson
{'temp': 41, 'ph': 0.4150817548826986, 'turb': 2.9856398854956274, 'str1': 'Not safe to drink'}
Published Temperature = 16 C Ph = 8.2 Turbidity = 2.2 NTU to IBM Watson
{'temp': 16, 'ph': 8.184804636562617, 'turb': 2.230496403767554, 'str1': 'Not safe to drink'}
Published Temperature = 29 C Ph = 7.2 Turbidity = 0.8 NTU to IBM Watson
{'temp': 29, 'ph': 7.206629020560021, 'turb': 0.8352702281587533, 'str1': 'Not safe to drink'}
Published Temperature = 36 C Ph = 5.6 Turbidity = 1.0 NTU to IBM Watson
{'temp': 36, 'ph': 5.618917513274784, 'turb': 0.96654483324196, 'str1': 'Not safe to drink'}
Published Temperature = 31 C Ph = 13.6 Turbidity = 1.3 NTU to IBM Watson
{'temp': 31, 'ph': 13.572113369709404, 'turb': 1.260962847501804, 'str1': 'Not safe to drink'}
Published Temperature = 7 C Ph = 7.4 Turbidity = 2.0 NTU to IBM Watson
{'temp': 7, 'ph': 7.351907317079302, 'turb': 1.9859643917718763, 'str1': 'Not safe to drink'}
```

Ln: 5 Col: 0

30°C Cloudy

15:02 08-11-2022