```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<style>
/*the container must be positioned relative:*/
.custom-select {
 position: relative;
 font-family: Arial;
}
.styled {
  border: 0;
  line-height: 2.5;
  padding: 0 20px;
  font-size: 1rem;
  text-align: center;
  color: #fff;
  text-shadow: 1px 1px 1px #000;
  border-radius: 10px;
  background-color: rgba(0,0,255,0.3);
  background-image: linear-gradient(to top left,
                     rgba(0, 0, 0, .2),
                     rgba(0, 0, 0, .2) 30%,
                     rgba(0, 0, 0, 0));
  box-shadow: inset 2px 2px 3px rgba(255, 255, 255, .6),
         inset -2px -2px 3px rgba(0, 0, 0, .6);
}
```

```
.styled:hover {
  background-color: rgba(255, 0, 0, 1);
}
.styled:active {
  box-shadow: inset -2px -2px 3px rgba(255, 255, 255, .6),
         inset 2px 2px 3px rgba(0, 0, 0, .6);
}
.custom-select select {
 display: none; /*hide original SELECT element:*/
}
.select-selected {
background-color: DodgerBlue;
}
/*style the arrow inside the select element:*/
.select-selected:after {
 position: absolute;
 content: "";
 top: 14px;
 right: 10px;
 width: 0;
```

```
height: 0;
 border: 6px solid transparent;
 border-color: #fff transparent transparent transparent;
}
/*point the arrow upwards when the select box is open (active):*/
. select-selected. select-arrow-active: after \{\\
 border-color: transparent transparent #fff transparent;
 top: 7px;
}
/*style the items (options), including the selected item:*/
.select-items div,.select-selected {
 color: #ffffff;
 padding: 8px 16px;
 border: 1px solid transparent;
 border-color: transparent transparent rgba(0, 0, 0, 0.1) transparent;
 cursor: pointer;
 user-select: none;
}
/*style items (options):*/
.select-items {
 position: absolute;
 background-color: DodgerBlue;
 top: 100%;
 left: 0;
 right: 0;
 z-index: 99;
```

```
}
/*hide the items when the select box is closed:*/
.select-hide {
 display: none;
}
.select-items div:hover, .same-as-selected {
 background-color: rgba(0, 0, 0, 0.1);
}
h2 {text-align : center};
.list-group {
  margin: 10px 0;
}
.list-group-item {
  margin: 0;
  padding: 0;
}
.alert {
  margin: 0;
}
</style>
</head>
<body>
```

```
{% with messages = get_flashed_messages() %}
 {% if messages %}
 {% for message in messages %}
   <div class="alert alert-success">{{message}}</div>
   {% endfor %}
 {% endif %}
{% endwith %}
<h2>Select your favourite choice</h2>
<br>
<br>
<br>
<br>
<!--surround the select box with a "custom-select" DIV element. Remember to set the width:-->
<center>
<form method="POST" action="/choice">
<div class="custom-select" class="styled" id="right" style="width:300px;" >
 <select name="choice1" id="choice1">
 <option value="0">Select:</option>
 <option value="Business">Business
 <option value="Entertainment">Entertainment
 <option value="General">General</option>
 <option value="Health">Health
```

```
<option value="Science">Science</option>
 <option value="Technology">Technology</option>
</select>
</div>
<br>
<br>
<br>
<br>
<div class="custom-select" id="left" style="width:300px;" >
 <select name="choice2" id="choice2">
 <option value="0">Select:</option>
  <option value="Business">Business
  <option value="Entertainment">Entertainment
  <option value="General">General
  <option value="Health">Health
  <option value="Science">Science</option>
 <option value="Technology">Technology</option>
 </select>
</div>
<br>
<br>
<br>
<br>
<div class="custom-select" id="center" style="width:300px;" >
<select name="choice3" id="choice3">
```

```
<option value="0">Select:</option>
  <option value="Business">Business
  <option value="Entertainment">Entertainment
 <option value="General">General</option>
 <option value="Health">Health
 <option value="Science">Science</option>
 <option value="Technology">Technology</option>
</select>
</div>
<br>
<br>
<br>
<br>
<input class="favorite styled"
   type="submit"
   value="Add to favorites">
  </form>
```

</center>