PROJECT DEVELOPMENT PHASE SPRINT 1

| TEAM ID | PNT2022TMID48288 |
|--------------|--------------------------|
| PROJECT NAME | PLASMA DONOR APPLICATION |


Flask Application:

```
from turtle import st
from flask import Flask, render_template, request, redirect, url_for, session
from markupsafe import escape
app = Flask(__name__)
import ibm_db
hostname = "764264db-9824-4b7c-82df-40d1b13897c2.bs2io90l08kqb1od8lcg.databases.appdomain.cloud"
uid = "qph68689"
pwd = "igr5nkXqgfIHqv7r"
driver = "{IBM DB2 ODBC DRIVER}"
db = "bludb"
port = "32536"
protocol = "TCPIP"
cert = "abc.crt"
dsn = (
).format(db, hostname, port, uid, cert, pwd)
print(dsn)
  db2 = ibm db.connect(dsn, "", "")
  print("Connected to data base")
  print("Unable to connect", ibm_db.conn_errormsg())
@app.route('/')
def home():
  return render template('home.html')
@app.route('/signin')
def signin():
  return render template('signin.html')
```

```
def signup():
 return render template('signup.html')
@app.route('/logout')
def logout():
 return render_template('webpage.html')
@app.route('/dashboard')
def welcome():
 return render template('dashboard.html')
@app.route('/log-in', methods=['POST', 'GET'])
def log in():
 if request.method == 'POST':
    username = request.form['username']
    password = request.form['password']
    sql = "select * from user where username=? and password=?"
    stmt = ibm db.prepare(db2, sql)
    ibm_db.bind_param(stmt, 1, username)
    ibm_db.bind_param(stmt, 2, password)
    ibm db.execute(stmt)
    dic = ibm_db.fetch_assoc(stmt)
    if dic:
      msg = username
      return render template('dashboard.html', msg=msg)
      msg = "Invalid Username or Password"
      return render_template('signin.html', msg=msg)
  elif request.method == 'GET':
    msg = "Invalid Username or Password"
    return render template('signin.html', msg=msg)
@app.route('/sign-up', methods=['POST', 'GET'])
def sign up():
 if request.method == 'POST':
    username = request.form['username']
    email = request.form['email']
    password = request.form['password']
    repassword = request.form['repassword']
    sql = "SELECT * FROM user WHERE username =?"
    stmt = ibm db.prepare(db2, sql)
    ibm db.bind param(stmt, 1, username)
    ibm db.execute(stmt)
    account = ibm db.fetch assoc(stmt)
    if account:
      return render template('signup.html', msg="Username Already Taken")
```

```
if request.form['password'] == request.form['repassword']:
    sql = "insert into user(username,email,password,repassword) values(?,?,?,?)"
    prep_stmt = ibm_db.prepare(db2, sql)
    ibm_db.bind_param(prep_stmt, 1, username)
    ibm_db.bind_param(prep_stmt, 2, email)
    ibm_db.bind_param(prep_stmt, 3, password)
    ibm_db.bind_param(prep_stmt, 4, repassword)
    ibm_db.execute(prep_stmt)
    return render_template('signin.html', msg="Account Created Successfully.")
    else:
        return render_template('signup.html', msg="Please enter password and repassword correctly")
    elif request.method == 'GET':
        return render_template('signup.html')

if __name__ == '__main__':
    app.run(debug=True)
```



Homepage:

```
<a href="http://www.w3.org/1999/html">
  <head>
{% block head %}
     {% endblock %}
k rel="preconnect" href="https://fonts.googleapis.com">

k rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
href="https://fonts.googleapis.com/css2?family=Indie+Flower&family=Zilla+Slab:ital,wght@1,700&display=s
wap" rel="stylesheet">
    link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous">
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-</p>
OERcA2EqjJCMA+/3y+gxIOqMEjwtxJY7qPCqsdltbNJuaOe923+mo//f6V8Obsw3"
crossorigin="anonymous"></script>
<script src="https://kit.fontawesome.com/e3edc23546.js" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.6/dist/umd/popper.min.js" integrity="sha384-</p>
oBqDVmMz9ATKxIep9tiCxS/Z9fNfEXiDAYTujMAeBAsjFuCZSmKbSSUnQlmh/jp3"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.min.js" integrity="sha384-</p>
IDwe1+LCz02ROU9k972gdyvl+AESN10+x7tBKgc9I5HFtuNz0wWnPclzo6p9vxnk"
crossorigin="anonymous"></script>
link rel="stylesheet" href="https://plasmasonation.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css"
type="text/css">
link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.6.3/css/all.css" integrity="sha384-
UHRtZLI+pbxtHCWp1t77Bi1L4ZtigrqD80Kn4Z8NTSRyMA2Fd33n5dQ81WUE00s/"
crossorigin="anonymous">
  </head>
<body background="https://plasmasonation.s3.jp-tok.cloud-object-storage.appdomain.cloud/bg.jpg">
  <nav class="navbar navbar-dark bg-dark fixed-top">
    <div class="container-fluid">
     <a class="navbar-brand" href="https://en.wikipedia.org/wiki/Flask (web framework)" STYLE="font-
family:times new roman;">PLASMA DONATION</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="offcanvas" data-bs-</p>
target="#offcanvasDarkNavbar" aria-controls="offcanvasDarkNavbar">
      <span class="navbar-toggler-icon"></span>
     </button>
      div class="offcanvas offcanvas-end text-bg-dark" tabindex="-1" id="offcanvasDarkNavbar" aria-
labelledby="offcanvasDarkNavbarLabel">
       <div class="offcanvas-header">
        <h5 class="offcanvas-title" id="offcanvasDarkNavbarLabel">Flask</h5>
        <button type="button" class="btn-close btn-close-white" data-bs-dismiss="offcanvas" aria-</p>
label="Close"></button>
{% block navbar %}
         <div class="offcanvas-body">
    class="nav-item">
```

```
<a class="nav-link " aria-current="page" href="{{ url_for('signin') }}">Signin</a>
         class="nav-item">
          <a class="nav-link" href="{{url for('signup')}}}">Signup</a>
    {% endblock %}
        <form class="d-flex mt-3" role="search">
         <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
         <button class="btn btn-success" type="submit">Search</button>
   </nav><br/>br<br/>
   <br>
{% block body %}<br><br>
<center>
  <div class="container text-center">
    <div class="row">
        {% block div1 %}
       <h1 class="h1">PLASMA DONOR APPLICATION </h1>
{% endblock %}
       <div class="col">
          {% block content %}
     <div class="card" style="MARGIN-top:60PX; margin-left:100px; border-radius:0px 20px 0px</pre>
20px; width: fit-content; background-image: linear-gradient(to bottom right, white, white, white, blue, black);">
 <img src="https://plasmasonation.s3.jp-tok.cloud-object-storage.appdomain.cloud/3.png" class="card-img-</pre>
top" alt="login" style="width:350px; height:220px; border-radius:0px 20px 0px 0px;">
 <div class="card-body" ><br>
  <a href="/signin" class="btn btn-dark btn-lg" style=" font-family: 'Zilla Slab', serif; ">SIGN IN</a>
{% endblock %}
{% endblock %}
</center>
<BR>
  <footer style="margin-top:150px;">
<div class="card text-center" style="background-color:black; text-align:bottom; ">
    <div class="container text-center">
    <div class="row">
       <div class="col">
 <div class="card-body">
  <h5 class="card-title" style="text-align:left;">About </h5>
```

```
 <a class="dn" href="#" class="">Privacy policies</a>
 <a class="dn" href="#" class="">Terms & conditions </a>
  <a class="dn" href="#" class="">Go somewhere</a>
  <a class="dn" href="#" class="">Go somewhere</a>
<div class="col">
<div class="card-body">
 <h5 class="card-title" style="text-align:left; ">Company</h5>
<a class="dn" href="#" class="">Careers</a>
  <a class="dn" href="#" class="">Developer info</a>
  <a class="dn" href="#" class="">Annual Report</a>
</div>
          <div class="col">
<div class="card-body">
 <h5 class="card-title" style="text-align:left">Help</h5>
   <a class="dn" href="#" class="">Contact Us</a>
 <a class="dn" href="#" class="">Help Center</a>
  <a class="dn" href="#" class="">FAQ</a>
  <a class="dn" href="#" class="">Talk To Executives</a>
</div>
</div>
          <div class="col">
<div class="card-body">
 <h5 class="card-title" style="text-align:left;">Community</h5>
   <a class="dn" href="#" class="">Groups</a>
```

```
<a class="dn" href="#" class="">Announcements</a>
   <a class="dn" href="#" class="">Events</a>
  <a class="dn" href="#" class=""> Community Centers</a>
</div>
    </div></div><br>
 <div class="card-footer text-muted" style="padding:15px;">
      <div class="card-header" style="text-align:left">
 Follow Us
 </div><br>
<div class="row">
 <div class="col">
   <a href="www.facebook.com" STYLE="text-decoration:none;"><img src="https://plasmasonation.s3.jp-
tok.cloud-object-storage.appdomain.cloud/facebook.png" width="30 cm"> FACEBOOK </a>
  <div class="col">
   <a href="www.instagram.com" STYLE="text-decoration:none;"><img src="https://plasmasonation.s3.jp-
tok.cloud-object-storage.appdomain.cloud/instagram.png" width="30 cm"> INSTAGRAM </a>
  <div class="col">
  <a href="www.youtube.com" STYLE="text-decoration:none;"><img src="https://plasmasonation.s3.jp-
tok.cloud-object-storage.appdomain.cloud/youtube.png" width="30 cm"> YOUTUBE</a>
  <a href="www.github.com/mdumar123.com" STYLE="text-decoration:none;"><img
src="https://plasmasonation.s3.jp-tok.cloud-object-storage.appdomain.cloud/github.jpg" width="30cm">
GITHUB</a>
</div>
 </footer>
</body>
</html>
```




Signin:

```
{% block content %}
<center>
  <form class="was-validated" action = "{{ url_for('log_in') }}" method = "POST">
  <div style=" background-image: linear-gradient(to bottom right, white, white, white, blue, black); width:fit-</pre>
content; border-radius: 30px; margin:50px;">
<div style="padding:30px;">
   <div class="card-title">
 <img src="https://plasmasonation.s3.jp-tok.cloud-object-storage.appdomain.cloud/5.jpg" class="card-img-
top" alt="login" style="width:200px; margin-top:0px; border-radius:50%; ">
    <div class="card-body">
       <div class="badge bg-primary text-wrap" style="width: 8rem; padding-top: 10px;">
       <label for="username" class="form-label">Username </label>
       </div>
       <font color="white">:</font>
      <input type="text" class="col" placeholder="Enter a Username" id="username" name="username"</pre>
required >
    <br/>br>
   <div class="col">
    <div class="badge bg-primary text-wrap" style="width: 8rem; padding-top: 10px;">
    <label for="password" class="form-label">Password </label>
    <font color="white">:</font>
   <input type="text" class="col" id="password" placeholder="Enter Password" name="password"</p>
       pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{8,}"
       title="Must contain at least one number and one uppercase and lowercase letter, and at least 8 or more
characters and match password"
       required>
   </div><h6 style="color:red; padding-top:20px;">{{msg}}</h6>
 <div class="col-12">
  <button class="btn btn-primary" type="submit">SIGN IN </button>
 <h5 style="font-style: italic;color:black; ">Already have an account? <a href="{{url for('signup')}}}"
style="text-decoration: none; font-style: italic;color:YELLOW; font-family:times new roman; ">sign
up</a></h5>
</center>
</form>
{% endblock %}
```



Test cases:

Invalid username or password.



Signup:


```
{% endblock %}
{% block content %}
<br>
<br>
<br>
 <form action = "{{ url_for('sign_up') }}" method = "POST">
  <div style=" background-image: linear-gradient(to bottom right, white, white, white, blue, black); width:fit-</pre>
content; border-radius: 30px; ">
<div style="padding: 20px;">
    <img src="https://plasmasonation.s3.jp-tok.cloud-object-storage.appdomain.cloud/5.jpg" class="card-img-</pre>
top" alt="login" style="width:200px; margin-top:0px; border-radius:50%; "><br >
        <a>h2 style="font-family:fajita; color:black; background-image: linear-gradient(to
    <br>
    <div class="container text-center">
    <div class="badge bg-primary text-wrap" style="width: 8rem; padding-top: 10px;">
    <label for="username" class="form-label">Username </label>
     <font color="white">:</font>
    <input type="text" class="col" placeholder="Enter a Username" id="username" name="username"
required>
 </div><br>
     <div class=""mb-3"">
       <div class="badge bg-primary text-wrap" style="width: 8rem; padding-top: 10px;">
       <label for="exampleInputEmail1" class="form-label">Email Id </label>
       <font color="white">:</font>
      <input type="email" class="col" placeholder="Enter a email" id="exampleInputEmail1" name="email"</p>
required>
    <br/>br>
    <div class="col">
    <div class="badge bg-primary text-wrap" style="width: 8rem; padding-top: 10px;">
    <label for="password" class="form-label">Password </label>
```


```
<font color="white">:</font>
   <input type="password" class="col" placeholder="Enter Password" id="password" name="password"</p>
       pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).\{8,\}"
       title="Must contain at least one number and one uppercase and lowercase letter, and at least 8 or more
       required>
          <div class="col">
    <div class="badge bg-primary text-wrap" style="width: 8rem; padding-top: 10px;">
    <label for="repassword" class="form-label">Re-Enter Password </label>
    <font color="white">:</font>
   <input type="password" class="col" id="repassword" placeholder="Re-Enter Password"</pre>
name="repassword"
       pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{8,}"
       title="Must contain at least one number and one uppercase and lowercase letter, and at least 8 or more
characters and match password"
       required>
 <br/>br>
 </div><h6 style="color:red; padding-top:10px; border-radius:30px;">{{msg}}</h6>
 <br/>br>
 <div class="col-12">
 <button class="btn btn-primary" type="submit">SIGN UP </button>
</center>
 </form>
{% endblock %}
```



Test cases:


Username alreadty taken:







Account Created Successfully:



Dashboard:

