#### **ASSIGNMENT-2**

**NAME: PARTHASARATHY S** 

**ROLL NO**:191001060

TEAM ID: PNT2022TMID02649

**PROJECT TITLE: NUTRITION ASSISTANT APPLICATION** 

INDUSTRY MENTORS NAME: Priya Darshini

FACULTY MEMBER NAME: Mrs.Sowmia KR

### **PROGRAM CODE:**

#### base.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <link rel="stylesheet" href="/static/style1.css">
  <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.js"></script>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  {% block head %}
  {% endblock %}
  <style>
     .nav-link{
 color:white;
 font-size: 20px;
 padding:18px;
.nav-item{
  padding-left: 5px;
  justify-content: left;
.btn{
  font-size: 20px;
.nav-link:hover{
  color: #009900;
  </style>
```

```
</head>
<body>\
  <nav class="navbar navbar-expand-lg bg-dark">
    <div class="container-fluid">
     <a style="color:#009900;" class="navbar-brand" href="#"><b style="font-family: 'Franklin'
Gothic Medium', 'Arial Narrow', Arial, sans-serif;">NUTRASSI</b></a>
     <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarScroll" aria-controls="navbarScroll" aria-expanded="false" aria-label="Toggle
navigation">
      <span class="navbar-toggler-icon"></span>
     </button>
     <div class="collapse navbar-collapse" id="navbarScroll">
      100px;">
       cli class="nav-item">
        <a class="nav-link" aria-current="page" href="/home">Home</a>
       cli class="nav-item">
        <a class=" nav-link " href="/blog">Blog</a>
       cli class="nav-item">
        <a class="nav-link " href="/signup">Signup</a>
       cli class="nav-item">
        <a class="nav-link" href="/login">Login</a>
       </div>
    </div>
   </nav>
   {% block body %}
   {% endblock %}
</body>
</html>
 blog.html:
{% extends 'base.html' %}
{% block head %}
<title>Blog Page</title>
{% endblock %}
{% block body %}
<h1>This is my Blog</h1>
{% endblock %}
```

```
home.html:
```

```
{% extends 'base.html' %}
{% block head %}
<title>Home Page</title>
{% endblock %}
{% block body %}
<br/>
<br/>
<h1>This is PARTHASARATHY S</h1>
{% endblock %}

login.html:

{% extends 'base.html' %}

{% block bond %}
```

```
{% block head %}
<title>Login Page</title>
{% endblock %}
{% block body %}
<div class="container">
  <form>
    <div class="content">
    <div class="row mb-3">
     <div class="signin">
       <div class="signin header">
        <h3>SIGN IN</h3>
        Please enter your credentials to sign in.
       </div>
     </div>
     <label for="inputEmail3" class="col-sm-2 col-form-label">Email</label>
     <div class="col-sm-10">
       <input type="email" class="form-control" id="inputEmail3">
     </div>
    </div>
    <div class="row mb-3">
     <label for="inputPassword3" class="col-sm-2 col-form-label">Password</label>
     <div class="col-sm-10">
       <input type="password" class="form-control" id="inputPassword3">
     </div>
    </div>
<div class="button">
 <button class="button button1">sign in</button>
<button class="button button2">register</button>
    </div>
{% endblock %}
```

## signup.html:

```
{% extends 'base.html' % }
{% block head % }
<title>Sign-up Page</title>
{% endblock % }
```

```
{% block body %}
  <div class="container">
  <form>
     <div class="content1">
    <div class="row mb-3">
      <div class="signin">
       <div class="signin header">
        <h3>SIGN UP
Please enter your credentials to sign up.
       </div>
      </div>
      <div class="row mb-3">
       <label for="inputname3" class="col-sm-2 col-form-label">Name</label>
       <div class="col-sm-10">
        <input type="text" class="form-control" id="inputname3">
       </div>
      </div>
      <label for="inputEmail3" class="col-sm-2 col-form-label">Email</label>
      <div class="col-sm-10">
       <input type="email" class="form-control" id="inputEmail3">
      </div>
     </div>
     <div class="row mb-3">
      <label for="inputPassword3" class="col-sm-2 col-form-label">Password</label>
      <div class="col-sm-10">
       <input type="password" class="form-control" id="inputPassword3">
      </div>
     </div>
     <div class="row mb-3">
      <label for="inputPassword3" class="col-sm-2 col-form-label">Retype Password</label>
      <div class="col-sm-10">
       <input type="password" class="form-control" id="inputPassword3">
      </div>
     </div>
<div class="button">
 <button class="button button2" >register</button>
    </div>
<style>
  .button{
    display: flex; /* or display:grid */
 justify-content: center;
</style>
{% endblock %}
style.css:
*{margin:0;padding:0;box-sizing:border-box;-webkit-font-smoothing:antialiased}
body{background:#e35869;font-family:rubik,sans-serif}
.form-control,#inputEmail3,#inputPassword3,#inputname3{
  width:10cm;
```

```
}
.container{
  width:500px;
  height:500px;
  display: grid;
  padding: 100px;
  margin: 10px;;
}
.content{
 color: black;
 display: -webkit-box;
 display: flex;
 -webkit-box-orient: vertical:
 -webkit-box-direction:normal:
 flex-direction:column;
 border-radius:4px;
 box-shadow:0 1px 25px rgba(0,0,0,.2);
 width:650px;margin:65px auto;
 padding: 50px 50px 50px 50px;
 text-align: center;
 height: 350px;
}
.content1{
  color: black;
 display: -webkit-box;
 display: flex;
 -webkit-box-orient: vertical;
 -webkit-box-direction:normal;
 flex-direction:column;
 border-radius:4px;
 box-shadow:0 1px 25px rgba(0,0,0,.2);
 width:650px;margin:65px auto;
 padding: 50px 50px 50px;
 text-align: center;
 height: 475px;
.button{
  border-style:inherit;
 border-radius: 12px;
 color: rgb(22, 19, 19);
 padding: 15px 32px;
 text-align: center;
 text-decoration: none;
 display: inline-block;
 font-size: 16px;
 margin: 4px 4px;
 cursor: pointer;
```

```
.button1:hover {
    background-color: #26dc6f; /* Green */
  .button2:hover {
    background-color: #26dc6f; /* Green */
  }
 .button1 {
        background-color: #2696bb;
      float: left;}
 .button2 {background-color: #2696bb;
       float: right;}
    text-align: center;
    color: black;
 }
 app.py:
from flask import Flask,render_template,request
app = Flask( name )
@app.route("/")
def index():
  return render_template('index.html')
@app.route("/register",methods = ['GET',"POST"])
def register():
  if request.method == 'POST':
     uname = request.form['name']
     email = request.form['email_id']
     pwd = request.form['password']
     cpwd = request.form['confirm_pwd']
     if pwd != cpwd:
       return render_template('register.html',pwd_error = "Password does not match!")
     else:
       return render_template("login.html")
  else:
     return render_template('register.html')
@app.route("/login",methods = ['GET',"POST"])
def login():
  return render_template('login.html')
if __name__ == '_main_':
  app.debug = True
  app.run()
```

# **OUTPUT:**



