Assignment-3

Assignment Date	09-11-2022
Student Name	S.Tamilarasan, M.Swetha, V.Umesh, P.Sunil Kumar
Student Roll Number	142219106115, 142219106114, 142219106121, 142219106109
Team ID	PNT2022TMID21852

Upload an 2 images to ibm object storage and make it public. write html code to displaying all the 2 images

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Bucket</title>
</head>
<body>
<img src="https://s3.au-syd.cloud-object-storage.appdomain.cloud/my-bucket24/chat%20bot.jpg">
<img src="https://s3.au-syd.cloud-object-storage.appdomain.cloud/my-bucket24/chat%20bot%202.jpg">
</body>
</html>
```

Upload a css page to the object storage and use the same page in your HTML code.write html code to displaying all the 5 images

```
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font- awesome/4.7.0/css/font-</pre>
awesome.min.css">
k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css">
k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/particlesjs/2.2.3/particles.min.j s">
<link rel="stylesheet" href="https://s3.au-syd.cloud-object- storage.appdomain.cloud/my-</pre>
bucket24/style.css">
</head>
<body>
<div class="signup">
<form action="\result" method="post">
<h2>LOGIN</h2>
<div class="form-group">
<div class="input-group">
<span class="input-group-addon"><i class="fa fa- envelope"></i></span>
<input type="email" name="email" class=" form- control"placeholder="Email" required>
</div>
</div>
```

```
<div class="form-group">
<div class="input-group">
<span class="input-group-addon"><i class="fa fa-
lock"></i></span>
<input type="password" name="password" class=" form- control"placeholder="password"
required>
</div>
</div>
<div class="form-group">
<button type="submit" class="btn btn-primary btn-lg btn- block">Login</button>
</div>
</div
```

</html>

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
</head>
<body>
<script> window.watsonAssistantChatOptions = {
integrationID: "d5aae4c6-7146-488c-8235-4a7abe46526d", // The ID of this integration.
region: "au-syd", // The region your integration is hosted in. serviceInstanceID: "f8e994d6-a0d7-
422f-a9f3-852a308d5f26", // The ID of
your service instance.
onLoad: function(instance) { instance.render(); }
setTimeout(function(){
const t=document.createElement('script'); t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | 'latest') + "/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
});
</script>
```

</body>