

CLOUDANT DATABASE:

IBM Cloud

Search resources and products...

Catalog Manage Madhu Mitha's Account

Get started on Cloudant with 600 USD in cloud credits. [Apply code CLOUDANTFREE600](#) to get started now.

Catalog / Services /

Cloudant

A scalable JSON document database for web, mobile, IoT, and serverless applications.

Create About

Select an offering

Cloudant ☒

IBM Cloudant is a fully managed JSON document database that offers independent serverless scaling of throughput capacity and storage.

Lite plan available

Select an environment

Summary

1 Cloudant Lite	Free
20 Reads/sec	Free
10 Writes/sec	Free
5 Global Queries/sec	Free
1 GB Storage	Included

Create

Add to estimate

Activate Windows
Go to Settings to activate Windows.

Type here to search

24°C Mostly clear 3:14 PM 11/19/2022




Service Details - IBM Cloud x Cloudant Dashboard - _all_dbs x Cloudant | IBM Cloud API Docs x IBM/cloudant-python-sdk: Clou... x Cloudant Dashboard - _all_dbs x

1d6deb22-3027-4a17-8c15-d671c39e3cce-bluemix.cloudant.com/dashboard.html#/all_dbs

Databases

Database name Create Database {} JSON

Your Databases

Name	Size	# of Docs	Partitioned	Actions
sample	48 bytes	3	No	  

Showing 1–1 of 1 databases. Databases per page 20 < 1 >

SOURCE CODE2.pdf Show all

28°C Haze Search ENG IN 11:27 17-11-2022

Service Details - IBM Cloud x Cloudant Dashboard - _all_docs x Cloudant | IBM Cloud API Docs x IBM/cloudant-python-sdls: Clou x Cloudant Dashboard x

1d6deb22-3027-4a17-8c15-d671c39e3cce-bluemix.cloudant.com/dashboard.html#database/sample/_all_docs

sample

Document ID Options {} JSON

All Documents Query Permissions Changes Design Documents

Table Metadata {} JSON Create Document

id	key	value
1113422b5255c292e29241dbf63221f2	1113422b5255c292e29241dbf63221f2	{ "rev": "1-4dbd80ab6e655d7ba1af92bca8563..." }

Showing document 1 - 1. Documents per page: 20

SOURCE CODE2.pdf

28°C Haze

Q Search

ENG IN 11:23 17-11-2022

DS

Service Details - IBM Cloud xCloudant Dashboard - _all_dbs xCloudant | IBM Cloud API Docs xIBM/cloudant-python-sdk: Cloud x

cloud.ibm.com/apidocs/cloudant?code=python#introduction

cloud.ibm.com/apidocs/cloudant?code=python#introduction

IBM CloudProducts Solutions Pricing DocsSupport Explore more

title / Cloudant

Cloudant

overview

Introduction

Endpoint URLs

Authentication

Auditing

Event tracking

Error handling

Additional headers

Rate limits

Related APIs

Logging

methods

Server

Databases

Introduction

lastUpdated

IBM® Cloudant® for IBM Cloud® is a document-oriented database as a service (DBaaS). It stores data as documents in JSON format. It is built with scalability, high availability, and durability in mind. It comes with a wide variety of indexing options that include MapReduce, IBM Cloudant Query, full-text indexing, and geospatial indexing. The replication capabilities make it easy to keep data in sync between database clusters, desktop PCs, and mobile devices.

Detailed documentation is also available such as a [Getting started tutorial](#), [API overview documentation, tutorials, and guides](#).

This documentation describes the Python SDK and examples. To see usage information and examples in your preferred SDK, select the language tab in the right pane.

Endpoint URLs

The IBM Cloudant API uses an instance-specific endpoint URL for all regions. You can find your external endpoint by following these steps:

1. Go to the IBM Cloud dashboard and open an instance.
2. Click the Service credentials tab.
3. Click the chevron next to the service credentials to open the credentials pane.
4. Copy the value from the `host` field and prefix it with the `https://` protocol. This value is

CurlJavaNodePythonGo

The code examples on this tab use the IBM Cloudant SDK for Python.

Installation

```
pip3 install ibmcloudant
```

GitHub

<https://github.com/ibm/cloudant-python-sdk>

Feedback

SOURCE CODE2.pdf

28°C Haze

Search

ENG IN

11:21 17-11-2022

Service Details - IBM CloudCloudant Dashboard - _all_dbsCloudant | IBM Cloud API DocsIBM/cloudant-python-sdk: Cloud

cloud.ibm.com/apidocs/cloudant?code=python#programmatic-authentication

CloudProductsSolutionsPricingDocsSupportExplore more

Cloudant

overview

Introduction

Endpoint URLs

Authentication

Security scheme

Authentication with external configuration

Programmatic authentication

Auditing

Event tracking

Error handling

Additional headers

Rate limits

Related APIs

Logging

Programmatic authentication

In this scenario, authentication is configured by constructing an authenticator instance, supplying the configuration attributes programmatically, and then passing this instance to a client constructor.

☒ **Tip:** If you are using the IBM Cloud App Service, IBM Cloud® Continuous Delivery or IBM Cloud starter kits then you can programmatically configure your SDK using the `IBMCLOUDEnv` tool to obtain the configuration information from bound services. The `IBMCLOUDEnv` tool is available for [Go](#), [Java™\(Spring\)](#), [Node.js](#), and [Python](#).

CurlJavaNodePythonGo

```
from ibmcloudant.cloudant_v1 import CloudantV1

service = CloudantV1.new_instance(service_name="{service-name}")

SDK managing the IAM token.

from ibmcloudant.cloudant_v1 import CloudantV1
from ibm_cloud_sdk_core.authenticators import IAMAuthenticator

authenticator = IAMAuthenticator('{apikey}')

service = CloudantV1(authenticator=authenticator)

service.set_service_url('{url}')

SDK managing session cookie.

from ibmcloudant.cloudant_v1 import CloudantV1
from ibmcloudant import CouchDbSessionAuthenticator

authenticator = CouchDbSessionAuthenticator('{url}/{sessionid}')
```

Feedback

SOURCE CODE2.pdf

Show all

28°C Haze

Search

ENG IN

11:20 17-11-2022