



## **M.A.M. College of Engineering,**

Tiruchirappalli is approved by the AICTE, New Delhi and affiliated to Anna University,  
Chennai.

### **Department of Computer Science and Engineering**

#### **REPORT ON**

HX 8001 PROFESSIONAL READINESS FOR INNOVATION,  
EMPLOYABILITY AND ENTREPRENEURSHIP

(Nalaiya Thiran Program)

#### **PROJECT TITLE**

Fertilizer recommendation system for disease prediction

**TEAM ID:** PNT2022TMID45468

#### **MENTOR:**

T M LATHA

#### **TEAM MEMBERS:**

1. S. Thulasimani (Team Leader)
2. M. Ramesh Kanna
3. U. Kirubakaran
4. K. Prasanth

## **TABLE OF CONTENTS**

### **1. INTRODUCTION**

- 1.1 Project Overview
- 1.2 Purpose

### **2. LITERATURE SURVEY**

- 2.1 Existing problem
- 2.2 References
- 2.3 Problem Statement Definition

### **3. IDEATION & PROPOSED SOLUTION**

- 3.1 Empathy Map Canvas
- 3.2 Ideation & Brainstorming
- 3.3 Proposed Solution
- 3.4 Problem Solution fit

### **4. REQUIREMENT ANALYSIS**

- 4.1 Functional requirement
- 4.2 Non-Functional requirements

### **5. PROJECT DESIGN**

- 5.1 Data Flow Diagrams
- 5.2 Solution & Technical Architecture
- 5.3 User Stories

### **6. PROJECT PLANNING & SCHEDULING**

- 6.1 Sprint Planning & Estimation
- 6.2 Sprint Delivery Schedule
- 6.3 Reports from JIRA

### **7. CODING & SOLUTIONING (Explain the features added in the project along with code)**

- 7.1 Feature 1
- 7.2 Feature 2
- 7.3 Database Schema (if Applicable)

### **8. TESTING**

- 8.1 Test Cases
- 8.2 User Acceptance Testing

### **9. RESULTS**

- 9.1 Performance Metrics

## **10.ADVANTAGES & DISADVANTAGES**

## **11.CONCLUSION**

## **12.FUTURE SCOPE**

## **13.APPENDIX**

Source Code

GitHub & Project Demo Link

# **1. INTRODUCTION**

## **1.1 PROJECT OVERVIEW**

### **Fertilizer Recommendation system for disease**

Prediction is a simple ML and DL based website which recommends the best crop to grow, fertilizers to use and the diseases caught by your crops. **PROBLEM STATEMENT** In India, the agriculture industry is extremely vital and crucial for economic and social development and jobs. In India, the agricultural sector provides a living for almost 48% of the population. As per the 2019-2020 economic survey, an Indian farmer's median wage in 16 states is Rupees 2500. Most of the Indian population depends on agriculture for their livelihood.

Agriculture gives an opportunity of employment to the village people to develop a country like India on large scale and give a push in the economic sector. The majority of farmers face the problem of planting an inappropriate crop for their land based on a conventional or non-scientific approach. This is a challenging task for a country like India, where agriculture feeds approximately 42% of the population. And the outcomes for the farmer of choosing the wrong crop for land is moving towards metro city for livelihoods, suicide, quitting the agriculture and give land on lease to industrialist or use for the non-agriculture purpose. The outcome of wrong crop selection is less yield and less profit

Modern Technology is enhancing and optimizing the performance of the Artificial Intelligences (AI) Model based crop yield disease prediction system and is helpful for farmers to prevent the crop from various disease that can identify the disease within a process of capturing the Image at the plant and Machine Learning Algorithm will give affected Disease Name. In this Project Milestone will be given the Best Solution for the farmer using the completely friendly and simple user interface using a web application to fetch the solution by own.

In addition to this, the process we planned is to add a valid module which is fertilizer recommendation for a specific disease. It can give both artificial fertilizer and natural fertilizer in suggestion.

## 1.2 PURPOSE

Agriculture is the most important sector in today's life. Most plants are affected by a wide variety of bacterial and fungal diseases. Diseases on plants placed a major constraint on the production and a major threat to food security. Hence, early and accurate identification of plant diseases is essential to ensure high quantity and best quality. In recent years, the number of diseases on plants and the degree of harm caused has increased due to the variation in pathogen varieties, changes in cultivation methods, and inadequate plant protection techniques

## 2. LITERATURE SURVEY

Sr.no	Name of researcher, Year of Publication	Paper title	Methodology Adopted / Modules Used	Observations Noted
1	Prof. Rakesh Shirsath, 2017	Agriculture decision support system using data mining	1.Subscription based system 2. ANN 3. Android application 4. Personalized content	1. Android app with a login module 2. Previously planted crops known to system 3. User feedback mechanism
2	Ji-chun Zhao, Jian-xin Guo, 2018	Big Data Analysis Technology	1.Inference engine	


3	Miftahul Jannat Mokarrama, 2017	Application in Agricultural Intelligence Decision System	2.Domain expertise 3.Knowledge engineering 4.Knowledge acquisition module 5.Knowledge base for recommendation system	4. Maintenance of crop.  1. Large database of crops 2. Processed using Hadoop 3. Professional knowledge 4. Past experiences 5. Feature selection using HDFS 6. Future Scope: Using Hadoop with Artificial Neural Networks.
4	S.Pudumalar, E.Ramanujam, 2016	RSF: A Recommendation System for Farmers	1.Location Detection 2.Data analysis and storage 3.Similar location detection 4. Recommendation generation module.	
5	Yogesh Gadge, Sandhya, 2017	Crop Recommendation System for Precision Agriculture	1. Random tree 2. CHAID 3. KNN 4. Naïve Bayes 5. WEKA tool	1. Physiographic, thermal, crop growing period, crop production rate 2. Seasonal crop database 2. Similar location detection
		A Study on Various Data Mining Techniques for Crop Yield Prediction	1. Attribute selection	

			2. Multiple Linear Regression 3. Decision Tree using ID3 4. SVM 5. Neural Networks 6. C4.5	3. Generating the set of crops 4. Similarity between the crops planted in a region  1. Pre-processing of data 2. Handling missing and out-of-range values 3. Feature extraction 4. Ensemble model to get higher accuracy 5. Rule generation  1. Selection of agricultural field 2. Selection of crop previously planted 3. Input from user 4. Preprocess 5. Attribute Selection
--	--	--	--	--

### 3. IDEATION & PROPOSED SOLUTION

#### 3.1 EMPATHY MAP

An empathy map is used to gain deeper insights on the customer's interaction with the system. It gives an idea on what the user feels and experiences while using the system, what fears the user has respective to the system, etc. It also specifies how supportive the system environment is and what the users are likely to hear from the people around them regarding the usage of the system





## 3.2 IDEATION AND BRAIN STORMING

Ideation and Brainstorming are performed to generate ideas and solutions. Brainstorming is a group activity unlike ideation.

2

### Brainstorm solo

Have each participant begin in the "solo brainstorm space" by silently brainstorming ideas and placing them into the template. This "silent-storming" avoids group-think and creates an inclusive environment for introverts and extroverts alike. Set a time limit. Encourage people to go for quantity.

🕒 10 minutes

GuruPrasad

**Clear idea  
about  
disease  
prediction**

**Machine  
learning  
models for  
processing  
the images**

**CNN,deep  
learning  
must be the  
important  
concepts**

Hariprasath

**Using  
optimized  
code to avoid  
complexity**

**The prediction  
made by the AI  
model should  
meet the  
required criteria**

**User friendly  
application**

Giriharan

**The  
preprocessing  
of images must  
be appropriate  
even for  
unclear images**

**The application  
developed  
should not only help  
the  
farmers but  
also the students  
persuing agriculture  
degree**

**Fertilizer  
recommended must  
be according to the  
nutrents data  
collected from the  
plants**

Haresh

**Data collected  
from the farmers  
by our application  
must maintain a  
particular  
database for that  
account**

**Flash,tensorflow,  
keras,numpy all  
the other  
libraries must be  
installed using  
pip command**

**Fertilzer  
recommended not  
only make them  
nutrient rich but  
also more  
resistant towards  
the upcoming  
disease**

3

### Brainstorm as a group

Have everyone move their ideas into the "group sharing space" within the template and have the team silently read through them. As a team, sort and group them by thematic topics or similarities. Discuss and answer any questions that arise. Encourage "Yes, and..." and build on the ideas of other people along the way.

🕒 15 minutes

#### TIP

You can use the **Voting session** tool above to focus on the strongest ideas.



**Farmers should not suffer by losing profit because of damaged crops**

**UI/UX developed must fit all type of environments**

**Application developed must be easily accessible by the farmers**

**Processing involves the removal of unwanted data**

### **3.3 PROPOSED SOLUTION**

The solution to the problem is Machine learning utilizing CNN, which is one of the applications of Artificial Intelligence, is being used to implement the proposed system. Crop recommendation is going to recommend you the best crop you can grow in your land as per the soil nutrition value and along with as per the climate in that region. And recommending the best fertilizer for every particular crop is also a challenging task.

One of the most important issues is when a plant gets caught by heterogeneous diseases that effect on less amount of agriculture production and compromises with quality as well. To overcome all these issues this recommendation has been proposed.

Nowadays a lot of research and work is being implemented in the smart and modern agriculture domain. Crop recommendation is characterized by a soil

### 3.4 PROBLEM SOLUTION FIT

Define CS, fit into CL	<div>1. CUSTOMER SEGMENT(S)<div>CS</div></div> <div>Farmer's are the first customers to utilise this application. Farmer;s can efficiently use this application to get the suggestion on what fertilizer to use for the respective diseases.</div>	<div>6. CUSTOMER RESTRICTIONS<div>NET, DEVICESCL</div></div> <div>Availability of Good quality cameras and good network in order to process the images and suggest the fertilizer with minimum latency.</div>	<div>5. AVAILABLE SOLUTIONS<div>PLUSSES &amp; MINUSESAS</div></div> <div>People can identify the status of the crop by looking into the condition of the leaf.</div>	Explore AS, differentiate
	<div>2. PROBLEMS / PAINS + ITS FREQUENCY<div>PR</div></div> <div>The job to be done is to recommend the farmers on what disease the crop is affected by and what type of fertilizer is to be used to eliminate that disease.</div>	<div>9. PROBLEM ROOT / CAUSE<div>RC</div></div> <div>The different diseases will gradually destroy the crop and will hamper the yield of the crop and the quality of crop and the insects on the plants will affect the plants.</div>	<div>7. BEHAVIOR + ITS INTENSITY<div>BE</div></div> <div>Directly: Farmers can easily identify the disease that the crop is affected by, and the farmer need not require any extra knowledge to identify the type of disease.</div>	
Focus on PR, tap into BE, understand RC	<div>3. TRIGGERS TO ACT<div>TR</div></div> <div>Overseeing their crops being affected by these diseases and incurring huge loss in the quantity and quantity.</div>	<div>10. YOUR SOLUTION<div>SL</div></div> <div>Our application will process the image and will compare with the image database to give the type of disease the plant is affected by and also recommends the fertilizer to the farmers to use.</div>	<div>8. CHANNELS of BEHAVIOR<div>CH</div></div> <div>ONLINE</div> <div>Online: Basic knowledge on the types of crops, diseases and fertilizers.</div>	Extract online & offline CH of BE
	<div>4. EMOTIONS BEFORE / AFTER<div>EM</div></div> <div>Before: Losing Self-confidence and stressed.</div> <div>After: Gaining trust and using the system.</div>		<div>OFFLINE</div> <div>Offline: People trying to identify the disease by the quality of the leaf.</div>	
Identify strong TR & EM				

## 4. REQUIREMENT ANALYSIS

### 4.1 FUNCTIONAL REQUIREMENTS:

Following are the functional requirements of the proposed solution

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form
FR-2	User Confirmation	Confirmation via Email
FR-3	User Profile	Filling the profile page after logging in
FR-4	Uploading Dataset (Leaf)	Images of the leaves are to be uploaded
FR-5	Requesting solution	Uploaded images is compared with the pre-defined Model and solution is generated
FR-6	Downloading Solution	The Solution in pdf format which contains the recommendations of fertilizers and the possible diseases.

### *Non-functional Requirements:*

**Following are the non-functional requirements of the proposed solution.**

FR No.	Non-Functional Requirement	Description
NFR-1	Description	The system allows the user to perform the tasks easily and efficiently and effectively.
NFR-2	Security	Assuring all data inside the system or its part will be protected against malware attacks or unauthorized access.


## **5. PROJECT DESIGN**

### **5.1 DATAFLOW DIAGRAM**

A data flow diagram or DFD(s) maps out the flow of information for any process or system. DFDs help you better understand process or system operation to discover potential problems, improve efficiency, and develop better processes.


## 5. SOLUTION ARCHITECTURE

Solution architecture is the process of developing solutions based on predefined processes, guidelines and best practices with the objective that the developed solution fits within the enterprise architecture in terms of information architecture, system portfolios, integration requirements, etc



## 5.2 TECHNICAL ARCHITECTURE

Technical architecture involves the development of a technical blueprint regarding the arrangement, interaction, and interdependence of all elements so that system-relevant requirements are met.





## 5.3 USER STORIES

Our project was given out to several customers for experimentation and testing. They had given us satisfactory and valuable feedback in great detail on its range of use, accuracy, simplicity in handling, etc. It was tested and analysed on exhaustive number of leaf types and was proved to be effective in achieving what it was developed for – to predict the disease way before it becomes severe. The data garnered indicating various characteristics of the studied specimen using image processing and related techniques had helped them to develop a clear picture of its transformation when diseased.

It had a well-developed interface, although, complicated in its operation on the inside, very simple on the outside. Translation of all its comprehensive measurements to a inclusive output is highly needed and it surely does fulfil it.

### User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer(Mobile user)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint-1
Trader	Confirmation	USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
Farmer	Signing up	USN-3	As a user, I can register for the application through Facebook	I can register & access the dashboard with Facebook Login	Low	rJIRA-2
Customer (Web user)	Registration	USN-4	As a web user, I can register for the application through Gmail	I can register for the application through gmail	Medium	Sprint-1
Administrator	Login	USN-5	As a administrator, I can log into the	I can log into the	High	Sprint-3

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
			application by entering email & password	application using mail & password		

## 6. PROJECT PLANNING & SCHEDULING

### 6.1 SPRINT PLANNING AND ESTIMATION

#### Sprint1

In this module we have done the dataset collection for vegetable and fruit disease prediction along with some image processing files in it

#### Sprint2

In this module we have developed the model for fruit and vegetable disease prediction with some CNN model and transfer learning and also we did the testing for both the models

#### Sprint3

In this module we have developed and designed our web application with front end as with HTML and backend with python scripts along with recommendation models trained with IBM

#### Sprint4

This is the final module for our project which contains the trained model for fruit and vegetable disease prediction

## 6.2 SPRINT DELIVERY SCHEDULE

The delivery plan of project deliverables is a strategic element for every project manager. The goal of every project is, in fact, to produce a result that serves a specific purpose. By the word “purpose”, we mean the most disparate goals: a software program, a chair, a building, a translation and the sort.


In Project Spirit Delivery, planning is one of the vital process of completing the project and showcasing the time line of the project planning. This delivery plan helps us to understand the process and work flow of the project being done by every team mate.

Every Single Module is assigned to the team mates to showcase their work and contribution in developing the project.

## 6.3 REPORTS FROM JIRA

### Backlog:

A backlog is a list of issues that's related to the project and the functions of the system. It makes it simple to make, store, manage a variety of problems including the ones the team is working on.



	T	NOV	DEC
Sprints			
>  FER-6 registration			
>  FER-7 Configuration			
>  FER-8 login			
>  FER-9 signing up			

### Python – app.py:

```
import os

import numpy as
np import pandas as
pd

from tensorflow.keras.models import load_model

# from tensorflow.keras.preprocessing import
imagefrom werkzeug.utils import secure_filename

from flask import Flask, render_template,
requestapp = Flask(__name__)
```

```

@app.route('/')
def home():
    return render_template('home.html')

#prediction page
@app.route('/prediction')
def prediction():
    return render_template('predict.html')

@app.route('/predict',methods=['POST'])
def predict():
    if request.method == 'POST':
        # Get the file from post request
        f = request.files['image']

        # Save the file to ./uploads
        basepath = os.path.dirname(__file__)
        file_path = os.path.join(
            basepath, 'uploads', secure_filename(f.filename))
        f.save(file_path)
        img = image.load_img(file_path, target_size=(128, 128))

        x = image.img_to_array(img)
        x = np.expand_dims(x, axis=0)

        plant=request.form['plant']
        print(plant)
        if(plant=="vegetable"):
            preds = model.predict(x)
            preds=np.argmax(preds)
            print(preds)
            df=pd.read_excel('precautions - veg.xlsx')
            print(df.iloc[preds]['caution'])
        else:
            preds = model1.predict(x)
            preds=np.argmax(preds)
            df=pd.read_excel('precautions - fruits.xlsx')
            print(df.iloc[preds]['caution'])

        return df.iloc[preds]['caution']

if __name__ == "__main__":
    app.run(debug=False)

```

## Feature 1:

### home.html:

```
<!DOCTYPE html>
<html >

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title> Plant Disease Prediction</title>
  <link href='https://fonts.googleapis.com/css?family=Pacifico' rel='stylesheet'
type='text/css'>
  <link href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet'
type='text/css'>
  <link href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet'
type='text/css'>
  <link href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300'
rel='stylesheet' type='text/css'>
  <link rel="stylesheet" href="{ { url_for('static', filename='css/style.css') } }">
  <link href='https://fonts.googleapis.com/css?family=Merriweather'
rel='stylesheet'>
  <link href='https://fonts.googleapis.com/css?family=Josefin Sans'
rel='stylesheet'>
  <link href='https://fonts.googleapis.com/css?family=Montserrat' rel='stylesheet'>
  <script type="text/javascript" src="https://gc.kis.v2.scr.kaspersky-
labs.com/FD126C42-EBFA-4E12-B309-
BB3FDD723AC1/main.js?attr=AMFGeth1f4Q6r2IdpTrTqcDQGNLDU5Cbc3diYnUdLkg5mQrVB_td220
HUAsBJSd0oo80R0zM3rIPeFwfneY4XCxQu4K0xMSqlshEoIB0zvYw0SsMYpyUv4fnvKEjmJoj_Y6cI4ov
-6AM0kz3Sh3epkfQgltfnAPvvQBRdXqRmdqePVjlvvqL280NZCiS0Qr5t0XGxJ0bSiWVT-
rH3cqaKcK05eP1Dx04mieTcjsA_TtFLx15PUu0ed6soaj-F006-
1d40QxbJYBXUBefiUhzm0YCpsGIs10yQvA0huo8AUyWYB72dvs07U302hq8BmYBv98h13sSo8iXKxyKx4
FUSOMkixjxYP6hu0wwi7yv1E2rei3GHtPl5YwHkWioQIPqvAmrlmaPtFZmF-
jE4_UUCi9IEKws8IduDiqQIFkxf03YT_sUC9gWmxKSpGbiebwCgV-
wvdGEnbUxY18p9Db6jC6FVKRhqdMBianq63qv-
zZRMZbEpjzQT0DQAH3Yho4o4A00FIW2004q8Q80xt2kV928P_nBgS9H0gHI5EZxenbjfqANTs1rh8GGhB
d7RJJaE8-
2AaqT6zbLf2tILJ8j4fk3bV1qsdw0fPmp6foJbDu4343XH36a0VGHSMLeVqcc30PSSE1pJbGE4_C_ExQd
0_uRSA40mRjnFwHdLo9SJC1qghyc5YGQil_utG48o1My9cC6z-iyKg1EeLKB43u-
q4S1UimRnuUsZW7drNWaijSfJPDmkm71UJ0P0wQXPfnLa2_spc3FisWCOZ7dFuIgDciIu0yF8rio2X0Pz
6pZkGQW4Fw16vWkRlPlmHagJELKXg58YSWwAT2DILilBjuSPiTwCHR9Ya_mAXW4C03v7xzJlASK9jneEC
qctvKnH3RFgDS8ocfDcY651XNRkq6v1hrcdv5sM2ek4Kjq40FgX-wijr-0JdpSDpZ1bIK00sPb4-
u1B8c7MaCqBcbJAhfmg4utLU67fn5GLOCX_-5TAWV0ID-_sC1Vs9glWRPkKmmktJMbVy98XqC5-
DhtE3yd5I9ZM1SEH1gGYL1RjxwzPjWwHE-YH1Nx91m-
Esq27TK7M86uT8iAe7Lgtvi02YsCB0buShHwmjh3RzwMGqNqeymFSxPRK_sDmTFoVjcaYpGa0kaMwhmmF
```

9AtPwGmFaGglv3rryVg0X0bGoXRetnrPpDG7jUoq5zQuXQSeDbf9hmNwEqWsSZtI4zNTxjiEkxU0djhPX  
qByZbnel\_p\_3z6pqqniLzqj9jzAkVX6wDOW7ZycfDzOt-  
zNgTxWdtf41P6ZjVu8EWSf65Wqgen5jD4IPXgXGtxkjrSbrqiX-  
NxxxkFVJUOoOcEO0F6n3DWD0BMWS8UGOQO8gZZeXCfpuTIGYTD6okyD91kLk5AmhaNTJVKjkH0-  
dHZqMHxikVhdK6C2PIfg41EY0yuE3Fjj\_5NNX5Za1Ip013LN6YQ8Jqis\_UmC\_OXmjW2F5Y4p8VRRKc1HW  
2DFaUxBrEgfSwe\_keyaofodrjde\_pfPuDQDryEgGy9DNIhpGUV\_bQJ8j1PxRL7WSpmPU7-  
IZ1mVN\_onhq2oI-WT17ep-8w0GsJH30hSRyyJC0XC9xtetqVjIHzcBKYFsx0aXT-  
LLe7U9oHaXHzjDK3hn-ZNFYwzV\_aoq8180eb" charset="UTF-8"></script><style>

```
.header {
  top:0;
  margin:0px;
  left: 0px;
  right: 0px;
  position: fixed;
  background-color: #28272c;
  color: white;
  box-shadow: 0px 8px 4px grey;
  overflow: hidden;
  padding-left:20px;
  font-family: 'Josefin Sans';
  font-size: 2vw;
  width: 100%;
  height:8%;
  text-align: center;
}

.topnav {
  overflow: hidden;
  background-color: #333;
}

.topnav-right a {
  float: left;
  color: #f2f2f2;
  text-align: center;
  padding: 14px 16px;
  text-decoration: none;
  font-size: 18px;
}

.topnav-right a:hover {
  background-color: #ddd;
  color: black;
}

.topnav-right a.active {
```

```

    background-color: #565961;
    color: white;
}

.topnav-right {
    float: right;
    padding-right: 100px;
}

body {
    background-color: #ffffff;
    background-repeat: no-repeat;
    background-size: cover;
    background-position: 0px 0px;
}

.button {
    background-color: #28272c;
    border: none;
    color: white;
    padding: 15px 32px;
    text-align: center;
    text-decoration: none;
    display: inline-block;
    font-size: 16px;
    border-radius: 12px;
}

.button:hover {
    box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24), 0 17px 50px 0 rgba(0,0,0,0.19);
}

form {border: 3px solid #f1f1f1; margin-left: 400px; margin-right: 400px;}

input[type=text], input[type=password] {
    width: 100%;
    padding: 12px 20px;
    display: inline-block;
    margin-bottom: 18px;
    border: 1px solid #ccc;
    box-sizing: border-box;
}

button {
    background-color: #28272c;
    color: white;
    padding: 14px 20px;

```



```

margin-bottom:8px;
border: none;
cursor: pointer;
width: 15%;
border-radius:4px;
}

button:hover {
  opacity: 0.8;
}

.cancelbtn {
  width: auto;
  padding: 10px 18px;
  background-color: #f44336;
}

.imgcontainer {
  text-align: center;
  margin: 24px 0 12px 0;
}

img.avatar {
  width: 30%;
  border-radius: 50%;
}

.container {
  padding: 16px;
}

span.psw {
  float: right;
  padding-top: 16px;
}

/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
  span.psw {
    display: block;
    float: none;
  }
  .cancelbtn {
    width: 100%;
  }
}

```

```

}

.home{
  margin:80px;

  width: 84%;
  height: 500px;
  padding-top:10px;
  padding-left: 30px;
}

.login{
  margin:80px;
  box-sizing: content-box;
  width: 84%;
  height: 420px;
  padding: 30px;
  border: 10px solid blue;
}

.left,.right{
  box-sizing: content-box;
  height: 400px;
  margin:20px;
  border: 10px solid blue;
}

.mySlides {display: none;}
img {vertical-align: middle;}

/* Slideshow container */
.slideshow-container {
  max-width: 1000px;
  position: relative;
  margin: auto;
}

/* Caption text */
.text {
  color: #f2f2f2;
  font-size: 15px;
  padding: 8px 12px;
  position: absolute;
  bottom: 8px;
  width: 100%;
  text-align: center;

```

```

}
/* The dots/bullets/indicators */
.dot {
  height: 15px;
  width: 15px;
  margin: 0 2px;
  background-color: #bbb;
  border-radius: 50%;
  display: inline-block;
  transition: background-color 0.6s ease;
}

.active {
  background-color: #717171;
}

/* Fading animation */
.fade {
  -webkit-animation-name: fade;
  -webkit-animation-duration: 1.5s;
  animation-name: fade;
  animation-duration: 1.5s;
}

@-webkit-keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
}

@keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
}

/* On smaller screens, decrease text size */
@media only screen and (max-width: 300px) {
  .text {font-size: 11px}
}
</style>
</head>

<body style="font-family:'Times New Roman', Times, serif;background-color:#C2C5A8;">

<div class="header">

```

```

<div style="width:50%;float:left;font-size:2vw;text-align:left;color:white;
padding-top:1%">Plant Disease Prediction</div>
  <div class="topnav-right" style="padding-top:0.5%;">

    <a class="active" href="{{ url_for('home') }}">Home</a>
    <a href="{{ url_for('prediction') }}">Predict</a>
  </div>
</div>

<div style="background-color:#ffffff;">
<div style="width:60%;float:left;">
<div style="font-size:50px;font-family:Montserrat;padding-left:20px;text-
align:center;padding-top:10%;">
<b>Detect if your plant<br> is infected!!</b></div><br>
<div style="font-size:20px;font-family:Montserrat;padding-left:70px;padding-
right:30px;text-align:justify;">Agriculture is one of the major sectors worl
wide. Over the years it has developed and the use of new technologies and
equipment replaced almost all the traditional methods of farming. The plant
diseases effect the production. Identification of diseases and taking necessary
precautions is all done through naked eye, which requires labour and laboratries.
This application helps farmers in detecting the diseases by observing the spots
on the leaves, which inturn saves effort and labor costs.</div><br><br>
</div>
</div>
<div style="width:40%;float:right;"><br><br>


</div>
</div>

<div class="home">

<br>

</div>

<script>
var slideIndex = 0;
showSlides();

function showSlides() {
  var i;
  var slides = document.getElementsByClassName("mySlides");
  var dots = document.getElementsByClassName("dot");

```

```

for (i = 0; i < slides.length; i++) {
    slides[i].style.display = "none";
}

slideIndex++;

if (slideIndex > slides.length) {slideIndex = 1}
for (i = 0; i < dots.length; i++) {

    dots[i].className = dots[i].className.replace(" active", "");
}

slides[slideIndex-1].style.display = "block";

```

## Feature 2 :

### Predict.html:

```

<!DOCTYPE html>
<html >

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title> Plant Disease Prediction</title>
    <link href='https://fonts.googleapis.com/css?family=Pacifico' rel='stylesheet'
type='text/css'>
    <link href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet'
type='text/css'>
    <link href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet'
type='text/css'>
    <link href="https://cdn.bootcss.com/bootstrap/4.0.0/css/bootstrap.min.css"
rel="stylesheet">
    <script type="text/javascript" src="https://gc.kis.v2.scr.kaspersky-
labs.com/FD126C42-EBFA-4E12-B309-
BB3FDD723AC1/main.js?attr=3wvf44XdejigWHFj22ANQmgfA-L5oa67wZhZwPtEITSot6t8o-
DPZwNcHRFhpa2tgGpDJGis4-1IHYxyIAN2GE0-kSZKkCLRkbKttCLVN9mKhGFVtGJ3auoiByn_jJ-
mA447x4TmdjGgz8XvMdLSPF4Gu5xwt0joGxWDXu0EF18Sa5usZGgj4TdDiTfDHPe1X3P1eH-
lsevFhUJQEZe3981VXjRKYRn2FrxsYwXGSMBn0sRR9IYup35XYNQkvA6DLQV1lwLc4XuAo0BlJYAfi75R
405LwTWuT-uafT0DEQeuV_f3rKvkrcBkalcpWnyXVLeLyjMz5CqpZ1aSCy1MgVAzWxGb-
GX3eQb0F5q0ksANddV_vhz1Ai4RgptuAfB8mVyuz0nWZzpmwam34lc4NL4tfyWGncKz2taMyGfsK4Mrn0
zfPlY9_n9FP0lMlAX0IQ8TfbVp4B1vbwnA-

```

```

RVJq8mxoTjgMgqhKhp6NQY_8gZULkbqqA0pqUMvfL3_fZC1PFipLNjCyCGe9Y0aU9L7QF4CXeKsRhJXmI
898FhpxB1oI7z0xvndsDLPRsqbNuse_eGL9tz0Te5HLGhtoXS508pHC99_XHYofr1ismcByzz1mVqVkc
NfmbnMjaD9IQf6xAACyjkQ927A0vyDVCZKr-
tV6wRZyv_z7Z1J9AG7SGSLoB34AkMytkYXvpgGn21pGFNhv13YSmyKYc2XJs89zHbp5fSyXsfasogSEYL
bpxCmuvzZK04haaqouKDcLwBGMFp_Br095f-
AlhhW0dPDx1ezvTMx1NgS4Q0970mbyQCqHUFWWZLYNgjQ8zpfdBXB17L_v_lfmrUWhUiUVc9tRcJy-
lpchFJe8Gz7TUOKCRDjbIWtiqXryDeENrJgQ311aXp-
VVYpOI1L55pek2fgk50CGNzVges5oG4PpMyCIXtJpv32E5r1PTktG4hD8eXmYQECVU1HvSmEiKvuY6T6i
9wdpqg_AnyRzUXmYdahFT3W7zToIn2RXzNfdOU0zbYBvtJ70TpR4PjfU751J0FsnphDuCnero3UY0ak7
vYvGYD9YV2md5v-3AmP-e0or2m55JZRH_Hxpn28x-nDNC0HqVBC61eYuYFBVV_vL51-
E8n92uWUqwMEzdPZtAyRaCfz3D2Y0IYn-
ZrnfNTg2M_zVJePmUu1xdjYh7d1dx7nwc1m7wJrBPb3JnX2kvEGYs9SM17MlwzoY1VJq4UzJ2D6oEvhQw
HvG4e1et1S6iLWzhy8RVMfB1Ta4DPDOHmTlHhsKbn0UaMyFFCppe79rtIVRctcomnVmQysUwU0hjz1Aq3
0-hXJCTqdCWJe2xnxjAuUHVqHSiHiZ11Zao0WNCV5Ypx_eqzn-KyZS3u-
2_gLHHNA2AVBwn_hF3Gz16dw6zA4QSmWZSFdUCnObLJGOSTaDS3Z8jPTloYPFmu8oES6TL1dL1EK5Yhc
SGaX4iv6o95drsZGb6bBcWgT7sNFHW6dVE9wdjoDFuBergPIAm0sKaZQ2Ex6j15OWCbE6UaPg-
VNfzia2FEPpJaI9hEPI2gdaSuHqov1E0t5mjuFBB0xpK0t8k0ZRtsVzqUuJw3VcLjaP6SfG_KZfgX_g8T
Ps6CcFh1LRz63oXMQFPW6AA7eudWfygndazedq5B-
6DqSkOT04GTUJNqLcElg6KEEWqxd88BzoQoK28jrAf-xWHNIzv5HmQQYEnyX0U_cw8HX-
hde54TuY_fY3e5QYu4be-JxTkA4JxWLEagSa7-zs" charset="UTF-8"></script><script
src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js"></script>
<script src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>
<script
src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<link href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300'
rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Merriweather'
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Josefin Sans'
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Montserrat' rel='stylesheet'>
<link href="{ url_for('static', filename='css/final.css') }" rel="stylesheet">
<style>
.header {
    top:0;
    margin:0px;
    left: 0px;
    right: 0px;
    position: fixed;
    background-color: #28272c;
    color: white;
    box-shadow: 0px 8px 4px grey;
    overflow: hidden;
    padding-left:20px;
    font-family: 'Josefin Sans';

```

```

        font-size: 2vw;
        width: 100%;
        height: 8%;
        text-align: center;
    }
    .topnav {
        overflow: hidden;
        background-color: #333;
    }

.topnav-right a {
    float: left;
    color: #f2f2f2;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
    font-size: 18px;
}

.topnav-right a:hover {
    background-color: #ddd;
    color: black;
}

.topnav-right a.active {
    background-color: #565961;
    color: white;
}

.topnav-right {
    float: right;
    padding-right: 100px;
}

.login{
margin-top: -70px;
}
body {

    background-color: #ffffff;
    background-repeat: no-repeat;
    background-size: cover;
    background-position: 0px 0px;
}
.login{

```

```

    margin-top:100px;
}

.container {
    margin-top:40px;
    padding: 16px;
}
select {
    width: 100%;
    margin-bottom: 10px;
    background: rgba(255,255,255,255);
    border: none;
    outline: none;
    padding: 10px;
    font-size: 13px;
    color: #000000;
    text-shadow: 1px 1px 1px rgba(0,0,0,0.3);
    border: 1px solid rgba(0,0,0,0.3);
    border-radius: 4px;
    box-shadow: inset 0 -5px 45px rgba(100,100,100,0.2), 0 1px 1px
rgba(255,255,255,0.2);
    -webkit-transition: box-shadow .5s ease;
    -moz-transition: box-shadow .5s ease;
    -o-transition: box-shadow .5s ease;
    -ms-transition: box-shadow .5s ease;
    transition: box-shadow .5s ease;
}

</style>
</head>

<body style="font-family:Montserrat;overflow:scroll;">

<div class="header">
    <div style="width:50%;float:left;font-size:2vw;text-align:left;color:white;
padding-top:1%">Plant Disease Prediction</div>
    <div class="topnav-right" style="padding-top:0.5%;">

    </div>
</div>
<div class="container">
    <div id="content" style="margin-top:2em">
        <div class="container">

```



```

<div class="row">
  <div class="col-sm-6 bd" >

    <br>
    
  </div>
  <div class="col-sm-6">
    <div>
      <h4>Drop in the image to get the prediction </h4>
      <form action = "" id="upload-file" method="post"
enctype="multipart/form-data">
        <select name="plant">

          <option value="select" selected>Select plant type</option>
          <option value="fruit">Fruit</option>
          <option value="vegetable">Vegetable</option>
        </select><br>

        <label for="imageUpload" class="upload-label" style="background:
#28272c;">
          Choose...
        </label>
        <input type="file" name="image" id="imageUpload" accept=".png,
.jpg, .jpeg">

      </form>

      <div class="image-section" style="display:none;">
        <div class="img-preview">
          <div id="imagePreview">
          </div>
        </div>
        <div>
          <button type="button" class="btn btn-info btn-lg " id="btn-
predict" style="background: #28272c;">Predict!</button>
        </div>
      </div>

      <div class="loader" style="display:none;"></div>

      <h3>
        <span id="result" style="font-size:17px; "> </span>
      </h3>

```

</div>

```
        </div>

    </div>

</div>

</div>

</div>
```

### **final.css:**

```
.img-preview {
    width: 256px;
    height: 256px;

    position: relative;
    border: 5px solid #F8F8F8;

    box-shadow: 0px 2px 4px 0px rgba(0, 0, 0, 0.1);
    margin-top: 1em;

    margin-bottom: 1em;
}

.img-preview>div {
    width: 100%;
    height: 100%;

    background-size: 256px 256px;
    background-repeat: no-repeat;
    background-position: center;
}

input[type="file"] {
```

```

    transition: all .4s;
    cursor: pointer;
}

.upload-label:hover{
    background: #C2C5A8;
    color: #39D2B4;
}

.loader {

    border: 8px solid #f3f3f3; /* Light grey */
    border-top: 8px solid #28272c; /* Blue */
    border-radius: 50%;

    width: 50px;
    height: 50px;

```

### main.js:

```

$(document).ready(function () {

    // Init

    $('.image-section').hide();

    $('.loader').hide();

    $('#result').hide();

    // Upload Preview
    function readURL(input) {

        if (input.files && input.files[0]) {
            var reader = new FileReader();

```

```

$("#imageUpload").change(function () {
    $('.image-section').show();
    $('#btn-predict').show();
    $('#result').text('');
    $('#result').hide();
    readURL(this);
});

// Predict
$('#btn-predict').click(function () {
    var form_data = new FormData($('#upload-file')[0]);

    // Show loading animation
    $(this).hide();
    $('.loader').show();

    // Make prediction by calling api /predict
    $.ajax({
        type: 'POST',
        url: '/predict',
        data: form_data,
        contentType: false,
        cache: false,
        processData: false,
        async: true,
        success: function (data) {
            // Get and display the result
            $('.loader').hide();
            $('#result').fadeIn(600);
            $('#result').text('Prediction: '+data);
            console.log('Success!');
        },
    });
});
});

```



[illegible]

# User Acceptance Testing

Before deploying the software application to a production environment the end user or client performs a type of testing known as user acceptance testing, or UAT to ensure whether the software functionalities serve the purpose of development.

## Acceptance Testing UAT Execution & Report Submission

Date	17 November 2022
Team ID	PNT2022TMID15637
Project Name	Fertilisers recommendation System for disease prediction
Maximum Marks	4 Marks

### 1. Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the Fertilizers recommendation system for disease prediction project at the time of the release to User Acceptance Testing (UAT).

### 2. Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
Leaf spots	10	4	2	3	19
Mosaic leaf pattern	9	6	3	6	24
Blights	4	5	2	1	12
Yellow leaves	11	4	3	20	38
Fruit rots	3	2	1	0	6
Misshapen leaves	2	7	0	1	10
Fruit spots	5	4	1	1	11
Totals	44	31	13	32	120

### 3. Test Case Analysis

This report shows the number of test cases that have passed, failed, and untested

Section	Total Cases	Not Tested	Fail	Pass
Leaf spots	18	0	0	18
Fruit spots	5	0	0	5
Mosaic leaf pattern	43	0	0	43
Blights	2	0	0	2
Misshapen leaves	25	0	0	25
Yellow leaves	7	0	0	7
Fruit rots	9	0	0	9



## 2. RESULTS



### Performance Metrics

metrics are a baseline for performance tests. Monitoring the correct parameters will help you detect areas that require increased attention and find ways to improve them.

#### Project Development Phase Model Performance Test

Date	10 November 2022
Team ID	PNT2022TMID15637
Project Name	Project - Fertilizers Recommendation System For Disease Prediction
Maximum Marks	10 Marks

#### Model Performance Testing:

S.No.	Parameter	Values	Screenshot
1.	Model Summary	Total params: 45,221,754 Trainable params: 45,221,754 Non trainable params: 0	
2.	Accuracy	Training Accuracy – 97.55 Validation Accuracy – 96.45	

### **3. ADVANTAGES & DISADVANTAGES**

#### **Advantages:**

- Early detection of plant diseases.
- Proper fertilizer recommendation to prevent or cure the plant infection or disease.
- No need to consult any specialists.
- Fully automated system.

#### **Disadvantages:**

- Requires training the system with large dataset.
- Works only on the pretrained diseases.
- When a plant is infected with multiple diseases the system may not predict all the diseases due to the mixed symptoms.
- Requires a good device connected to the internet.

#### **4. CONCLUSION**

Hence a system that takes in images as user input, analyses those for certain symptoms and identifies the disease, recommends the fertilizer to counter the deficiency of the nutrients is built and deployed.

#### **5. FUTURE SCOPE**

The system must be trained with numerous images of plant disease symptoms. In case of presence of multiple diseases, suitable classification must be done to predict each disease accurately and recommend separate fertilizers as a solution to each deficiency or infection.

## 6. APPENDIX

### Source Code

**Home.html:**

```
<!DOCTYPE html>
<html >

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title> Plant Disease Prediction</title>
  <link href='https://fonts.googleapis.com/css?family=Pacifico' rel='stylesheet'
    type='text/css'>
  <link href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet'
    type='text/css'>
  <link href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet'
    type='text/css'>
  <link
    href='https://fonts.googleapis.com/css?family=Open+Sans+Condens
    ed:300' rel='stylesheet' type='text/css'>
  <link rel="stylesheet" href="{ { url_for('static', filename='css/style.css') } }">
  <link href='https://fonts.googleapis.com/css?family=Merriweather'
    rel='stylesheet'>
  <link href='https://fonts.googleapis.com/css?family=Josefin Sans'
    rel='stylesheet'>
  <link href='https://fonts.googleapis.com/css?family=Montserrat'
    rel='stylesheet'>
  <script type="text/javascript" src="https://gc.kis.v2.scr.kaspersky-
    labs.com/FD126C42-EBFA-4E12-B309-
    BB3FDD723AC1/main.js?attr=AMFGethlf4Q6r2IdpTrTqcDQGNLDU5
    Cbc3diYnUdLkg5mQrVB_td
    22OHUAsBJSd0oo8OR0zM3rIPeFWfnEY4XCxQu4KOxMSqlshEoIBOzvY
    w0SsMYpyUv4fnvKEjm Joj_Y6cI4ov-
    6AMOkz3Sh3epkfq0gltnAPvvQBRdXqRmdqePVjlvvqL28ONZCiS0Qr
    5t0XGxJ0bSiWVT-
    rH3cqaKCK05eP1Dx04mieTcjsA_TtFLx15PUu0ed6soaj-FOO6-
    1d4OQxbJYBXUBefiUhzmOYCpsGIs1OyQvA0huo8AUywYB72dvs07U3
    O2hq8BmYBv98h13sSo8
    iXKxyKx4FUsOMkixjxYP6hu0wwi7yv1E2rei3GHtPl5YwHkWioQIPqv
    AmrlmaPtFZmF-
```

jE4\_UUCi9IEKws8IduDiqQIFkxfO3YT\_sUC9gWmxKSpGbiebwCgV-  
wvdGEnbUxY18p9Db6jC6FVKRhqdMBianq63qv-  
zZRMZbEpjzQT0DQAH3Yho4o4A00FIW2004q8Q80xt2kV928P\_nBg  
S9HOgHI5EZxenbjfqANTs1rh8GGhBd7RJaE8-  
2AaqT6zbLf2tILJ8j4fk3bV1qsdw0fPmp6foJbDu4343XH36a0VGHsML  
eVqcc30PSsE1pJbGE4\_C\_E  
xQd0\_uRSA40mRjnFwHdLo9SJc1qghyc5YGGil\_utG48olMy9cC6z-  
iyKg1EeLKB43u-  
q4SlUimRnuUsZW7drNWaijSfJPDmkm7lUJ0POwQXPfnLa2\_spc3FisWC  
OZ7dFuIgDcilu0yF8rio2X  
0Pz6pZkGQW4Fwl6vWKrLplmHagJElKXg58YSWwAT2DILilBjuSPiTWC  
HR9Ya\_mAXW4C03v7x  
zJlaSK9jneECqctvKnH3RFgDS8ocfDcY65lXNRkq6v1hrcdv5sM2ek4K  
jq4OFgX-wijr- 0JdpSDpZlbIK00sPb4-  
u1B8c7MaCqBcbJAhfmg4utLU67fn5GLoCX\_-5TAWV0ID-  
\_sC1Vs9glWRPkKmmktJMbVy98XqC5-  
DhtE3yd5I9ZM1SEH1gGYLIRjxwzPjWwHE-YH1Nx9lm-  
Esq27TK7M86uT8iAe7LgtviO2YsCB0buShHWmjh3RzwMGqNqeymF  
SxPRK\_sDmTFoVjcaYpGa0  
kaMwhmmF9AtPwGmFaGglv3rryVg0X0bGoXRetnrPpDG7jUoq5zQu  
XQsedBf9hmNwEqWsSZtl4z  
NTxjiEkxU0djhPXqByZbnelp\_3z6pqgniLzqj9jzAkVX6wDOW7ZycfDz  
Ot- zNgTxWdtf41P6ZjVu8EWSf65Wqgen5jD4IPXgXGtxkjrSbrqiX-  
NxxxKfVJUOoOCE00F6n3DWD0BMWS8UGOQO8gZZeXCfpuTIGYTD6  
okyD91kLk5AmhaNTJV  
KjkHO-  
dHZqMHxikVhdK6C2PIfg4IEY0yuE3Fjj\_5NNX5ZalIpOl3LN6YQ8Jqis\_U  
mC\_OXmjW2F5Y4p8VR  
RKc1HW2DFaUxBrEgfSwe\_keyaofodrjde\_pfPuDQDryEgGy9DNlhpG  
UV\_bQJ8jLPxRL7WSpmPU7  
-IZ1mVN\_onhqq2oI-WTl7ep-  
8w0GsJH3OhSRyyJC0XC9xtetqVjIHZcbKYFsxOaXT-  
LLe7U9oHaXHzjDK3hn-ZNFYwzV\_aoq8180eb"  
charset="UTF-8"></script><style>  
.header {

top:0;  
margin:  
0px;

```

        left:
        0px;
        right:
        0px;
        position: fixed;
        background-color:
        #28272c;color:
        white;
        box-shadow: 0px 8px
        4px grey;overflow:
        hidden;
        padding-left:20px;
        font-family:
        'Josefin Sans';font-
        size: 2vw;
        width:
        100%;
        height:8
        %;
        text-align: center;
    }
    .topnav
    { overflow:
    hidden;
    background-
    color: #333;
    }

    .topnav-
    right a {
    float: left;
    color:
    #f2f2f2;
    text-align:
    center;
    padding: 14px
    16px; text-
    decoration:
    none;font-size:
    18px;
    }

```

```
.topnav-right
a:hover {
background-
color: #ddd;
color: black;
}

.topnav-right a.active
{ background-color:
#565961;color:
white;
}

.topnav-
right {
float:
right;
padding-right:100px;
}

body {

background-
color:#ffffff;
background-repeat:
no-repeat;
background-
size:cover;
background-position:
0px 0px;
}
.button {
background-color:
#28272c;border:
none;
color: white;
padding: 15px
32px;text-
align: center;
```

```

text-decoration:
none;display:
inline-block;
font-size:
16px; border-
radius: 12px;
}
.button:hover {
box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24), 0 17px 50px 0 rgba(0,0,0,0.19);
}
form {border: 3px solid #f1f1f1; margin-left:400px;margin-right:400px;}

input[type=text],
input[type=password] {
width: 100%;
padding: 12px
20px; display:
inline-block;
margin-
bottom:18px;
border: 1px
solid #ccc; box-
sizing: border-
box;
}

button {
background-color:
#28272c;color:
white;
padding: 14px
20px;margin-
bottom:8px;
border: none;
cursor:
pointer;
width: 15%;
border-radius:4px;}

button:ho
ver {
opacity:

```



```
0.8;}
```

```
.cancelbtn {  
  width:  
  auto;  
  padding: 10px 18px;  
  background-color:  
  #f44336;}
```

```
.imgcontainer  
  { text-align:  
    center;  
    margin: 24px 0 12px 0;}
```

```
img.avatar  
  {  
    width:  
    30%;  
    border-radius: 50%;}
```

```
.container {  
  padding:  
  16px;}
```

```
span.psw  
  {  
    float:  
    right;  
    padding-top: 16px;}
```

```
/* Change styles for span and cancel button on  
extra small screens */@media screen and (max-  
width: 300px) {  
  span.psw {  
    display:  
    block;
```

```

float: none;}

.cancelbtn {
width:
100%;}}

.home{
margin:80
px; width:
84%; height:
500px;
padding-
top:10px;
padding-left: 30px;}

.login{
margin:80px;
box-sizing:
content-box;width:
84%;
height:
420px;
padding:
30px;
border: 10px solid blue;
}
.left,.right{
box-sizing:
content-box;
height: 400px;
margin:20px;
border: 10px solid blue;
}

.mySlides {display:
none;} img
{vertical-align:
middle;}

/* Slideshow container */
.slideshow-
container {

```

```
max-width:
1000px;
position:
relative;
margin: auto;
}
```

```
/* Caption text */
```

```
.text {
color:
#f2f2f2;
font-size:
15px;
padding: 8px
12px;
position:
absolute;
bottom: 8px;
width: 100%;
text-align: center;
}
```

```
/* The dots/bullets/indicators */
```

```
.dot {
height:
15px;
width:
15px;
margin: 0
2px;
background-
color: #bbb;
border-radius:
50%; display:
inline-block;
transition: background-color 0.6s ease;
```

```

}

.active {
  background-color: #717171;
}

/* Fading animation */
.fade {
  -webkit-animation-name: fade;
  -webkit-animation-
  duration: 1.5s;
  animation-name: fade;
  animation-duration: 1.5s;
}

@-webkit-
  keyframes fade {
    from {opacity: .4}
    to {opacity: 1}
  }

@keyframes
  fade {from
    {opacity: .4}
    to {opacity: 1}
  }

/* On smaller screens, decrease
text size */ @media only screen
and (max-width: 300px) {
  .text {font-size: 11px}
}
</style>
</head>

<body style="font-family:'Times New Roman', Times, serif;background-
color:#C2C5A8;">

<div class="header">
  <div style="width:50%;float:left;font-size:2vw;text-
  align:left;color:white;padding-top:1%">PlantDisease

```

Prediction</div>

<div class="topnav-right" style="padding-top:0.5%;">

<a class="active" href="{{ url\_for('home') }}">Home</a>

<a href="{{ url\_for('prediction') }}">Predict</a>

</div>

</div>

<div style="background-color:#ffffff;">

<div style="width:60%;float:left;">

<div style="font-size:50px;font-family:Montserrat;padding-left:20px;text-align:center;padding-top:10%;">

<b>Detect if your plant<br> is infected!!</b></div><br>

<div style="font-size:20px;font-family:Montserrat;padding-left:70px;padding-right:30px;text-align:justify;">Agriculture is one of the major sectors works wide. Over the years it has developed and the use of new technologies and equipment replaced almost all the traditional methods of farming. The plant diseases effect the production.

Identification of diseases and taking necessary precautions is all done through naked eye, which requires labour and laboratories. This application helps farmers in detecting the diseases by observing the spots on the leaves, which inturn saves effort and labor costs.</div><br><br>

</div>

```

</div>
<div style="width:40%;float:right;"><br><br>

</div>
</div>
<div class="home">
<br>
</div>

<script>
var
slideIndex =
0;
showSlides()
;

function
showSlides() {
var i;
var slides =
document.getElementsByClassName("mySli
des");var dots =
document.getElementsByClassName("dot");
for (i = 0; i <
slides.length; i++) {
slides[i].style.display
= "none";
}
slideIndex++;
if (slideIndex > slides.length)
{ slideIndex = 1 }for (i = 0; i <
dots.length; i++) {
dots[i].className = dots[i].className.replace(" active", "");
}
slides[slideIndex-
1].style.display = "block";
dots[slideIndex-1].className
+= " active";
setTimeout(showSlides, 2000); // Change image every 2 seconds
}
</script>

```

```
</body>
</html>
```

### **Predict.html:**

```
<!DOCTYPE html>
<html >

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title> Plant Disease Prediction</title>
  <link href='https://fonts.googleapis.com/css?family=Pacifico' rel='stylesheet'
    type='text/css'>
  <link href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet'
    type='text/css'>
  <link href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet'
    type='text/css'>
  <link href="https://cdn.bootcss.com/bootstrap/4.0.0/css/bootstrap.min.css"
    rel="stylesheet">
    <script type="text/javascript" src="https://gc.kis.v2.scr.kaspersky-
    labs.com/FD126C42-EBFA- 4E12-B309-
    BB3FDD723AC1/main.js?attr=3wvf44XdejigWHFj22ANQmgfA-
    L5oa67wZhZwPtEITSot6t8o-DPZwNcHRFhpa2tgGpDJGis4-
    1IHYxyIAN2GE0-
    kSZKkCLRkbKttCLVN9mKhGFVtGJ3auoiiByn_jJ-
    mA447x4TmdjGgz8XvMdLSPF4Gu5xwt0joGxWDXuOEF18Sa5usZGg
    j4TdDiTfDHpElX3P1eH-
    lsevFhUJQEZe3981VXjRKYRn2FrxsYwXGSMBn0sRR9IYup35XYNQkv
    A6DLQV1lwLc4XuAo0B lJYAfi75R4O5LwTWuT-
```

uافت0DEQeuV\_f3rKvkrcBkalcpWnyXVLeLyjMz5CqpZ1aSCy1MgVAz  
WxGb-  
GX3eqb0F5qOksANddV\_vhz1Ai4RgptuAfB8mVyuz0nWZzpmwam34l  
c4NL4tfyWGncKz2taMyGfs  
K4Mrn0zfPIY9\_n9FP0lMlAX0IQ8TfbVp4B1vbwnA-  
RVJq8mxoTjgMgqhKhp6NQY\_8gZULkbqqA0pqUMvfL3\_fZC1PFipLNjC  
yCGe9YOaU9L7QF4CXe  
KsRhJXmI898FhpxB1oI7z0xvndsDLPRsqbNuse\_eGL9tz0Te5HLGhtoX  
Sn5O8pHC99\_XHYofrlismc  
ByzZlmVqVkcNfmbnMjaD9IQf6xAACyjkQ927AOvyDVCZKr-  
tV6wRZyv\_z7Z1J9AG7SGSLob34AkMytkYXvpgGn21pGFNhvl3YSm  
yKYc2XJs89zHbp5fSyXsfas  
ogSEYLbpxCmuvzZKO4haaqouKDcLwBGMFp\_Br095f-  
AlhhWOdPDx1ezvTMx1NgS4QO97OmbyQCqHUFWWZLYNgjQ8zpf  
dBXB17L\_v\_lfmrUWhUiUVc9tRcJy-  
lpchFJe8Gz7TUOKCRDjbIWtiqXryDeENrJgQ31laXp-  
VVYpOI1L55pek2fgk5OCGNzVges5oG4PpMyCIXtJpv32E5rlPTktG4hD8e  
XmYQECVU1HvSmEiK  
vuY6T6i9wdpqg\_AnycRzUXmYdahFT3W7zToIn2RXzNfdOU0zbYBvt  
J70TpR4PjfU75lJ0FsnphDu Cnero3UYOak7vYvGYD9YV2md5v-  
3AmP-eOor2m55JZRH\_Hxpn28x- nDNCOHqVBC6leYuYFBVV\_vL5l-  
E8n92uWUqwMEzdZPZtAyRaCfz3D2Y0IYn-  
ZrnfNTg2M\_zVJePmUu1xdjYh7d1dx7nwclm7wJrBPb3JnX2kvEGYs9SM1  
7MlwzoY1VJq4UzJ2D6o  
EvhQwHvG4e1etlS6iLWzhy8RVMfBIa4DPDOHmTIHhsKbn0UaMyF  
FCppe79rtIVRctcomnVmQy sUwUOhjzlAq30-  
hXJCTqdCWJe2xnxjAuUHVqHSiHiZlIZaoOWNCV5Ypx\_eqzn-  
KyZS3u-  
2\_hGLHHNA2AVBWn\_hF3Gz16dw6zA4QSmWZSfDUcNOblJGOST  
aDS3Z8jPTloYPFmu8oES6T  
L1dLIEK5YhcSGaX4iv6o95drsZGb6bBcWgT7sNFHW6dVE9wdjoDFuBer  
gPIAm0sKaZQ2Ex6j15O WCbE6UaPg-  
VNfziA2FEPpJaI9hEPI2gdaSuHqovlEOt5mjuFBBOxpK0t8kOZRtsVzq  
UuJw3VcLjaP6SfG\_KZfgX\_  
g8TPs6CcFhlRz63oXMQFPW6AA7eudWfygndazedq5B-  
6DqSkOT04GTUJNqLcElg6KEEWqxd88BzoQoK28jrAf-  
xWHNIZv5HmQQYEnyX0U\_cW8HX- hde54TuY\_fY3e5QYu4be-  
JxTkA4JxWLEagSa7-zs" charset="UTF-8"></script><script  
src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js"></scri  
pt>  
<script src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>



```

<script
src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<link
href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300' rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Merriweather'
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Josefin+Sans'
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Montserrat'
rel='stylesheet'>
<link href="{ { url_for('static', filename='css/final.css') } }" rel="stylesheet">
<style>
.header {
    top:0;
    margin:
    0px;left:
    0px;
    right:
    0px;
    position: fixed;
    background-color:
    #28272c;color:
    white;
    box-shadow: 0px 8px
    4px grey;overflow:
    hidden;
    padding-left:20px;
    font-family:
    'Josefin Sans';font-
    size: 2vw;
    width:
    100%;
    height:8
    %;
    text-align: center;
}
.topnav
{ overflow:
hidden;
background-
color: #333;
}

```

```

.topnav-
right a {
float: left;
color:
#f2f2f2;
text-align:
center;
padding: 14px
16px; text-
decoration:
none;font-size:
18px;
}

.topnav-right
a:hover {
background-
color: #ddd;
color: black;
}

.topnav-right a.active
{ background-color:
#565961;color:
white;
}

.topnav-
right {
float:
right;
padding-right:100px;
}

.login{
margin-top:-70px;
}
body {

background-
color:#ffffff;

```

```

background-repeat:
no-repeat;
background-
size:cover;
background-position:
0px 0px;
}
.login{
margin-top:100px;
}

.container {
margin-
top:40px;
padding:
16px;
}
select {
width: 100%;
margin-bottom: 10px;
background:
rgba(255,255,255,255);
border: none;
outline:
none;
padding:
10px; font-
size: 13px;
color:
#000000;
text-shadow: 1px 1px 1px
rgba(0,0,0,0.3);border: 1px
solid rgba(0,0,0,0.3);
border-radius: 4px;
box-shadow: inset 0 -5px 45px rgba(100,100,100,0.2), 0 1px 1px
rgba(255,255,255,0.2);
-webkit-transition: box-shadow .5s ease;

```

```

        -moz-transition: box-shadow .5s ease;
        -o-transition: box-shadow .5s ease;
        -ms-transition: box-
        shadow .5s ease;
        transition: box-shadow
        .5s ease;
    }

</style>
</head>

<body style="font-family:Montserrat;overflow:scroll;">

<div class="header">
    <div style="width:50%;float:left;font-size:2vw;text-
    align:left;color:white;padding-top:1%">PlantDisease
    Prediction</div>
    <div class="topnav-right" style="padding-top:0.5%;">

</div>
</div>
<div class="container">
    <div id="content" style="margin-top:2em">
        <div class="container">
            <div class="row">
                <div class="col-sm-6 bd" >

                    <br>
                    
                </div>
                <div class="col-sm-6">
                    <div>
                        <h4>Drop in the image to get the prediction </h4>
                        <form action = "" id="upload-file" method="post"
                        data">
                            enctype="multipart/form-

                            <select name="plant">

```

```

                                <option value="select" selected>Select plant
                                type</option>
                                <option value="fruit">Fruit</option>
                                <option value="vegetable">Vegetable</option>
                                </select><b
                                r>
#28272c                                <label for="imageUpload" class="upload-label"
;">                                style="background: Choose...
                                </label>
                                <input type="file" name="image" id="imageUpload"
                                accept=".png,
                                .jpg,
                                .jpeg">                                </for
                                m>

                                <div class="image-section" style="display:none;">
                                    <div class="img-preview">
                                        <div id="imagePreview">
                                            </div>
                                        </div>
                                    </div>
                                    <div>

```

```

        <button type="button" class="btn btn-info
btn-lg " id="btn-predict" style="background:
#28272c;">Predict!</button>
        </div>
    </div>
    <div class="loader" style="display:none;"></div>
    <h3>
    <span id="result" style="font-size:17px; "> </span>
    </h3>
</div>

</div>
</div>
</div>
</div>
</body>

```

```

<footer>
    <script src="{ { url_for('static', filename='js/main.js') } }"
    type="text/javascript"></script>
</footer>
</html>

```

### **main.js:**

```

$(document).ready(function () {
    // Init
    $('.image-section').hide();
    $('.loader').hide();
    $('#result').hide();

    // Upload Preview
    function
    readURL(input) {
        if (input.files &&
            input.files[0]) { var
            reader = new
            FileReader();
            reader.onload =

```

```

        function (e) {
            $('#imagePreview').css('background-image', 'url(' + e.target.result + ')');
            $('#imagePreview').hide();
            $('#imagePreview').fadeIn(650);
        }
        reader.readAsDataURL(input.files[0]);
    }
}
$("#imageUpload").change(function () {
    $('.image-section').show();
    $('#btn-predict').show();
    $('#result').text("");
    $('#result').hide();
    readURL(this);
});

// Predict
$('#btn-predict').click(function () {
    var form_data = new FormData($('#upload-file')[0]);

    // Show loading animation
    $(this).hide();

```

```

$('.loader').show();

// Make prediction by calling api /predict
$.ajax({
  type:
  'POST',
  url:
  '/predict',
  data:
  form_data,
  contentType:
  false,cache:
  false,
  processData:
  false,async:
  true,
  success: function (data) {
    // Get and display the result
    $('.loader').hide();
    $('#result').fadeIn(600);
    $('#result').text('Predictio
n: '+data);
    console.log('Success!');
  },
});
});

```

### **Final.css:**

```

.img-preview
{ width:
256px;
height:
256px;
position:
relative;
border: 5px solid #F8F8F8;
box-shadow: 0px 2px 4px 0px
rgba(0, 0, 0, 0.1);margin-top:

```



```
    1em;  
    margin-bottom: 1em;  
}
```

```
.img-  
  preview>div {width:  
    100%;  
    height: 100%;  
    background-size:  
    256px 256px;  
    background-repeat:  
    no-repeat;  
    background-position:  
    center;  
}
```

```
input[type="file"] {  
    display:  
    none;  
}
```

```
.upload-label {  
    display: inline-  
    block; padding:  
    12px 30px;  
    background:  
    #28272c; color:  
    #fff;  
    font-size:  
    1em;  
    transition:  
    all .4s;  
    cursor:  
    pointer;  
}
```

```

.upload-
  label:hover{
    background:
    #C2C5A8;color:
    #39D2B4;
  }

.loader {
  border: 8px solid #f3f3f3; /*
  Light grey */ border-top: 8px
  solid #28272c; /* Blue */
  border-radius: 50%;
  width:
  50px;
  height:
  50px;
  animation: spin 1s linear infinite;
}

@keyframes spin {
  0% { transform:
  rotate(0deg); } 100% {
  transform:
  rotate(360deg); }
}

```

### **Python – app.py:**

```

import os
import numpy
as npimport
pandas as pd
from tensorflow.keras.models import load_model
# from
tensorflow.keras.preprocessing
import imagefrom werkzeug.utils
import secure_filename

from flask import Flask,

```

```

render_template, requestapp =

Flask(__name__)

#load both the vegetable and
fruit modelsmodel =
load_model("vegetable.h5")
model1=load_model("fruit.h
5")

#home
page
@app.route
('/')def
home():
    return render_template('home.html')

#prediction page
@app.route('/predi
ction')def
prediction():
    return render_template('predict.html')

@app.route('/predict',method
s=['POST'])def predict():
    if request.method == 'POST':
        # Get the file from
        post requestf =
        request.files['image']

        # Save the file to ./uploads
        basepath = os.path.dirname(
        file_)file_path =
        os.path.join(

```

```

        basepath, 'uploads',
        secure_filename(f.filename))
    f.save(file_path)
    img = image.load_img(file_path, target_size=(128, 128))

    x =
    image.img_to_array(i
mg) x =
    np.expand_dims(x,
axis=0)

    plant=request.form['pl
ant']print(plant)
    if(plant=="vegetable")
:
        preds          =
        model.predict(x)
        preds=np.argmax
        (preds)
        print(preds)
        df=pd.read_excel('precaution
s          -          veg.xlsx')
        print(df.iloc[preds]['caution'])
    else:
        preds = model1.predict(x)
        preds=np.argmax(preds)
        df=pd.read_excel('precautions
- fruits.xlsx')
        print(df.iloc[preds]['caution'])

    return

df.iloc[preds]['caution']if
name__ == " main ":
    app.run(debug=False)

```

## DEPLOYMENT MODEL CODE:

### Fruit model:

```
ls
sample_dat
a/pwd
'/home/wsuser/work'
!pip install keras==2.7.0
!pip install tensorflow==2.5.0
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colabwheels/public/simple/
Requirement already satisfied: keras==2.7.0 in /usr/local/lib/python3.7/dist-packages (2.7.0)
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colabwheels/public/simple/
Requirement already satisfied: tensorflow==2.5.0 in /usr/local/lib/python3.7/dist-packages (2.5.0)
Requirement already satisfied: h5py~=3.1.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (3.1.0)
Requirement already satisfied: protobuf>=3.9.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (3.19.6)
Requirement already satisfied: typing-extensions~=3.7.4 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (3.7.4.3)
```

Requirement already satisfied: keras-nightly~=2.5.0.dev in /usr/local/lib/python3.7/dist-packages(from tensorflow==2.5.0) (2.5.0.dev2021032900)

Requirement already satisfied: flatbuffers~=1.12.0 in /usr/local/lib/python3.7/dist-packages(from tensorflow==2.5.0) (1.12)

Requirement already satisfied: gast==0.4.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.4.0)

Requirement already satisfied: absl-py~=0.10 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.15.0)

Requirement already satisfied: astunparse~=1.6.3 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.6.3)

Requirement already satisfied: tensorflow-estimator<2.6.0,>=2.5.0rc0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (2.5.0)

Requirement already satisfied: tensorboard~=2.5 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0)(2.9.1)

Requirement already satisfied: opt-einsum~=3.3.0 in /usr/local/lib/python3.7/dist-packages(from tensorflow==2.5.0) (3.3.0)

Requirement already satisfied: six~=1.15.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.15.0)

Requirement already satisfied: google-pasta~=0.2 in /usr/local/lib/python3.7/dist-packages(from tensorflow==2.5.0) (0.2.0)

Requirement already satisfied: grpcio~=1.34.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.34.1)

Requirement already satisfied: wrapt~=1.12.1 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.12.1)

Requirement already satisfied: termcolor~=1.1.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.1.0)

Requirement already satisfied: keras-preprocessing~=1.1.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.1.2)

Requirement already satisfied: wheel~=0.35 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.38.3)

Requirement already satisfied: numpy~=1.19.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.19.5)

Requirement already satisfied: cached-property in /usr/local/lib/python3.7/dist-packages (from h5py~=3.1.0->tensorflow==2.5.0) (1.5.2)

Requirement already satisfied: google-auth<3,>=1.6.3 in /usr/local/lib/python3.7/dist packages(from tensorboard~=2.5->tensorflow==2.5.0) (2.14.1)

Requirement already satisfied: tensorboard-data-server<0.7.0,>=0.6.0 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5-

```
>tensorflow==2.5.0) (0.6.1)Requirement already satisfied: tensorboard-  
plugin-wit>=1.6.0 in  
/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5-  
>tensorflow==2.5.0) (1.8.1)Requirement already satisfied: google-auth-  
oauthlib<0.5,>=0.4.1 in  
/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5-  
>tensorflow==2.5.0) (0.4.6) Requirement already satisfied: werkzeug>=1.0.1 in  
/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5-  
>tensorflow==2.5.0) (1.0.1)  
Requirement already satisfied: markdown>=2.6.8 in  
/usr/local/lib/python3.7/dist-packages(from tensorboard~=2.5-  
>tensorflow==2.5.0) (3.4.1)
```

Requirement already satisfied: requests<3,>=2.21.0 in /usr/local/lib/python3.7/dist-packages(from tensorboard~=2.5->tensorflow==2.5.0) (2.23.0)

Requirement already satisfied: setuptools>=41.0.0 in /usr/local/lib/python3.7/dist-packages(from tensorboard~=2.5->tensorflow==2.5.0) (57.4.0)

Requirement already satisfied: rsa<5,>=3.1.4 in /usr/local/lib/python3.7/dist-packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (4.9)

Requirement already satisfied: pyasn1-modules>=0.2.1 in /usr/local/lib/python3.7/dist-packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (0.2.8)

Requirement already satisfied: cachetools<6.0,>=2.0.0 in /usr/local/lib/python3.7/dist-packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (5.2.0)

Requirement already satisfied: requests-oauthlib>=0.7.0 in /usr/local/lib/python3.7/dist-packages (from google-auth-oauthlib<0.5,>=0.4.1->tensorboard~=2.5->tensorflow==2.5.0) (1.3.1)

Requirement already satisfied: importlib-metadata>=4.4 in /usr/local/lib/python3.7/dist-packages(from markdown>=2.6.8->tensorboard~=2.5->tensorflow==2.5.0) (4.13.0)

Requirement already satisfied: zipp>=0.5 in /usr/local/lib/python3.7/dist-packages (from importlib-metadata>=4.4->markdown>=2.6.8->tensorboard~=2.5->tensorflow==2.5.0) (3.10.0)

Requirement already satisfied: pyasn1<0.5.0,>=0.4.6 in /usr/local/lib/python3.7/dist-packages(from pyasn1-modules>=0.2.1->google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (0.4.8)

Requirement already satisfied: urllib3!=1.25.0,!1.25.1,<1.26,>=1.21.1 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (1.24.3)

Requirement already satisfied: idna<3,>=2.5 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (2.10)

Requirement already satisfied: chardet<4,>=3.0.2 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (3.0.4)

Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (2022.9.24)

Requirement already satisfied: oauthlib>=3.0.0 in /usr/local/lib/python3.7/dist-packages (from requests-oauthlib>=0.7.0->google-auth-oauthlib<0.5,>=0.4.1->tensorboard~=2.5->tensorflow==2.5.0) (3.2.2)



## Image Augmentation

```
from tensorflow.keras.preprocessing.image import ImageDataGenerator
train_datagen=ImageDataGenerator(rescale=1./255, zoom_range=0.2, horizontal
_flip=True, vertical_flip=False)
test_datagen=ImageDataGenerator(rescale=
1./255)ls
pwd
/content
import os, types
import pandas as
pd
from botocore.client import
Configimport ibm_boto3
def __iter__(self): return 0
```

```

# @hidden_cell
# The following code accesses a file in your IBM Cloud Object Storage. It
includes your credentials.
# You might want to remove those credentials before you share the
notebook. client_4ff9f1114db24196a9abd4f5c1f0b60a =
ibm_boto3.client(service_name='s3',
ibm_api_key_id='j4lNXssktSSxQiDx3pbNR_eFi1SMCDE6MFnBQ_
EmNCDM',
ibm_auth_endpoint="https://iam.cloud.ibm.com/oidc/token",
config=Config(signature_version='oauth'),
endpoint_url='https://s3.private.us.cloud-object-
storage.appdomain.cloud')
streaming_body_1 =
client_4ff9f1114db24196a9abd4f5c1f0b60a.get_object(Bucket='trainmodel-
donotdelete-pr-cbqe37eh8gzesa', Key='fruit-dataset.zip')['Body']
# Your data file was loaded into a botocore.response.StreamingBody object. #
Please read the documentation of ibm_boto3 and pandas to learn more about the
possibilities to load the data.
# ibm_boto3 documentation: https://ibm.github.io/ibm-cos-sdk-python/ # pandas
documentation:http://pandas.pydata.org/
from io import
BytesIOimport
zipfile
unzip =
zipfile.ZipFile(BytesIO(streaming_body_1.read()),
"r")file_paths = unzip.namelist()
for path in file_paths:
    unzip.extract(pat
h) pwd
'/home/wsuser/w
ork'import os
filenames = os.listdir('/home/wsuser/work/fruit-dataset/train')
x_train=train_datagen.flow_from_directory("/home/wsuser/work/fruit
dataset/train",target_size=(128,128),class_mode='categorical',batch_size=24
) Found 5384images belonging to 6 classes.
x_test=test_datagen.flow_from_directory(r"/home/wsuser/work/fruit
dataset/test",target_size=(128,128),
class_mode='categorical',batch_size
=24) Found 1686 images belonging
to 6 classes.x_train.class_indices

```

```
{'Apple__Black_rot': 0, 'Applehealthy': 1, 'Corn_(maize)____Northern_Leaf_Blight': 2, 'Corn_(maize)_healthy': 3, 'Peach_Bacterial_spot': 4, 'Peach__healthy': 5}
```

## CNN

```
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import
Dense,Convolution2D,MaxPooling2D,Flattenmodel=Sequential()
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
model.add(MaxPooling2D(pool_size=(2,2)))
model.add(Flatten(
))
model.summary()
Model:
"sequential_1"
```

	Layer
(type)Output Shape Param #	

=====

==

conv2d\_1 (Conv2D) (None, 126, 126, 32) 896

max\_pooling2d (MaxPooling2D (None, 63, 63, 32) 0  
)

flatten (Flatten) (None, 127008) 0

=====

==

Total params: 896

Trainable params: 896

Non-trainable

params: 0

$32 \times (3 \times 3 \times 3 + 1)$

896

#Hidden Layers

model.add(Dense(300,activation='relu'))

model.add(Dense(150,activation='relu'))

Output Layers

model.add(Dense(6,activation='softmax'))

model.compile(loss='categorical\_crossentropy',optimizer='adam',metrics=['accuracy']) len(x\_train)

225

1238/24

51.583333333333336

model.fit\_generator(x\_train,steps\_per\_epoch=len(x\_train),validation\_data=x\_test,validation\_steps=len(x\_test),epochs=10)

/tmp/wsuser/ipykernel\_164/1582812018.py:1: UserWarning:

`Model.fit\_generator` is deprecated and will be removed in a future version.

Please use `Model.fit`, which supportsgenerators.

model.fit\_generator(x\_train,steps\_per\_epoch=len(x\_train),validation\_data=x\_test,validation

\_steps=len(x\_test),epochs=1

0)Epoch 1/10

225/225 [=====] - 118s 520ms/step - loss: 0.8920 -  
accuracy: 0.8094 - val\_loss: 0.2273 - val\_accuracy:  
0.9235Epoch 2/10  
225/225 [=====] - 116s 515ms/step - loss: 0.2367 -  
accuracy: 0.9179 - val\_loss: 0.2056 - val\_accuracy:  
0.9324Epoch 3/10  
225/225 [=====] - 116s 517ms/step - loss: 0.1970 -  
accuracy: 0.9337 - val\_loss: 0.4972 - val\_accuracy:  
0.8754Epoch 4/10

```
225/225 [=====] - 117s 521ms/step - loss: 0.1688 -  
accuracy: 0.9422 - val_loss: 0.2279 - val_accuracy:  
0.9217Epoch 5/10  
225/225 [=====] - 116s 516ms/step - loss: 0.1438 -  
accuracy: 0.9487 - val_loss: 0.1685 - val_accuracy:  
0.9484Epoch 6/10  
225/225 [=====] - 117s 518ms/step - loss: 0.1362 -  
accuracy: 0.9556 - val_loss: 0.1176 - val_accuracy:  
0.9662Epoch 7/10  
225/225 [=====] - 116s 515ms/step - loss: 0.1282 -  
accuracy: 0.9590 - val_loss: 0.5466 - val_accuracy:  
0.8387Epoch 8/10  
225/225 [=====] - 116s 514ms/step - loss: 0.1282 -  
accuracy: 0.9597 - val_loss: 0.1194 - val_accuracy:  
0.9620Epoch 9/10  
225/225 [=====] - 116s 514ms/step - loss: 0.1141 -  
accuracy: 0.9616 - val_loss: 0.1478 - val_accuracy:  
0.9508Epoch 10/10  
225/225 [=====] - 116s 516ms/step - loss: 0.0927 -  
accuracy: 0.9695 - val_loss: 0.0772 - val_accuracy: 0.9751  
<keras.callbacks.History at 0x7f71e8184070>
```

## Saving Model

```
ls  
fruit-dataset/  
model.save('fruit.  
h5')  
!tar -zcvf Train-model_new.tgz  
fruit.h5fruit.h5  
ls -l  
fruit-  
dataset/  
fruit.h5  
Train-model_new.tgz
```

## IBM Cloud Deployment Model

```
!pip install watson-machine-learning-client --  
upgradeCollecting watson-machine-learning-  
client
```

538 kB 21.2 MB/s eta

0:00:01 Requirement already satisfied: tqdm in /opt/conda/envs/Python-3.9/lib/python3.9/site packages(from watson-machine-learning-client) (4.62.3)  
Requirement already satisfied: certifi in /opt/conda/envs/Python-3.9/lib/python3.9/site packages(from watson-machine-learning-client)  
(2022.9.24)

Requirement already satisfied: requests in /opt/conda/envs/Python-3.9/lib/python3.9/sitepackages (from watson-machine-learning-client) (2.26.0)

Requirement already satisfied: tabulate in /opt/conda/envs/Python-3.9/lib/python3.9/sitepackages (from watson-machine-learning-client) (0.8.9)

Requirement already satisfied: ibm-cos-sdk in /opt/conda/envs/Python 3.9/lib/python3.9/site- packages (from watson-machine-learning-client) (2.11.0)

Requirement already satisfied: pandas in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning- client) (1.3.4)

Requirement already satisfied: lomond in /opt/conda/envs/Python-3.9/lib/python3.9/sitepackages (from watson-machine-learning-client) (0.3.3)

Requirement already satisfied: boto3 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages(from watson-machine-learning-client) (1.18.21)

Requirement already satisfied: urllib3 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages(from watson-machine-learning-client) (1.26.7)

Requirement already satisfied: jmespath<1.0.0,>=0.7.1 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (0.10.0) Requirement already satisfied: s3transfer<0.6.0,>=0.5.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (0.5.0) Requirement already satisfied: botocore<1.22.0,>=1.21.21 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (1.21.41) Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from botocore<1.22.0,>=1.21.21->boto3->watson machine-learning-client) (2.8.2)

Requirement already satisfied: six>=1.5 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from python-dateutil<3.0.0,>=2.1->botocore<1.22.0,>=1.21.21->boto3->watsonmachine-learning-client) (1.15.0)

Requirement already satisfied: ibm-cos-sdk-core==2.11.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0) Requirement already satisfied: ibm-cos-sdk-s3transfer==2.11.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0)

Requirement already satisfied: charset-normalizer~=2.0.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from requests->watson-machine-learning-client) (2.0.4) Requirement already satisfied: idna<4,>=2.5 in /opt/conda/envs/Python 3.9/lib/python3.9/site- packages (from requests->watson-



```
machine-learning-client) (3.3) Requirement already satisfied: pytz>=2017.3 in
/opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from pandas->watson-
machine-learning-client) (2021.3) Requirement already satisfied: numpy>=1.17.3
in
/opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from pandas-
>watson-machine-learning-client) (1.19.5) Installing collected packages:
watson-machine-learning-client Successfully installed watson-machine-
learning-client-1.0.391
from ibm_watson_machine_learning import
APIClientwml_credentials = {
    "url": "https://us-south.ml.cloud.ibm.com",
    "apikey": "0P3XkyCFYqABnc48BNG2ReoGAJy-
oDXDRuULl4Y_zFxa"
}
client = APIClient(wml_credentials)
def guid_from_space_name(client, space_name):
```

```

space = client.spaces.get_details()
return(next(item for item in space['resources'] if
item['entity']['name']==space_name)['metadata']['id'])
space_uid = guid_from_space_name(client,
'Trainmodel')print("Space UID = " + space_uid)
Space UID = 616c7d74-e99b-4c09-9922-27394a62c2d0
client.set.default_space(space_uid)
‘SUCCESS’
client.software_specifications.list()
NAME ASSET_ID TYPE
default_py3.6 0062b8c9-8b7d-44a0-a9b9-46c416adcbd9 base kernel-spark3.2-
scala2.12 020d69ce-7ac1-5e68-ac1a-31189867356a base pytorch-onnx_1.3-py3.7-
edt 069ea134-3346- 5748-b513-49120e15d288 base scikit-learn_0.20-py3.6
09c5a1d0-9c1e-4473-a344- eb7b665ff687 base spark-mllib_3.0-scala_2.12
09f4cff0-90a7-5899-b9ed-1ef348aebdee base pytorch-onnx_rt22.1-py3.9
0b848dd4-e681-5599-be41-b5f6fccc6471 base ai-function_0.1-py3.60cdb0f1e-
5376-4f4d-92dd-da3b69aa9bda base shiny-r3.6 0e6e79df-875e-4f24-8ae9-
62dcc2148306 base
tensorflow_2.4-py3.7-horovod 1092590a-307d-563d-9b62-4eb7d64b3f22 base
pytorch_1.1- py3.6 10ac12d6-6b30-4ccd-8392-3e922c096a92 base
tensorflow_1.15-py3.6-ddl 111e41b3- de2d-5422-a4d6-bf776828c4b7 base
runtime-22.1-py3.9 12b83a17-24d8-5082-900f- 0ab31fbfd3cb base scikit-
learn_0.22-py3.6 154010fa-5b3b-4ac1-82af-4d5ee5abbc85 base default_r3.6
1b70aec3-ab34-4b87-8aa0-a4a3c8296a36 base pytorch-onnx_1.3-py3.6 1bc6029a-
cc97-56da-b8e0-39c3880dbbe7 base kernel-spark3.3-r3.6 1c9e5454-f216-59dd-
a20e- 474a5cdf5988 base pytorch-onnx_rt22.1-py3.9-edt 1d362186-7ad5-5b59-
8b6c-9d0880bde37f base tensorflow_2.1-py3.6 1eb25b84-d6ed-5dde-b6a5-
3fbdf1665666 base spark-mllib_3.2 20047f72-0a98-58c7-9ff5-a77b012eb8f5 base
tensorflow_2.4-py3.8-horovod 217c16f6-178f- 56bf-824a-b19f20564c49 base
runtime-22.1-py3.9-cuda 26215f05-08c3-5a41-a1b0- da66306ce658 base
do_py3.8 295addb5-9ef9-547e-9bf4-92ae3563e720 base autoai-ts_3.8-py3.8
2aa0c932-798f-5ae9-abd6-15e0c2402fb5 base tensorflow_1.15-py3.6 2b73a275-
7cbf-420b- a912-eae7f436e0bc base kernel-spark3.3-py3.9 2b7961e2-e3b1-5a8c-
a491-482c8368839a base pytorch_1.2-py3.6 2c8ef57d-2687-4b7d-acce-
01f94976dac1 base spark-mllib_2.3 2e51f700- bca0-4b0d-88dc-5c6791338875
base pytorch-onnx_1.1-py3.6-edt 32983cea-3f32-4400-8965- dde874a8d67e base
spark-mllib_3.0-py37 36507ebe-8770-55ba-ab2a-eafe787600e9 base spark-
mllib_2.4 390d21f8-e58b-4fac-9c55-d7ceda621326 base xgboost_0.82-py3.6
39e31acd-5f30- 41dc-ae44-60233c80306e base pytorch-onnx_1.2-py3.6-edt
40589d0e-7019-4e28-8daa- fb03b6f4fe12 base default_r36py38 41c247d3-45f8-

```

5a71-b065-8580229facf0 base  
autoai-ts\_rt22.1-py3.9 4269d26e-07ba-5d40-8f66-2d495b0c71f7 base autoai-  
obm\_3.0 42b92e18-d9ab-567f-988a-4240ba1ed5f7 base pmml-3.0\_4.3  
493bcb95-16f1-5bc5-bee8- 81b8af80e9c7 base spark-mllib\_2.4-r\_3.6 49403dff-  
92e9-4c87-a3d7-a42d0021c095 base xgboost\_0.90-py3.6 4ff8d6c2-1343-4c18-  
85e1-689c965304d3 base pytorch-onnx\_1.1-py3.6 50f95b2a-bc16-43bb-bc94-  
b0bed208c60b base autoai-ts\_3.9-py3.8 52c57136-80fa-572e-8728-  
a5e7cbb42cde base spark-mllib\_2.4-scala\_2.11 55a70f99-7320-4be5-9fb9-  
9edb5a443af5 base spark-mllib\_3.0 5c1b0ca2-4977-5c2e-9439-ffd44ea8ffe9  
base autoai-obm\_2.0 5c2e37fa-80b8-  
5e77-840f-d912469614ee base spss-modeler\_18.1 5c3cad7e-507f-4b2a-a9a3-  
ab53a21dee8b basecuda-py3.8 5d3232bf-c86b-5df4-a2cd-7bb870a1cd4e base  
autoai-kb\_3.1-py3.7 632d4b22-10aa- 5180-88f0-f52dfb6444d7 base pytorch-  
onnx\_1.7-py3.8 634d3cdc-b562-5bf9-a2d4-

```
ea90a478456b base spark-mllib_2.3-r_3.6 6586b9e3-ccd6-4f92-900f-
0f8cb2bd6f0c base tensorflow_2.4-py3.7 65e171d7-72d1-55d9-8ebb-
f813d620c9bb base spss-modeler_18.2 687eddc9-028a-4117-b9dd-e57b36f1efa5
base .....
```

Note: Only first 50 records were displayed. To display more use 'limit'

parameter. software\_space\_uid =

```
client.software_specifications.get_uid_by_name("tensorflow_rt22.1-py3.9")
```

software\_spec\_uid

```
'1eb25b84-d6ed-5dde-b6a5-
```

```
3fbdf1665666'ls
```

```
fruit-dataset/ fruit.h5 Train-model_new.tgz
```

```
model_details = client.repository.store_model(model= 'Train-model_new.tgz',
```

```
meta_props={ client.repository.ModelMetaNames.NAME:"CNN",
```

```
client.repository.ModelMetaNames.TYPE:"tensorflow_2.7",
```

```
client.repository.ModelMetaNames.SOFTWARE_SPEC_UID:software_space_
```

```
uid} ) model_id = client.repository.get_model_id(model_details)
```

```
model_id
```

```
'd0aeb6a2-e89c-4f8d-bf2f-
```

```
a28ca4ea3cca'ls
```

```
fruit-dataset/ fruit.h5 Train-
```

```
model_new.tgzTest The Model
```

```
import numpy as np
```

```
from tensorflow.keras.models import
```

```
load_model from
```

```
tensorflow.keras.preprocessing import
```

```
imagemodel=load_model('fruit.h5')
```

```
#@title
```

```
img=image.load_img(r"C:\Users\LENOVO\Desktop\fruit-dataset\fruit
```

```
dataset\test\00fca0da-2db3-481b-b98a
```

```
9b67bb7b105c_RS_HL
```

```
7708.JPG",target_size=(128,128))img
```

```
img=image.load_img(r"C:\Users\LENOVO\Desktop\ibm\Dataset Plant
```

```
Disease\fruit dataset\fruit-dataset\test\Apple
```

```
_____healthy\0adc1c5b-8958-47c0-a152- f28078c214f1
```

```
_____RS_HL7825.JPG",target_size=(128,128))
```

```
img
```



```
x=image.img_to_array(i  
mg)X  
array([[ 99., 86., 106.],  
       [101., 88., 108.],  
       [118., 105., 125.]
```

```

...,
[ 92., 83., 102.],
[ 93., 84., 103.],
[ 89., 80., 99.]],
[[ 96., 83., 103.],
[ 87., 74., 94.],
[102., 89., 109.],
...,
[ 88., 79., 98.],
[ 89., 80., 99.],
[ 83., 74., 93.]],
[[ 86., 73., 93.],
[ 88., 75., 95.],
[ 98., 85., 105.],
...,
[107., 98., 117.],
[ 96., 87., 106.],
[ 96., 87., 106.]],
...,
[[172., 175., 194.],
[173., 176., 195.],
[175., 178., 197.],
...,
[179., 180., 198.],
[184., 185., 203.],
[179., 180., 198.]],
[[172., 175., 194.],
[170., 173., 192.],
[173., 176., 195.],
...,
[178., 179., 197.],
[182., 183., 201.],
[178., 179., 197.]],
[[169., 172., 191.],
[166., 169., 188.],
[168., 171., 190.],
...,
[187., 188., 206.],
[185., 186., 204.],
[186., 187., 205.]]], dtype=float32)

```

```
x=np.expand_dims(x,axis=0)X
array([[[[ 99., 86., 106.],
          [101., 88., 108.],
          [118., 105., 125.],
          ...,
          [ 92., 83., 102.],
```

```

[ 93., 84., 103.],
[ 89., 80., 99.]],
[[ 96., 83., 103.],
[ 87., 74., 94.],
[102., 89., 109.],
...,
[ 88., 79., 98.],
[ 89., 80., 99.],
[ 83., 74., 93.]],
[[ 86., 73., 93.],
[ 88., 75., 95.],
[ 98., 85., 105.],
...,
[107., 98., 117.],
[ 96., 87., 106.],
[ 96., 87., 106.]],
...,
[[172., 175., 194.],
[173., 176., 195.],
[175., 178., 197.],
...,
[179., 180., 198.],
[184., 185., 203.],
[179., 180., 198.]],
[[172., 175., 194.],
[170., 173., 192.],
[173., 176., 195.],
...,
[178., 179., 197.],
[182., 183., 201.],
[178., 179., 197.]],
[[169., 172., 191.],
[166., 169., 188.],
[168., 171., 190.],
...,
[187., 188., 206.],
[185., 186., 204.],
[186., 187., 205.]]]], dtype=float32)
y=np.argmax(model.predict(x),axis=1)
1/1 [=====] - 0s 105ms/step

```



```

x_train.class_indices
{'Apple__Black_rot': 0, 'Applehealthy': 1, 'Corn_(maize)____Northern_Leaf_Blight': 2,
 'Corn_(maize)_healthy': 3, 'Peach_____Bacterial_spot': 4,
 'Peach_____healthy': 5} index=['Apple_____Black_rot','Apple
_____healthy','Corn_(maize)
_____Northern_Leaf_Blight','Corn
_(maize)_healthy','Peach_Bacterial_spot','Peach
_____healthy']index[y[0]]

```

```

'Apple_healthy'
img=image.load_img(r"C:\LENOVO\Desktop\ibm\Dataset Plant
Disease\fruit-dataset\fruitdataset\test\Peach_____healthy\0a2ed402-5d23-
4e8d-bc98-
b264aea9c3fb_Rutg._HL
2471.JPG",target_size=(128,128))
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
y=np.argmax(model.predict(x),axis=1)
index=['Apple_Black_rot','Apple_healthy','Peach_Bacterial_spot','Peach
_____healthy']index[y[0]]
1/1 [=====] - 0s 26ms/step
'Peach
_____health
y'import os
from tensorflow.keras.models import
load_model from
tensorflow.keras.preprocessing import
imagefrom flask import
Flask,render_template,request app=Flask(
name_) model=load_model("fruit.h5")
@app.route(
'/')def
index():
return render_template("index.html")
@app.route('/predict',methods=['GET','P
OST'])def upload():
if request.method=='POST':
f=request.files['image']
basepath=os.path.dirname('_file_')
filepath=os.path.join(basepath,'uploads',f.file
name) f.save(filepath)
img=image.load_img(filepath,target_size=(1
28,128))x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
pred=np.argmax(model.predict(x),axis=1)
index=['Apple_Black_rot','Apple_healthy',
,'Peach_Bacterial_spot','Peachhealthy']
text="The Classified Fruit disease is : "
+str(index[pred[0]])return text

```

```
if __name__ == '__main__':  
    app.run(debug=False)
```

### **vegetable model :**

```
ls  
sample_dat  
a/pwd  
'/home/wsuser/work'  
!pip install keras==2.7.0
```

!pip install tensorflow==2.5.0  
Looking in indexes: <https://pypi.org/simple>, <https://us-python.pkg.dev/colabwheels/public/simple/>  
Requirement already satisfied: keras==2.7.0 in /usr/local/lib/python3.7/dist-packages (2.7.0) Looking in indexes: <https://pypi.org/simple>, <https://us-python.pkg.dev/colabwheels/public/simple/>  
Requirement already satisfied: tensorflow==2.5.0 in /usr/local/lib/python3.7/dist-packages (2.5.0)  
Requirement already satisfied: h5py~=3.1.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (3.1.0)  
Requirement already satisfied: protobuf>=3.9.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (3.19.6)  
Requirement already satisfied: typing-extensions~=3.7.4 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (3.7.4.3)  
Requirement already satisfied: keras-nightly~=2.5.0.dev in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (2.5.0.dev2021032900)  
Requirement already satisfied: flatbuffers~=1.12.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.12)  
Requirement already satisfied: gast==0.4.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.4.0)  
Requirement already satisfied: absl-py~=0.10 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.15.0)  
Requirement already satisfied: astunparse~=1.6.3 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.6.3)  
Requirement already satisfied: tensorflow-estimator<2.6.0,>=2.5.0rc0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (2.5.0)  
Requirement already satisfied: tensorboard~=2.5 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (2.9.1)  
Requirement already satisfied: opt-einsum~=3.3.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (3.3.0)  
Requirement already satisfied: six~=1.15.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.15.0)  
Requirement already satisfied: google-pasta~=0.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.2.0)  
Requirement already satisfied: grpcio~=1.34.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.34.1)  
Requirement already satisfied: wrapt~=1.12.1 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.12.1)  
Requirement already satisfied: termcolor~=1.1.0 in /usr/local/lib/python3.7/dist-packages

(fromtensorflow==2.5.0) (1.1.0)

Requirement already satisfied: keras-preprocessing~=1.1.2 in

/usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.1.2)

Requirement already satisfied: wheel~=0.35 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (0.38.3)

Requirement already satisfied: numpy~=1.19.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (1.19.5)

Requirement already satisfied: cached-property in /usr/local/lib/python3.7/dist-packages (from h5py~=3.1.0->tensorflow==2.5.0) (1.5.2)

Requirement already satisfied: google-auth<3,>=1.6.3 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (2.14.1)

Requirement already satisfied: tensorboard-data-server<0.7.0,>=0.6.0 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (0.6.1)

Requirement already satisfied: tensorboard-plugin-wit>=1.6.0 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (1.8.1)

Requirement already satisfied: google-auth-oauthlib<0.5,>=0.4.1 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (0.4.6)

Requirement already satisfied: werkzeug>=1.0.1 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (1.0.1)

Requirement already satisfied: markdown>=2.6.8 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (3.4.1)

Requirement already satisfied: requests<3,>=2.21.0 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (2.23.0)

Requirement already satisfied: setuptools>=41.0.0 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (57.4.0)

Requirement already satisfied: rsa<5,>=3.1.4 in /usr/local/lib/python3.7/dist-packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (4.9)

Requirement already satisfied: pyasn1-modules>=0.2.1 in /usr/local/lib/python3.7/dist-packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (0.2.8)

Requirement already satisfied: cachetools<6.0,>=2.0.0 in /usr/local/lib/python3.7/dist-packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (5.2.0)

Requirement already satisfied: requests-oauthlib>=0.7.0 in /usr/local/lib/python3.7/dist-packages (from google-auth-oauthlib<0.5,>=0.4.1->tensorboard~=2.5->tensorflow==2.5.0) (1.3.1)

Requirement already satisfied: importlib-metadata>=4.4 in /usr/local/lib/python3.7/dist-packages (from markdown>=2.6.8->tensorboard~=2.5->tensorflow==2.5.0) (4.13.0)

Requirement already satisfied: zipp>=0.5 in /usr/local/lib/python3.7/dist-packages (from importlib-metadata>=4.4-

>markdown>=2.6.8->tensorboard~=2.5->tensorflow==2.5.0) (3.10.0)  
 Requirement already satisfied: pyasn1<0.5.0,>=0.4.6 in  
 /usr/local/lib/python3.7/dist-packages(from pyasn1-modules>=0.2.1->google-  
 auth<3,>=1.6.3->tensorboard~=2.5-  
 >tensorflow==2.5.0) (0.4.8)  
 Requirement already satisfied: urllib3!=1.25.0,!1.25.1,<1.26,>=1.21.1 in  
 /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5-  
 >tensorflow==2.5.0) (1.24.3)  
 Requirement already satisfied: idna<3,>=2.5 in /usr/local/lib/python3.7/dist-  
 packages (fromrequests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0)  
 (2.10)  
 Requirement already satisfied: chardet<4,>=3.0.2 in /usr/local/lib/python3.7/dist-  
 packages (fromrequests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0)  
 (3.0.4) Requirement already satisfied: certifi>=2017.4.17 in  
 /usr/local/lib/python3.7/dist-packages (from  
 requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (2022.9.24)  
 Requirement already satisfied: oauthlib>=3.0.0 in /usr/local/lib/python3.7/dist-  
 packages (from requests- oauthlib>=0.7.0->google-auth-oauthlib<0.5,>=0.4.1-  
 >tensorboard~=2.5- >tensorflow==2.5.0) (3.2.2)

## Image Augmentation

```
from tensorflow.keras.preprocessing.image import ImageDataGenerator
train_datagen=ImageDataGenerator(rescale=1./255,zoom_range=0.2,horizontal
_flip=True,vertical_flip=False)
test_datagen=ImageDataGenerator(rescale=
1./255)ls
pwd
/content
import os, types
import pandas as
pd
from botocore.client import
Configimport ibm_boto3
def __iter__(self):
return 0#
@hidden_cell
# The following code accesses a file in your IBM Cloud Object Storage. It
includes your credentials.
# You might want to remove those credentials before you share the
notebook. client_4ff9f1114db24196a9abd4f5c1f0b60a =
ibm_boto3.client(service_name='s3',
ibm_api_key_id='j4lNXssktSSxQiDx3pbNR_eFi1SMCDE6MFnBQ_
EmNCDM',
ibm_auth_endpoint="https://iam.cloud.ibm.com/oidc/token",
config=Config(signature_version='oauth'),
endpoint_url='https://s3.private.us.cloud-object-
storage.appdomain.cloud')
streaming_body_1 =
client_4ff9f1114db24196a9abd4f5c1f0b60a.get_object(Bucket='trainmodel-
donotdelete-pr-cbqe37eh8gzesa', Key='vegetable-dataset.zip')['Body']
# Your data file was loaded into a botocore.response.StreamingBody object. #
Please read the documentation of ibm_boto3 and pandas to learn more about the
possibilities to load the data.
# ibm_boto3 documentation: https://ibm.github.io/ibm-cos-sdk-python/ # pandas
documentation:http://pandas.pydata.org/
from io import
BytesIOimport
zipfile
unzip
zipfile.ZipFile(BytesIO(streaming_body_1.read()),
```



```

"r")file_paths = unzip.namelist()
for path in file_paths:
    unzip.extract(pat
h) pwd
'/home/wsuser/w
ork'import os
filenames = os.listdir('/home/wsuser/work/vegetable-dataset/train')
x_train=train_datagen.flow_from_directory("/home/wsuser/work/vegetable
dataset/train",target_size=(128,128),class_mode='categorical',batch_size=24
) Found 5384images belonging to 6 classes.
x_test=test_datagen.flow_from_directory(r"/home/wsuser/work/vegetable
dataset/test",target_size=(128,128),
class_mode='categorical',batch_size
=24) Found 1686 images belonging
to 6 classes.x_train.class_indices

```

```
{'Tomato__Blight': 0, 'Tomato__healthy': 1, 'Corn_(maize)__Northern_Leaf_Blight': 2,
'Corn_(maize)__healthy': 3, 'Potato__Blight': 4, 'Potato__healthy': 5}
```

## CNN

```
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatten
model=Sequential()
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
model.add(MaxPooling2D(pool_size=(2,2)))
model.add(Flatten())
model.summary()
Model: "sequential_1"
```

	Layer (type)
Output Shape	Param #

```
=====
conv2d_1 (Conv2D) (None, 126, 126, 32) 896
```

```
max_pooling2d (MaxPooling2D) (None, 63, 63, 32) 0
)
```

```
flatten (Flatten) (None, 127008) 0
```

```
=====
Total params: 896
```

```
Trainable params: 896
```

```
Non-trainable params: 0
```

```
32*(3*3*3+1)
```

```
896
```

```
#Hidden Layers
```

```
model.add(Dense(300,activation='relu'))
```

```
model.add(Dense(150,activation='relu'))
```

## Output Layers

```
model.add(Dense(6,activation='softmax'))
```

```
model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])
```

```
len(x_train)
```

```
225
```

```
1238/24
```

```
51.583333333333336
```

```
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validation_steps=len(x_test),epochs=10)
```

/tmp/wsuser/ipykernel\_164/1582812018.py:1: UserWarning: `Model.fit\_generator` is deprecated and will be removed in a future version. Please use `Model.fit`, which supports generators.

```
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validation_steps=len(x_test),epochs=10)
```

Epoch 1/10

225/225 [=====] - 118s 520ms/step - loss: 0.8920 - accuracy: 0.8094 - val\_loss: 0.2273 - val\_accuracy: 0.9235

Epoch 2/10

225/225 [=====] - 116s 515ms/step - loss: 0.2367 - accuracy: 0.9179 - val\_loss: 0.2056 - val\_accuracy: 0.9324

Epoch 3/10

225/225 [=====] - 116s 517ms/step - loss: 0.1970 - accuracy: 0.9337 - val\_loss: 0.4972 - val\_accuracy: 0.8754

Epoch 4/10

225/225 [=====] - 117s 521ms/step - loss: 0.1688 - accuracy: 0.9422 - val\_loss: 0.2279 - val\_accuracy: 0.9217

Epoch 5/10

225/225 [=====] - 116s 516ms/step - loss: 0.1438 - accuracy: 0.9487 - val\_loss: 0.1685 - val\_accuracy: 0.9484

Epoch 6/10

225/225 [=====] - 117s 518ms/step - loss: 0.1362 - accuracy: 0.9556 - val\_loss: 0.1176 - val\_accuracy: 0.9662

Epoch 7/10

225/225 [=====] - 116s 515ms/step - loss: 0.1282 - accuracy: 0.9590 - val\_loss: 0.5466 - val\_accuracy: 0.8387

Epoch 8/10

225/225 [=====] - 116s 514ms/step - loss: 0.1282 - accuracy: 0.9597 - val\_loss: 0.1194 - val\_accuracy: 0.9620

Epoch 9/10

225/225 [=====] - 116s 514ms/step - loss: 0.1141 - accuracy: 0.9616 - val\_loss: 0.1478 - val\_accuracy: 0.9508

Epoch 10/10

225/225 [=====] - 116s 516ms/step - loss: 0.0927 - accuracy: 0.9695 - val\_loss: 0.0772 - val\_accuracy: 0.9751

<keras.callbacks.History at 0x7f71e8184070>

## Saving Model

ls

vegetable-dataset/

model.save('vegetable.h5')

!tar -zcvf Train-model\_new.tgz vegetable.h5

vegetable.h5

```
ls -l
vegetable-dataset/
vegetable.h5
Train-model_new.tgz
```

## IBM Cloud Deployment Model

```
!pip install watson-machine-learning-client --upgrade
Collecting watson-machine-learning-client
  Downloading watson_machine_learning_client-1.0.391-py3-none-any.whl (538 kB)
    538 kB 21.2 MB/s eta 0:00:01
Requirement already satisfied: tqdm in /opt/conda/envs/Python-3.9/lib/python3.9/site packages
(from watson-machine-learning-client) (4.62.3)
Requirement already satisfied: certifi in /opt/conda/envs/Python-3.9/lib/python3.9/site packages
(from watson-machine-learning-client) (2022.9.24)
Requirement already satisfied: requests in /opt/conda/envs/Python-3.9/lib/python3.9/site
packages (from watson-machine-learning-client) (2.26.0)
Requirement already satisfied: tabulate in /opt/conda/envs/Python-3.9/lib/python3.9/site
packages (from watson-machine-learning-client) (0.8.9)
Requirement already satisfied: ibm-cos-sdk in /opt/conda/envs/Python 3.9/lib/python3.9/site-
packages (from watson-machine-learning-client) (2.11.0) Requirement already satisfied: pandas
in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-
client) (1.3.4)
Requirement already satisfied: lomond in /opt/conda/envs/Python-3.9/lib/python3.9/site
packages (from watson-machine-learning-client) (0.3.3)
Requirement already satisfied: boto3 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages
(from watson-machine-learning-client) (1.18.21)
Requirement already satisfied: urllib3 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages
(from watson-machine-learning-client) (1.26.7)
Requirement already satisfied: jmespath<1.0.0,>=0.7.1 in /opt/conda/envs/Python
3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (0.10.0)
Requirement already satisfied: s3transfer<0.6.0,>=0.5.0 in /opt/conda/envs/Python
3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (0.5.0)
Requirement already satisfied: botocore<1.22.0,>=1.21.21 in /opt/conda/envs/Python
3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (1.21.41)
Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in /opt/conda/envs/Python
3.9/lib/python3.9/site-packages (from botocore<1.22.0,>=1.21.21->boto3->watson machine-
learning-client) (2.8.2)
Requirement already satisfied: six>=1.5 in /opt/conda/envs/Python-3.9/lib/python3.9/site
packages (from python-dateutil<3.0.0,>=2.1->botocore<1.22.0,>=1.21.21->boto3->watson
machine-learning-client) (1.15.0)
Requirement already satisfied: ibm-cos-sdk-core==2.11.0 in /opt/conda/envs/Python
3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0)
Requirement already satisfied: ibm-cos-sdk-s3transfer==2.11.0 in /opt/conda/envs/Python
3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0)
```

```

Requirement already satisfied: charset-normalizer~=2.0.0 in /opt/conda/envs/Python
3.9/lib/python3.9/site-packages (from requests->watson-machine-learning-client) (2.0.4)
Requirement already satisfied: idna<4,>=2.5 in /opt/conda/envs/Python 3.9/lib/python3.9/site-
packages (from requests->watson-machine-learning-client) (3.3) Requirement already satisfied:
pytz>=2017.3 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from pandas->watson-
machine-learning-client) (2021.3) Requirement already satisfied: numpy>=1.17.3 in
/opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from pandas->watson-machine-
learning-client) (1.19.5) Installing collected packages: watson-machine-learning-client
Successfully installed watson-machine-learning-client-1.0.391
from ibm_watson_machine_learning import APIClient
wml_credentials = {
    "url": "https://us-south.ml.cloud.ibm.com",
    "apikey": "0P3XkyCFYqABnc48BNG2ReoGAJy-oDXDRuULl4Y_zFxa"
}
client = APIClient(wml_credentials)
def guid_from_space_name(client, space_name):
    space = client.spaces.get_details()
    return(next(item for item in space['resources'] if item['entity']['name']==space_name)['m
etadata']['id'])
space_uid = guid_from_space_name(client, 'Trainmodel')
print("Space UID = " + space_uid)
Space UID = 616c7d74-e99b-4c09-9922-27394a62c2d0
client.set_default_space(space_uid)
'SUCCESS'
client.software_specifications.list()
NAME ASSET_ID TYPE
default_py3.6 0062b8c9-8b7d-44a0-a9b9-46c416adcbd9 base kernel-spark3.2-scala2.12
020d69ce-7ac1-5e68-ac1a-31189867356a base pytorch-onnx_1.3-py3.7-edt 069ea134-3346-
5748-b513-49120e15d288 base scikit-learn_0.20-py3.6 09c5a1d0-9c1e-4473-a344-
eb7b665ff687 base spark-mllib_3.0-scala_2.12 09f4cff0-90a7-5899-b9ed-1ef348aebdee base
pytorch-onnx_rt22.1-py3.9 0b848dd4-e681-5599-be41-b5f6fccc6471 base ai-function_0.1-py3.6
0cdb0f1e-5376-4f4d-92dd-da3b69aa9bda base shiny-r3.6 0e6e79df-875e-4f24-8ae9-
62dcc2148306 base
tensorflow_2.4-py3.7-horovod 1092590a-307d-563d-9b62-4eb7d64b3f22 base pytorch_1.1-
py3.6 10ac12d6-6b30-4ccd-8392-3e922c096a92 base tensorflow_1.15-py3.6-ddl 111e41b3-
de2d-5422-a4d6-bf776828c4b7 base runtime-22.1-py3.9 12b83a17-24d8-5082-900f-
0ab31fbfd3cb base scikit-learn_0.22-py3.6 154010fa-5b3b-4ac1-82af-4d5ee5abbc85 base
default_r3.6 1b70aec3-ab34-4b87-8aa0-a4a3c8296a36 base pytorch-onnx_1.3-py3.6 1bc6029a-
cc97-56da-b8e0-39c3880dbbe7 base kernel-spark3.3-r3.6 1c9e5454-f216-59dd-a20e-
474a5cdf5988 base pytorch-onnx_rt22.1-py3.9-edt 1d362186-7ad5-5b59-8b6c-9d0880bde37f
base tensorflow_2.1-py3.6 1eb25b84-d6ed-5dde-b6a5-3fbdf1665666 base spark-mllib_3.2
20047f72-0a98-58c7-9ff5-a77b012eb8f5 base tensorflow_2.4-py3.8-horovod 217c16f6-178f-
56bf-824a-b19f20564c49 base runtime-22.1-py3.9-cuda 26215f05-08c3-5a41-a1b0-
da66306ce658 base do_py3.8 295addb5-9ef9-547e-9bf4-92ae3563e720 base autoai-ts_3.8-py3.8
2aa0c932-798f-5ae9-abd6-15e0c2402fb5 base tensorflow_1.15-py3.6 2b73a275-7cbf-420b-
a912-eae7f436e0bc base kernel-spark3.3-py3.9 2b7961e2-e3b1-5a8c-a491-482c8368839a base

```

```

pytorch_1.2-py3.6 2c8ef57d-2687-4b7d-acce-01f94976dac1 base spark-mllib_2.3 2e51f700-
bca0-4b0d-88dc-5c6791338875 base pytorch-onnx_1.1-py3.6-edt 32983cea-3f32-4400-8965-
dde874a8d67e base spark-mllib_3.0-py37 36507ebe-8770-55ba-ab2a-eafe787600e9 base spark-
mllib_2.4 390d21f8-e58b-4fac-9c55-d7ceda621326 base xgboost_0.82-py3.6 39e31acd-5f30-
41dc-ae44-60233c80306e base pytorch-onnx_1.2-py3.6-edt 40589d0e-7019-4e28-8daa-
fb03b6f4fe12 base default_r36py38 41c247d3-45f8-5a71-b065-8580229facf0 base
autoai-ts_rt22.1-py3.9 4269d26e-07ba-5d40-8f66-2d495b0c71f7 base autoai-obm_3.0
42b92e18-d9ab-567f-988a-4240ba1ed5f7 base pmml-3.0_4.3 493bcb95-16f1-5bc5-bee8-
81b8af80e9c7 base spark-mllib_2.4-r_3.6 49403dff-92e9-4c87-a3d7-a42d0021c095 base
xgboost_0.90-py3.6 4ff8d6c2-1343-4c18-85e1-689c965304d3 base pytorch-onnx_1.1-py3.6
50f95b2a-bc16-43bb-bc94-b0bed208c60b base autoai-ts_3.9-py3.8 52c57136-80fa-572e-8728-
a5e7cbb42cde base spark-mllib_2.4-scala_2.11 55a70f99-7320-4be5-9fb9-9edb5a443af5 base
spark-mllib_3.0 5c1b0ca2-4977-5c2e-9439-ffd44ea8ffe9 base autoai-obm_2.0 5c2e37fa-80b8-
5e77-840f-d912469614ee base spss-modeler_18.1 5c3cad7e-507f-4b2a-a9a3-ab53a21dee8b base
cuda-py3.8 5d3232bf-c86b-5df4-a2cd-7bb870a1cd4e base autoai-kb_3.1-py3.7 632d4b22-10aa-
5180-88f0-f52dfb6444d7 base pytorch-onnx_1.7-py3.8 634d3cdc-b562-5bf9-a2d4-
ea90a478456b base spark-mllib_2.3-r_3.6 6586b9e3-ccd6-4f92-900f-0f8cb2bd6f0c base
tensorflow_2.4-py3.7 65e171d7-72d1-55d9-8ebb-f813d620c9bb base spss-modeler_18.2
687eddc9-028a-4117-b9dd-e57b36f1efa5 base .....
-----

```

Note: Only first 50 records were displayed. To display more use 'limit' parameter.

```

software_space_uid = client.software_specifications.get_uid_by_name("tensorflow_rt22.1-
py3.9")

```

```

software_spec_uid

```

```

'1eb25b84-d6ed-5dde-b6a5-3fbdf1665666'

```

```

ls

```

```

vegetable-dataset/ vegetable.h5 Train-model_new.tgz

```

```

model_details = client.repository.store_model(model= 'Train-model_new.tgz', meta_props={
client.repository.ModelMetaNames.NAME:"CNN",
client.repository.ModelMetaNames.TYPE:"tensorflow_2.7",
client.repository.ModelMetaNames.SOFTWARE_SPEC_UID:software_space_uid} )
model_id = client.repository.get_model_id(model_details)

```

```

model_id

```

```

'd0aeb6a2-e89c-4f8d-bf2f-a28ca4ea3cca'

```

```

ls

```

```

vegetable-dataset/ vegetable.h5 Train-model_new.tgz

```

```

Test The Model

```

```

import numpy as np

```

```

from tensorflow.keras.models import load_model

```

```

from tensorflow.keras.preprocessing import image

```

```

model=load_model('vegetable.h5')

```

```

#@title

```

```

img=image.load_img(r"C:\Users\LENOVO\Desktop\vegetable-dataset\vegetable
dataset\test\00fca0da-2db3-481b-b98a

```

```

9b67bb7b105c___RS_HL_7708.JPG",target_size=(128,128))

```

```


img

```



```
img=image.load_img(r"C:\Users\LENOVO\Desktop\ibm\Dataset Plant Disease\vegetable
dataset\vegetable-dataset\test\Tomato___healthy\0adc1c5b-8958-47c0-a152-
f28078c214f1___RS_HL_7825.JPG",target_size=(128,128))
```

```
img
```



```
x=image.img_to_array(img)
```

```
X
```

```
array([[ 99., 86., 106.],
       [101., 88., 108.],
       [118., 105., 125.],
```

```
...,
       [ 92., 83., 102.],
       [ 93., 84., 103.],
       [ 89., 80., 99.]],
       [[ 96., 83., 103.],
       [ 87., 74., 94.],
       [102., 89., 109.],
```

```
...,
       [ 88., 79., 98.],
       [ 89., 80., 99.],
       [ 83., 74., 93.]],
       [[ 86., 73., 93.],
       [ 88., 75., 95.],
       [ 98., 85., 105.],
```

```

...,
[107., 98., 117.],
[ 96., 87., 106.],
[ 96., 87., 106.]],

...,
[[172., 175., 194.],
[173., 176., 195.],
[175., 178., 197.],

...,
[179., 180., 198.],
[184., 185., 203.],
[179., 180., 198.]],
[[172., 175., 194.],
[170., 173., 192.],
[173., 176., 195.],

...,
[178., 179., 197.],
[182., 183., 201.],
[178., 179., 197.]],
[[169., 172., 191.],
[166., 169., 188.],
[168., 171., 190.],

...,
[187., 188., 206.],
[185., 186., 204.],
[186., 187., 205.]], dtype=float32) x=np.expand_dims(x,axis=0)
X
array([[[[ 99., 86., 106.],
[101., 88., 108.],
[118., 105., 125.],

...,
[ 92., 83., 102.],
[ 93., 84., 103.],
[ 89., 80., 99.]],
[[ 96., 83., 103.],
[ 87., 74., 94.],
[102., 89., 109.],

...,
[ 88., 79., 98.],
[ 89., 80., 99.],
[ 83., 74., 93.]],
[[ 86., 73., 93.],
[ 88., 75., 95.],
[ 98., 85., 105.],

...,
[107., 98., 117.],

```



```

[ 96., 87., 106.],
[ 96., 87., 106.]],
...,
[[172., 175., 194.],
[173., 176., 195.],
[175., 178., 197.],
...,
[179., 180., 198.],
[184., 185., 203.],
[179., 180., 198.]],
[[172., 175., 194.],
[170., 173., 192.],
[173., 176., 195.],
...,
[178., 179., 197.],
[182., 183., 201.],
[178., 179., 197.]],
[[169., 172., 191.],
[166., 169., 188.],
[168., 171., 190.],
...,
[187., 188., 206.],
[185., 186., 204.],
[186., 187., 205.]]], dtype=float32)
y=np.argmax(model.predict(x),axis=1)
1/1 [=====] - 0s 105ms/step
x_train.class_indices
{'Tomato___Blight': 0, 'Tomato___healthy': 1, 'Corn_(maize)___Northern_Leaf_Blight': 2,
 'Corn_(maize)___healthy': 3, 'Potato___Blight': 4, 'Potato___healthy': 5}
index=['Tomato___Blight','Tomato___healthy','Corn_(maize)___Northern_Leaf_Blight','Cor
n_(maize)___healthy','Potato___Blight','Potato___healthy']
index[y[0]]
'Tomato___healthy'
img=image.load_img(r"C:\LENOVO\Desktop\ibm\Dataset Plant Disease\vegetable
dataset\vegetable-dataset\test\Potato___healthy\0a2ed402-5d23-4e8d-bc98-
b264aea9c3fb___Rutg._HL 2471.JPG",target_size=(128,128))
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
y=np.argmax(model.predict(x),axis=1)
index=['Tomato___Blight','Tomato___healthy','Potato___Blight','Potato___healthy'] index[y[0]]
1/1 [=====] - 0s 26ms/step
'Potato___healthy'
import os
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
from flask import Flask,render_template,request

```

```

app=Flask(_name_)
model=load_model("vegetable.h5")
@app.route('/')
def index():
    return render_template("index.html")
@app.route('/predict',methods=['GET','POST'])
def upload():
    if request.method=='POST':
        f=request.files['image']
        basepath=os.path.dirname('_file_')
        filepath=os.path.join(basepath,'uploads',f.filename)
        f.save(filepath)
        img=image.load_img(filepath,target_size=(128,128))
        x=image.img_to_array(img)
        x=np.expand_dims(x,axis=0)
        pred=np.argmax(model.predict(x),axis=1)
        index=['Tomato___Blight','Tomato___healthy', , 'Potato___Blight','Potato___healthy']
        text="The Classified Vegetable disease is : " +str(index[pred[0]]) return text
if __name__=='__main__':
    app.run(debug=False)

```

## ibmapp.py

```

import requests
from tensorflow.keras.preprocessing import image from tensorflow.keras.models import
load_model
import numpy as np
import pandas as pd
import tensorflow as tf
from flask import Flask, request, render_template, redirect, url_for import os
from werkzeug.utils import secure_filename
app = Flask(_name_)
#load both the vegetable and fruit models
model = load_model("IBM-vegetable.h5")
model1=load_model("IBM-fruit.h5")
#home page
@app.route('/')
def home():
    return render_template('home.html')
#prediction page
@app.route('/prediction')
def prediction():
    return render_template('predict.html')
@app.route('/predict',methods=['POST'])
def predict():
    if request.method == 'POST':
        # Get the file from post request
        f = request.files['image']

```

```

# Save the file to ./uploads
basepath = os.path.dirname(_file_)
file_path = os.path.join(
basepath, 'uploads', secure_filename(f.filename)) f.save(file_path)
img = image.load_img(file_path, target_size=(128, 128))
x = image.img_to_array(img)
x = np.expand_dims(x, axis=0)

plant=request.form['plant']
print(plant)
if(plant=="vegetable"):
preds = model.predict(x)
preds=np.argmax(preds)
print(preds)
df=pd.read_excel('precautions - veg.xlsx') print(df.iloc[preds]['caution'])
else:
preds = model1.predict(x)
preds=np.argmax(preds)
df=pd.read_excel('precautions - fruits.xlsx') print(df.iloc[preds]['caution'])
return df.iloc[preds]['caution']

if __name__ == "__main__":
app.run(debug=False)

```

## **GitHub Link:**

**<https://github.com/IBM-EPBL/IBM-Project-18453-1659685411>**

## **Project Demo Link**

**[https://drive.google.com/file/d/1wZ2\\_sxbCYNoV3QsXTqyCd7r57k99V2Eu/view?usp=sharing](https://drive.google.com/file/d/1wZ2_sxbCYNoV3QsXTqyCd7r57k99V2Eu/view?usp=sharing)**