ASSIGNMENT-1

STUDENT NAME	Srudeesh
STUDENT ROLL NUMBER	1901247
MAXIMUM MARKS	2 Marks

Question 1

Build a smart home in Thinker cad with 2 sensors, an Led, buzzer and submit it.

Program:

void loop() {

```
#include<Servo.h>
const int pingPin = 7;
int servoPin = 8;
Servo servo1;
void setup() {
// initialize serial communication:
Serial.begin(9600);
servo1.attach(servoPin);
 pinMode(2,INPUT);
 pinMode(4,OUTPUT);
 pinMode(11,OUTPUT);
 pinMode(12,OUTPUT);
 pinMode(13,OUTPUT);
 pinMode(A0,INPUT);
digitalWrite(2,LOW);
digitalWrite(11,HIGH);
}
```

```
long duration, inches, cm;
pinMode(pingPin, OUTPUT);
digitalWrite(pingPin, LOW);
delayMicroseconds(2);
digitalWrite(pingPin, HIGH);
delayMicroseconds(5);
digitalWrite(pingPin, LOW);
pinMode(pingPin, INPUT);
duration = pulseIn(pingPin, HIGH);
// convert the time into a distance
inches = microsecondsToInches(duration);
cm = microsecondsToCentimeters(duration);
Serial.print(inches);
Serial.print("in, ");
Serial.print(cm);
Serial.print("cm");
Serial.println();
delay(100);
servo1.write(0);
if(cm < 40)
 servo1.write(90);
 delay(2000);
```

```
}
else
{
 servo1.write(0);
}
int pir = digitalRead(2);
if(pir == HIGH)
 digitalWrite(4,HIGH);
 delay(1000);
}
else if(pir == LOW)
 digitalWrite(4,LOW);
}
float value=analogRead(A0);
float temperature=value*0.48;
Serial.println("temperature");
Serial.println(temperature);
if(temperature > 20)
 digitalWrite(12,HIGH);
 digitalWrite(13,LOW);
}
```

```
else
 {
  digitalWrite(12,LOW);
  digitalWrite(13,LOW);
 }
}
long microsecondsToInches(long microseconds) {
 return microseconds / 74 / 2;
}
long microsecondsToCentimeters(long microseconds) {
 return microseconds / 29 / 2;
}
                                                                                          1 (Arduino Uno R3)
                                                              servo1.write(0);
                                                        Serial Monito
```

Send Clear