

Download the dataset

import libraries

```
import numpy as np
import pandas as pd
import keras

import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import LabelEncoder
from keras.models import Model
from keras.layers import LSTM, Activation, Dense, Dropout, Input, Embedding
from keras.optimizers import RMSprop
from keras.preprocessing.text import Tokenizer
from keras.preprocessing import sequence
from keras.utils import to_categorical
```

Read dataset and preprocessing

```
df=pd.read_csv('spam.csv',delimiter=',',encoding='latin-1')
df.head()
```

	v1	v2	Unnamed: 2
\			
0	ham	Go until jurong point, crazy.. Available only ...	NaN
1	ham	Ok lar... Joking wif u oni...	NaN
2	spam	Free entry in 2 a wkly comp to win FA Cup fina...	NaN
3	ham	U dun say so early hor... U c already then say...	NaN
4	ham	Nah I don't think he goes to usf, he lives aro...	NaN

	Unnamed: 3	Unnamed: 4
0	NaN	NaN
1	NaN	NaN
2	NaN	NaN
3	NaN	NaN
4	NaN	NaN

```
df.drop(['Unnamed: 2', 'Unnamed: 3', 'Unnamed: 4'],axis=1,inplace=True)
```

```
df.shape
```


```
(5572, 2)
```

```
sns.countplot(df.v1)
plt.xlabel('Label')
plt.title('number of ham and spam messages')
```

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43:
FutureWarning: Pass the following variable as a keyword arg: x. From
version 0.12, the only valid positional argument will be `data`, and
passing other arguments without an explicit keyword will result in an
error or misinterpretation.

FutureWarning

```
Text(0.5, 1.0, 'number of ham and spam messages')
```



```
X=df.v2
Y=df.v1
le=LabelEncoder()
Y=le.fit_transform(Y)
Y=Y.reshape(-1,1)
```

train test split

```
X_train,X_test,Y_train,Y_test=train_test_split(X,Y,test_size=0.20)
```

```
from os import XATTR_CREATE
max_words=1000
max_len=150
tok=Tokenizer(num_words=max_words)
tok.fit_on_texts(X_train)
```

```
sequences=tok.texts_to_sequences(X_train)
sequences_matrix=keras.utils.pad_sequences(sequences,maxlen=max_len)
```

create lstm model

add layers

```
inputs=Input(name='inputs',shape=[max_len])
layer=Embedding(max_words,50,input_length=max_len)(inputs)
layer=LSTM(64)(layer)
layer=Dense(256,name='FC')(layer)
layer=Activation('relu')(layer)
layer=Dropout(0.5)(layer)
layer=Dense(1,name='out_layer')(layer)
layer=Activation('sigmoid')(layer)
model=Model(inputs=inputs,outputs=layer)
```

compile the model

```
model.summary()
model.compile(loss='binary_crossentropy',optimizer=RMSprop(),metrics=
['accuracy'])
```

Model: "model_1"

Layer (type)	Output Shape	Param #
inputs (InputLayer)	[(None, 150)]	0
embedding_1 (Embedding)	(None, 150, 50)	50000
lstm_1 (LSTM)	(None, 64)	29440
FC (Dense)	(None, 256)	16640
activation_2 (Activation)	(None, 256)	0
dropout_1 (Dropout)	(None, 256)	0
out_layer (Dense)	(None, 1)	257
activation_3 (Activation)	(None, 1)	0

```
=====  
Total params: 96,337  
Trainable params: 96,337  
Non-trainable params: 0  
=====
```

save the model

```
model.save('spam_lstm_model.h5')
```

test the model

```
test_sequences=tok.texts_to_sequences(X_test)
test_sequences_matrix=keras.utils.pad_sequences(test_sequences,maxlen=
max_len)
```

```
accr=model.evaluate ( test_sequences_matrix,Y_test)
print('Test set\n Loss: {:.3f}\n Accuracy: {:.3f}'.format (accr[0],
accr[1]))
```

```
35/35 [=====] - 2s 23ms/step - loss: 0.6931 -
accuracy: 0.4987
```

```
Test set
Loss: 0.693
Accuracy: 0.499
```