

Project Report

Team ID	PNT2022TMID21827
Project Name	Smart waste management system for metropolitan cities

1. INTRODUCTION

1.1 Project Overview:

This project deals with the problem of waste management in smart cities, where the garbage collection system is not optimized. This project enables the organizations to meet their needs of smart garbage management systems. This system allows the user to know the fill level of each garbage bin in a locality or city at all times, to give a cost-effective and time-saving route to the truck drivers. If the battery level is found to be low, it has to be recharged immediately, else it can proceed to the next step. The threshold level levels of the bin are indicated by multiple sensors attached to bin. If the garbage exceeds the level, then an alert message is sent to the garbage collectors as well as to the municipality or area administration. The area in which garbage is found to overflow is allocated to respective garbage collectors in the form of messages through GSM system. Once the waste bin is emptied, an information update is sent to the municipality and server is updated. This is how the waste from bins can be efficiently handled and managed using technology which in turn keeps the environment clean and healthy.

1.2 Purpose:

smart waste management provides us with the most optimal way of managing the waste in an efficient manner using technology. Smart waste management is about using technology and data to create a more efficient waste industry. Based on IoT (Internet of Things) technology, smart waste management aims to optimize resource allocation, reduce running costs, and increase the sustainability of waste services. This makes it possible to plan more efficient routes for the trash collectors who empty the bins, but also lowers the chance of any bin being full for over a week. A good level of coordination exists between the garbage collectors and the information supplied via technology. This makes them well aware of the existing garbage level and instigate them whenever the bins reach the threshold level. They are sent with alert messages so that they can collect the garbage on time without littering the surrounding area. The fill patterns of specific containers can be identified by historical data and managed accordingly in the long term. In addition to hardware solutions, mobile applications are used to overcome the challenges in the regular waste management system, such as keeping track of the drivers while they are operating on the field.

2. LITERATURE SURVEY:

2.1 Existing problem:

Waste management has become an alarming challenge in local towns and cities across the world. Often the local area bins are overflowing and the municipalities are not aware of it. This affects the residents of that particular area in numerous ways starting from bad odour to

unhygienic and unsafe surroundings. Poor waste management - ranging from non-existing collection systems to ineffective disposal -causes air pollution, water and soil contamination. Open and unsanitary areas contribute to contamination of drinking water and can cause infection and transmit diseases. Toxic components such as Persistent Organic Pollutants (POPs) pose particularly significant risks to human health and the environment as they accumulate through the food chain. Animals eating contaminated plants have higher doses of contaminants than if they were directly exposed. Precipitation or surface water seeping through waste will absorb hazardous components from landfills, agricultural areas, feedlots, etc. and carry them into surface and groundwater. Contaminated groundwater also poses a great health risk, as it is often used for drinking, bathing and recreation, as well as in agricultural and industrial activities. Landfills and waste transfer stations can attract various pests (insects, rodents, gulls, etc.) that look for food from waste. These pests can spread diseases through viruses and bacteria (i.e., salmonella and e-coli), which are a risk to human health.

2.2 References:

PAPER 1:

AUTHOR NAME: Keerthana b et al.

PUBLICATION YEAR: 2017

DESCRIPTION:

Designed an internet of bins for trash management in India. When the garbage level reaches its peak, the smart TRASH management system, which uses sensor, microcontroller, and other modules, guarantees that the trash cans are properly emptied. If the waste quantity exceeds one of the two thresholds established for the bins, an alarm message is delivered to the vehicle that picks up the garbage. People may continue to put garbage bags in the bins until they exceed the threshold limit thanks to the technology. To empty the bin, it waits for the van to acknowledge it, and if it doesn't, it sends the message again until it approaches the threshold limit, at which point the bin is locked. When the bin gets locked it displays the message "Overloaded". Then the dustbin will be monitored for a specific time and when not cleared within a certain time limit, then a message will be sent to the higher authority who can take appropriate action.

PAPER 2:

TITLE: Smart City Waste Management System using IoT and Cloud Computing.

AUTHOR NAME: Aderemi A. Atayero, Segun I. Popoola, Rotimi Williams, Joke A. Badejo and Sanjay Misra

PUBLICATION YEAR: 2021

DESCRIPTION:

Solid waste disposal without consideration is a significant problem in the metropolitan areas of most developing nations, and it seriously jeopardizes the residents' ability to live a healthy lifestyle. Both the local government and the populace will benefit from having access to trustworthy data on the situation with solid waste at various points across the city. In this study, the Internet of Things (IoT) and cloud computing technologies are used to create an intelligent solid waste monitoring system. Ultrasonic sensors are used to measure the solid waste fill levels in each of the containers, which are placed in strategic locations around the community. The sensor data is sent through a Wireless Fidelity (Wi-Fi) communication link to the Thing Speak IoT cloud platform.

PAPER 3:

TITLE: Arduino Microcontroller Based Smart Dustbins for Smart Cities

AUTHOR NAME: K. Suresh, S. Bhuvanesh and B. Krishna Devan

PUBLICATION YEAR: 2019

DESCRIPTION:

In this paper, a technique for cleaning up our surroundings and environment is described. The Indian government just began work on a smart city initiative, and in order for these towns to be smarter than they already are, the garbage collection and disposal system must be improved upon. Self-Monitoring Automated Route Trash (SMART) dustbins are intended for use in smart buildings such as colleges, hospitals, and bus stops, among other places. In this study, we have employed the PIR and Ultrasonic sensors to detect human presence, the Servomotor to open the dustbin lid, and the Ultrasonic sensor to detect the level of rubbish. Signals between two trash cans are transmitted using a communication module, and the GSM module sends the message to the operator.

PAPER 4:

AUTHOR NAME: Mohammad Aazam, Marc St-Hilaire, Chung-Horng

Lung, Ioannis Lambadaris

PUBLICATION YEAR: 2016

DESCRIPTION:

Each bin in the Cloud SWAM system that Mohammad Aazam et al suggested has sensors that can detect the amount of waste inside. There are separate bins for organic, plastic/paper/bottle/glass, and metal waste. This way, each form of waste is already divided, and it is known how much and what kind of waste is collected thanks to the status. Different entities and stakeholders may benefit from the accessibility of cloud-stored data in different ways. Analysis and planning can begin as soon as garbage is collected and continue through recycling and import/export-related activities. Timely garbage collection is provided via the Cloud SWAM system. A timely and effective method of waste collection improves health, hygiene, and disposal.

PAPER 5:

AUTHOR NAME: Mohd Helmy Abd Wahab, Aeslina Abdul Kadir, Mohd Razali Tomari and Mohamad Hairol Jabbar

PUBLICATION YEAR: 2014

DESCRIPTION:

Proposed a smart recycle bin that can handle the recycling of plastic, glass, paper, and aluminium cans. It generates a 3R card after automatically determining the value of the trash thrown away. The recycle system makes it possible to accumulate points for placing waste into designated recycle bins. By allowing the points to be redeemed for goods or services, such a system promotes recycling activities. The system keeps track of information on disposal procedures, materials disposed of, user identification, and points accrued by the user. To use the recycle bin, the user must tap his card to the designated RFID reader. Doors to recycling bins are opened, and rubbish is placed one by one.

PAPER 6:

TITLE: Waste Management Initiatives in India For Human Wellbeing

AUTHOR NAME: Dr. Raveesh Agarwal, Mona Chaudhary and Jayveer Singh

PUBLICATION YEAR: 2015

DESCRIPTION:

The objective of this paper is to examine the present methods used in India for the welfare of its people in different waste management efforts. The other goal is to offer advice on how to make Indian municipalities' trash disposal procedures better. On secondary research, this essay is founded. The system is improved by looking at the reports that have already been written about waste management and the suggestions made for improvement by planners, NGOs, consultants, government accountability organisations, and important business leaders. It provides in-depth understanding of the various waste management programmes in India and identifies areas where waste management might be improved for societal benefit. The essay makes an effort to comprehend the crucial part that our nation's official waste management sector plays in the waste management process.

PAPER 7:

AUTHOR NAME: Fachmin F olianto, Yong Sheng Low and Wai Leong Yeow

PUBLICATION YEAR: 2015

DESCRIPTION:

A three-tier design is proposed for the smart bin system. Each Smartbin is equipped with an ultrasonic sensor that detects bin fullness and records readings and sensor statuses. The gateway nod, which is a part of every sensor cluster, receives the sensor reading and transmits it. To the backend server, it transmits the data. The back end server's analytics module examines the information that the bin subsystem has gathered. The analytics module examines fullness readings, compares against preset criteria, and creates events when a threshold is exceeded. The workstation receives data from the bin sub-system, and a graphical user interface displays useful data to users.

PAPER 8:

TITLE: Design and Development of Smart Waste Management System: A Mobile App for Connecting and Monitoring Dustbin Using IoT

AUTHOR NAME: Na Jong Shen, Azham Hussain and Yuhanis Yusof

PUBLICATION YEAR: 2020

DESCRIPTION:

The Smart Waste Management Method is an extremely creative system that will advance the development of the Smart City. We frequently notice that the garbage cans placed in open areas of our city are always overstuffed. The result is filthy conditions in the city, and Malaysia's present waste management system is not optimised to address the issue. Additionally, the old method of physically checking the garbage in dustbins is a difficult operation that requires a lot more human labour and costs money. A scheme dubbed the Smart Waste Management System is put into place to prevent any such instances. This solution was created to enable mobile applications to communicate with Internet of Things (IoT)-based trash cans. Adaptive Software Development is the approach used to create this project.

PAPER 9:

TITLE: IoT Based Waste Management for Smart City

AUTHOR NAME: Parkash Tambare, Prabu Venkatachalam

PUBLICATION YEAR: 2016

DESCRIPTION:


In the current situation, we frequently observe that the trash cans or dust cans that are located in public spaces in cities are overflowing due to an increase in the amount of waste produced each day. We are planning to construct "IoT Based Waste Management for Smart Cities" to prevent this from happening because it makes living conditions for people unsanitary and causes unpleasant odours in the surrounding area. There are numerous trash cans scattered throughout the city or on the campus that are part of the proposed system. Each trash can is equipped with a low-cost embedded device that tracks the level of the trash cans and an individual ID that will enable it to be tracked and identified.

2.3 Problem Statement Definition:

Problem Statement (PS)	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Municipal corporation authority	Get notified when the trash cans are full and be made aware of where the full cans are located.	Don't have the facilities at the moment	There is no tool available to determine the level of bins.	Frustrated
PS-2	Individual working for a private limited corporation	Get rid of the example of a surplus of waste	The trash cans are always filled	I occupy a metropolitan where there is a city is invariably crowd.	Worried

3.IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas



3.2 Ideation & Brainstorming

Brainstorm & idea prioritization

Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.

- 1 Workshop a group
- 2 Teams collaborate
- 3 4 people recommended

Before you collaborate

A little bit of preparation goes a long way with this session. Here's what you need to do to get going.

10 minutes

Brainstorming
Define the challenge/purpose in the session and set aside those related to business or personal goals.

Set the goal
Think about the problem you're looking for solutions to for brainstorming session.

Learn how to use the facilitator's role
Use the facilitator's role to ensure a happy and productive session.

Openable

Define your problem statement

What problem are you trying to solve? Frame your problem as a how might we statement. This will be the focus of your brainstorm.

10 minutes

How to make a strong statement to get going
How to make a strong statement to get going?

Key rules of brainstorming
To ensure smooth and productive session:

- 1. No criticism
- 2. No judgement
- 3. No limits
- 4. No evaluation
- 5. No restrictions
- 6. No self-censoring
- 7. No self-censoring
- 8. No self-censoring
- 9. No self-censoring
- 10. No self-censoring

Brainstorm

Write down any ideas that come to mind that address your problem statement.

10 minutes

Small teams

1. Write down your ideas	2. Write down your ideas	3. Write down your ideas	4. Write down your ideas
5. Write down your ideas	6. Write down your ideas	7. Write down your ideas	8. Write down your ideas
9. Write down your ideas	10. Write down your ideas	11. Write down your ideas	12. Write down your ideas

Single person

1. Write down your ideas	2. Write down your ideas	3. Write down your ideas	4. Write down your ideas
5. Write down your ideas	6. Write down your ideas	7. Write down your ideas	8. Write down your ideas
9. Write down your ideas	10. Write down your ideas	11. Write down your ideas	12. Write down your ideas

Small teams

1. Write down your ideas	2. Write down your ideas	3. Write down your ideas	4. Write down your ideas
5. Write down your ideas	6. Write down your ideas	7. Write down your ideas	8. Write down your ideas
9. Write down your ideas	10. Write down your ideas	11. Write down your ideas	12. Write down your ideas

Single person

1. Write down your ideas	2. Write down your ideas	3. Write down your ideas	4. Write down your ideas
5. Write down your ideas	6. Write down your ideas	7. Write down your ideas	8. Write down your ideas
9. Write down your ideas	10. Write down your ideas	11. Write down your ideas	12. Write down your ideas

Group ideas

Take turns sharing your ideas with a partner or small group. Once all ideas have been shared, give each other a thumbs up if you like it. If a thumbs up is given, then the idea is a go. If not, then it's a no. If you have a thumbs up, then you can share your idea with the group.

10 minutes

Basic Level

1. Write down your ideas	2. Write down your ideas	3. Write down your ideas	4. Write down your ideas
5. Write down your ideas	6. Write down your ideas	7. Write down your ideas	8. Write down your ideas
9. Write down your ideas	10. Write down your ideas	11. Write down your ideas	12. Write down your ideas

Advanced Level

1. Write down your ideas	2. Write down your ideas	3. Write down your ideas	4. Write down your ideas
5. Write down your ideas	6. Write down your ideas	7. Write down your ideas	8. Write down your ideas
9. Write down your ideas	10. Write down your ideas	11. Write down your ideas	12. Write down your ideas

Prioritize

Your team should sit on the same page about what's important. Rank your ideas on the grid to determine which ideas are important and which are feasible.

10 minutes

Importance

Rank your ideas on the grid to determine which ideas are important and which are feasible.

Feasibility

Rank your ideas on the grid to determine which ideas are important and which are feasible.

After you collaborate

You can expect the most as an idea to get to share with members of your company who might find it helpful.

Quick actions

- 1. Write down your ideas
- 2. Write down your ideas
- 3. Write down your ideas
- 4. Write down your ideas
- 5. Write down your ideas
- 6. Write down your ideas
- 7. Write down your ideas
- 8. Write down your ideas
- 9. Write down your ideas
- 10. Write down your ideas
- 11. Write down your ideas
- 12. Write down your ideas

Keep moving forward

- 1. Write down your ideas
- 2. Write down your ideas
- 3. Write down your ideas
- 4. Write down your ideas
- 5. Write down your ideas
- 6. Write down your ideas
- 7. Write down your ideas
- 8. Write down your ideas
- 9. Write down your ideas
- 10. Write down your ideas
- 11. Write down your ideas
- 12. Write down your ideas

Brainstorming

- 1. Write down your ideas
- 2. Write down your ideas
- 3. Write down your ideas
- 4. Write down your ideas
- 5. Write down your ideas
- 6. Write down your ideas
- 7. Write down your ideas
- 8. Write down your ideas
- 9. Write down your ideas
- 10. Write down your ideas
- 11. Write down your ideas
- 12. Write down your ideas

Collaborative brainstorming

- 1. Write down your ideas
- 2. Write down your ideas
- 3. Write down your ideas
- 4. Write down your ideas
- 5. Write down your ideas
- 6. Write down your ideas
- 7. Write down your ideas
- 8. Write down your ideas
- 9. Write down your ideas
- 10. Write down your ideas
- 11. Write down your ideas
- 12. Write down your ideas

Brainstorming, prioritization & ideas

- 1. Write down your ideas
- 2. Write down your ideas
- 3. Write down your ideas
- 4. Write down your ideas
- 5. Write down your ideas
- 6. Write down your ideas
- 7. Write down your ideas
- 8. Write down your ideas
- 9. Write down your ideas
- 10. Write down your ideas
- 11. Write down your ideas
- 12. Write down your ideas

Brainstorming, prioritization & ideas

- 1. Write down your ideas
- 2. Write down your ideas
- 3. Write down your ideas
- 4. Write down your ideas
- 5. Write down your ideas
- 6. Write down your ideas
- 7. Write down your ideas
- 8. Write down your ideas
- 9. Write down your ideas
- 10. Write down your ideas
- 11. Write down your ideas
- 12. Write down your ideas

3.3 Proposed Solution

S. No	Parameter	Description
1.	Problem Statement (Problem to be solved)	<p>The manual monitoring of wastes in trash cans is a laborious operation that requires additional time, money, and human labor</p> <p>Unsafe trash disposal is generating problems for people.</p> <p>Bad odor all around the place from uncollected trash or rubbish.</p>
2.	Idea / Solution description	<p>This procedure uses a cloud connection and non-bio degradable wastes and an ultrasonic sensor to determine the level of a rubbish container</p> <p>By developing an app, the company of a certain neighborhood inside a large metropolis will be able to check the trash cans to see if they are full or not.</p>
3.	Novelty / Uniqueness	<p>In contrast to the traditional ways for collecting trash cans, this strategy instructs us to utilize the transportation only when necessary.</p> <p>Keeping an eye on the trash cans easier and less labor-intensive for humans.</p>
4.	Social Impact / Customer Satisfaction	<p>People can experience a clean atmosphere.</p> <p>Reduces the amount of labor required from humans for waste disposal.</p> <p>For a municipal corporation to monitor the cleanliness of different areas of the city, this proposal will be quite helpful.</p>
5.	Business Model (Revenue Model)	<p>By cutting back on unneeded transportation costs to pointless locations, this lowers a significant amount of fuel costs for city businesses.</p> <p>This initiative intends to assist municipal corporation.</p> <p>Provide a sanitary atmosphere.</p>

3.4 Problem Solution fit

Project Title: Smart Waste Management System for Metropolitan cities Project Design Phase-I - Solution Fit Template

Team ID: PNT2022TMID21861

Define CS, fit into CC	1. CUSTOMER SEGMENT(S) CS Who is your customer? i.e. working parents of 0-5 y.o. kids Private individuals, Property owners, Companies or industries	6. CUSTOMER CONSTRAINTS CC What constraints prevent your customers from taking action or limit their choices of solutions? i.e. spending power, budget, no cash, network connection, available devices. The risks and problems are the obstacles for the customers which limits them from proceeding further in the process	5. AVAILABLE SOLUTIONS AS Which solutions are available to the customers when they face the problem or need to get the job done? What have they tried in the past? What pros & cons do these solutions have? i.e. pen and paper is an alternative to digital notetaking Proper location can be identified and the waste can be managed by using smart system, which will be efficient economically.	Explore AS, differentiate
	2. JOBS-TO-BE-DONE / PROBLEMS J&P Which jobs-to-be-done (or problems) do you address for your customers? There could be more than one; explore different sides. Identify the storage full trash can which could be problem Send this notification to the admin as a problem	9. PROBLEM ROOT CAUSE RC What is the real reason that this problem exists? What is the back story behind the need to do this job? i.e. customers have to do it because of the change in regulations. It can both man-made error or machine error which can sometimes go wrong. This can cause a problem in proving an accurate or desired result. This is the main root cause of this result.	7. BEHAVIOUR BE What does your customer do to address the problem and get the job done? i.e. Directly related: find the right solar panel installer, calculate usage and benefits; indirectly associated: customers spend free time on volunteering work (i.e. Greenpeace) Based on the notification the trash can be identified. Properly waste can be managed.	
Focus on J&P, tap into BE, understand RC	3. TRIGGERS TR What triggers customers to act? i.e. seeing their neighbour installing solar panels, reading about a more efficient solution in the news. It can both man-made error or machine error which can sometimes go wrong.	10. YOUR SOLUTION SL If you are working on an existing business, write down your current solution first, fill in the canvas, and check how much it fits reality. If you are working on a new business proposition, then keep it blank until you fill in the canvas and come up with a solution that fits within customer limitations, solves a problem and matches customer behaviour. Proper location can be identified and the waste can be managed by using smart system, which will be efficient economically.	8. CHANNELS of BEHAVIOUR CH 8.1 ONLINE What kind of actions do customers take online? Extract online channels from #7 Check the storage of the trash can and store it in the IBM cloud. 8.2 OFFLINE What kind of actions do customers take offline? Extract offline channels from #7 and use them for customer development. Based on information waste can be managed.	Identify strong TR & EM
	4. EMOTIONS: BEFORE / AFTER EM How do customers feel when they face a problem or a job and afterwards? i.e. lost, insecure > confident, in control - use it in your communication strategy & design. If the results are not up to the expected point, it make them feel frustrated.			

4.REQUIREMENT ANALYSIS

4.1 Functional requirement

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	Real time bin monitoring.	The Dashboard shows statistics on the amount of fill in bins as it is being tracked by smart sensors. The application also forecasts when the bin will fill up based on past data in addition to the percentage of fill level, which is one of the features that even the finest waste management software lacks. As picks are also recognized by the sensors, you can determine when the bin was last emptied. You can get rid of the overflowing bins and cease collecting half-empty ones using real-time data and forecasts.
FR-2	Eliminate inefficient picks.	Get rid of the collection of half-empty trash cans. Picks are recognized by sensors. We can demonstrate to you how full the bins you collect are using real-time data on fill-levels and pick recognition.
FR-3	Plan waste collection routes.	Route planning for rubbish pickup is semiautomated using the tool. You are prepared to act and arrange for garbage collection based on the levels of bin fill that are now present and forecasts of approaching capacity. To find any discrepancies, compare the planned and actual paths.
FR-4	Adjust bin distribution.	Ensure the best possible bin distribution. Determine which regions have a dense or sparse distribution of bins. Ensure that each form of waste has a representative stand. You can make any required adjustments to bin position or capacity based on past data.
FR-5	Expensive bins.	We assist you in locating containers that increase collection prices. The tool determines a collection cost rating for each bin. The tool takes local average depo-bin discharge into account. The tool determines the distance from depo-bin discharge and rates bins (1–10).
FR-6	Detailed bin inventory.	On the map, you can see every monitored bin and stand, and you can use Google Street View at any time to visit them. On the map, bins or stands appear as green, orange, or red circles. The Dashboard displays information about each bin, including its capacity, trash kind, most recent measurement, GPS position, and pick-up schedule.

4.2 Non-Functional requirements

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	Usability is a unique and significant perspective to examine user needs, which may further enhance the design quality, according to IoT devices. Analyzing how well people interact with a product may help designers better understand customers' prospective demands for waste management, behavior, and experience in the design process when user experience is at the Centre.
NFR-2	Security	Utilize recyclable bottles. Utilize reusable shopping bags. Spend responsibly and recycle Eat and drink in limited-use containers.
NFR-3	Reliability	Creating improved working conditions for garbage collectors and drivers is another aspect of smart waste management. Waste collectors will use their time more effectively by attending to bins that require service rather than travelling the same collection routes and servicing empty bins.
NFR-4	Performance	The Smart Sensors assess the fill levels in bins (along with other data) numerous times each day using ultrasonic technology. The sensors feed data to Senone's Smart Waste Management Software System, a robust cloud-based platform with datadriven daily operations and a waste management app, using a variety of IoT networks (NB-IoT, GPRS). As a consequence, customers receive data-driven decision-making services, and garbage collection routes, frequency, and truck loads are optimized, resulting in at least a 30% decrease in route length.
NFR-5	Availability	By creating and implementing robust hardware and gorgeous software, we enable cities, companies, and nations to manage garbage more intelligently.
NFR-6	Scalability	Using smart trash bins allows us to scale up and monitor the rubbish more efficiently while also reducing the number of bins needed in towns and cities.

5.PROJECT DESIGN


5.1Data Flow Diagrams

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically.

It shows how data enters and leaves the system, what changes the information, and where data is stored.

A smart waste management platform uses analytics to translate the data gather in your **bins into actionable insights to help you improve your waste services**. You can receive data on metric such as:

- The first test conducted is the situation where the garbage bin is empty or its garbage level is very low
- Then, the bin is filled with more garbage until its level has surpassed the first threshold **value, which is set to 80% then the first warning SMS is being sent, as depicted**
- The first notification SMS sent by the system, once the waste reaches the level of 85% full
- The second notification SMS sent by the system, indicating that bin is at least 95% full and **the garbage needs to be collected immediately**
- Locations prone to overflow
- The number of bins needed to avoid overflowing waste
- The number of collection services that could be saved
- The amount of fuel that could be saved
- The driving distance that could be saved

Data flow diagram:

5.2 Solution & Technical Architecture:




Table-1: Components & Technologies:

S.no	Component	Description	Technology
1.	User Interface	Mobile Application	HTML, CSS, JavaScript.
2.	Application Logic	Logic for a process in the application	Java
3.	Database	Data Type, Configurations etc.	MySQL
4.	Cloud Database	Database Service on Cloud	IBM Cloud
5.	File Storage	File storage requirements	Local Filesystem and IBM cloud
6.	Infrastructure (Server / Cloud)	Application Deployment on Cloud Local Server Configuration	Local and Cloud Foundry

Table-2: Application Characteristics:

S.no	Characteristics	Description	Technology
1.	Open-Source Frameworks	GitHub	Internet hosting service
2.	Security Implementations	Application security: Veracode.	Network automation
3.	Scalable Architecture	It provides the room for expansion more database of smart bins added additionally can be updated.	Cloud storage
4.	Availability	As the system control is connected to web server it is available 24*7 and can be accessed whenever needed.	Server
5.	Performance	Performance is high it uses 5mb caches	Wireless Sensor Network

5.3 User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Admin	Login	USN-1	As an administrator, I assigned user names and passwords to each employee and managed them.	I can control my online account and dashboard.	Medium	Sprint-1
Co-Admin	Login	USN-2	As a Co-Admin, I'll control the waste level monitor. If a garbage filling alert occurs, I will notify the trash truck of the location and rubbish ID.	I can handle the waste collection.	High	Sprint-1
Truck Driver	Login	USN-3	As a Truck Driver, I'll follow Co Admin's instruction to reach the filled garbage.	I can take the shortest path to reach the waste filled route specified.	Medium	Sprint-2
Local Garbage Collector	Login	USN-4	As a Local Garbage Collector, I'll gather all the waste from the garbage, load it onto a garbage truck, and deliver it to Landfills	I can collect the trash, pull it to the truck, and send it out.	Medium	Sprint-3
Municipality officer	Login	USN-5	As a Municipality officer, I'll make sure everything is proceeding as planned and without any problems.	All of these processes are under my control.	High	Sprint-4

6. PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation

TITLE	DESCRIPTION	DATE
Literature Survey & Information Gathering	Literature survey on the selected project & gathering information by referring the, technical papers, research publications etc.	29 AUGUST 2022
Prepare Empathy Map	Prepare Empathy Map Canvas to capture the user Pains & Gains, Prepare list of problem statements	6 SEPTEMBER 2022
Ideation	List the by organizing the brainstorming session and prioritize the top 3 ideas based on the feasibility & importance.	12 SEPTEMBER 2022
Proposed Solution	Prepare the proposed solution document, which includes the novelty, feasibility of idea, business model, social impact, scalability of solution, etc.	23 SEPTEMBER 2022
Problem Solution Fit	Prepare problem - solution fit document.	24 SEPTEMBER 2022
Solution Architecture	Prepare solution architecture document.	30 SEPTEMBER 2022

6.2 Sprint Delivery Schedule

Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Software setup and database collection	USN-1	Initial setup of software required to build the project and database collection.	20	High	Akshaya M
Sprint-2	Establishing connections of ESP module with other sensors required	USN-2	Software connections of ESP module with other required sensors.	20	High	Akshaya E
Sprint-3	Cloud and IOT Watson setup	USN-3	Establishing cloud setup to fetch database and connecting with IOT Watson platform.	20	High	Arivumozhi S G
Sprint-4	Software Testing	USN-4	Finally, testing the output of project through software simulation.	20	High	Kiruthika J

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022		29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022		05 Nov 2022



Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022		12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022		19 Nov 2022



Velocity:

Average velocity for Sprint:

AV= 20/6=3.3

Web application






≡ control

control


Distance 1



LOAD CELL 1




Distance 2



LOAD CELL 2




Distance 3




LOAD CELL 3



Distance 4




LOAD CELL 4



8.RESULTS

8.1 Performance Metrics



9. ADVANTAGES & DISADVANTAGES

ADVANTAGES:

- Reduction in Collection Cost
- No Missed Pickups
- Reduced Overflows
- Waste Generation Analysis
- CO2 Emission Reduction

DISADVANTAGES:

- System requires a greater number of waste bins for separate waste collection as per population in the city.
- This results into high initial cost due to expensive smart dustbins compare to other methods.
- Sensor nodes used in the dustbins have limited memory size.

10.CONCLUSION

A Smart Waste Management system that is more effective than the one in use now is achievable by using sensors to monitor the filling of bins. Our conception of a "smart waste management system" focuses on monitoring waste management, offering intelligent technology for waste systems, eliminating human intervention, minimizing human time and effort, and producing a healthy and trash-free environment. The suggested approach can be implemented in smart cities where residents have busy schedules that provide little time for garbage management. If desired, the bins might be put into place in a metropolis where a sizable container would be able to hold enough solid trash for a single unit. The price might be high.

11.FUTURE SCOPE

There are several future works and improvements for the proposed system, including the following:

1. Change the system of user authentication and atomic lock of bins, which would aid in protecting the bin from damage or theft.
2. The concept of green points would encourage the involvement of residents or end users, making the idea successful and aiding in the achievement of collaborative waste management efforts, thus fulfilling the idea of Swachh Bharath.
3. Having case study or data analytics on the type and times waste is collected on different days or seasons, making bin filling predictable and removing the reliance on electronic components, and fixing the coordinates.
4. Improving the Server's and Android's graphical interfaces

PNT2022TMID01046

12) APPENDIX

Source Code

```
# Project : Smart Waste
Management # Team ID :
PNT2022TMID01046 import requests
import json import
ibmiotf.application import
ibmiotf.device import time import
random import sys

# watson device details
organization =
"ms9s4l" devicType =
"Project" deviceId =
"TMID01046" authMethod=
"token" authToken=
"13150415"

#generate random values for randomo variables for distance and loadcell

def myCommandCallback(cmd):
    global a    print("command recieved:%s"
%cmd.data['command'])
    control=cmd.data['command']    print(control)
    try:        deviceOptions={"org": organization, "type":
devicType,"id":
deviceId,"auth-method":authMethod,"auth-token":authToken}
    deviceCli = ibmiotf.device.Client(deviceOptions) except
Exception as e:
        print("caught exception connecting device %s" %str(e))
    sys.exit()

#connect and send a datapoint "distance and loadcell" with value integer
value into the cloud as a type of event for every 10 seconds
deviceCli.connect()
while
True:
    distance=
    random.randint(10,70)
    loadcell= random.randint(5,15)
```

PNT2022TMID01046

```
data= {'dist':distance,'load':loadcell}
    if loadcell < 13 and
loadcell > 15:
    load = "90 %"
elif loadcell < 8 and loadcell > 12:
    load = "60 %"
elif loadcell < 4 and loadcell > 7:
    load = "40 %"
else:
    load = "0
%"
if distance < 15:
    dist = 'Risk warning:' 'Dumpster poundage getting high, Time to
collect :) 90 %'

        elif distance < 40
and distance >16:
    dist = 'Risk warning:' 'dumpster is above 60%'
        elif distance < 60
and distance > 41:
    dist =
'Risk warning:' '40 %'
else:
    dist = 'Risk warning:' '17 %'

        if
load == "90 %" or distance == "90 %":
    warn = 'alert :' 'Risk Warning: Dumpster poundage getting high,
Time to collect :)'
elif
load == "60 %" or distance == "60 %":
    warn = 'alert :'
'dumpster is above 60%'
else :
    warn = 'alert :' 'No need to collect right now '
if distance <20:
    warn={'alert':'NEED BIN CHANGE!!!!!!'}
def
myOnPublishCallback(lat=10.939091,long=78.135731):
    print("Chennai")
    print("published distance = %s
" %distance,"loadcell:%s "
%loadcell,"lon = %s " %long,"lat = %s"
%lat)
    print(load)
print(dist)
    print(warn)
```

PNT2022TMID01046

```
time.sleep(10)

success=deviceCli.publishEvent ("IoTSensor","json",warn,qos=0,on publish=
myOnPublishCallback)

success=deviceCli.publishEvent ("IoTSensor","json",data,qos=0,on publish=
myOnPublishCallback)

if not success:
    print("not connected to ibmiot")
    time.sleep(10)

deviceCli.commandCallback=myCommandCallback
#disconnect the device
deviceCli.disconnect()
```

GitHub Link: <https://github.com/IBM-EPBL/IBM-Project-18727-1659689011>

Video Demo Link: <https://youtu.be/6RfguMK6EF0>