### PROJECT DEVELOPMENT PHASE

#### **SPRINT-1 SOURCE CODE**

Date	30 October 2022
Team ID	PNT2022TMID49469
Project Name	AI-Powered Nutrition Analyzer For Fitness Enthusiasts
Maximum Marks	8 Marks

## login.php

```
<?php
include 'config.php';
use PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;
require 'vendor/autoload.php';
session_start();
error_reporting(0);
if (isset($_SESSION["user_id"])) {
header("Location: welcome.php");
}
if (isset($_POST["signup"])) {
 $full_name = mysqli_real_escape_string($conn, $_POST["signup_full_name"]);
 $email = mysqli_real_escape_string($conn, $_POST["signup_email"]);
 $password = mysqli_real_escape_string($conn, md5($_POST["signup_password"]));
 $cpassword = mysqli_real_escape_string($conn, md5($_POST["signup_cpassword"]));
 token = md5(rand());
 $check_email = mysqli_num_rows(mysqli_query($conn, "SELECT email FROM users
WHERE email='$email'"));
```

```
if ($password !== $cpassword) {
  echo "<script>alert('Password did not match.');</script>";
 \} elseif (\$check email > 0) {
  echo "<script>alert('Email already exists in out database.');</script>";
 } else {
  $sql = "INSERT INTO users (full_name, email, password, token, status) VALUES
('$full_name', '$email', '$password', '$token', '0')";
  $result = mysqli_query($conn, $sql);
  if ($result) {
   $_POST["signup_full_name"] = "";
   $_POST["signup_email"] = "";
   $_POST["signup_password"] = "";
   $_POST["signup_cpassword"] = "";
   to = \text{semail};
   $subject = "Email verification - Scan My Nutri";
   $message = "
   <html>
   <head>
   <title>{$subject}</title>
   </head>
   <body>
   <strong>Dear {$full_name},</strong>
   Thanks for registration! Verify your email to access our website. Click below link to
verify your email.
   <a href='{$base_url}verify-email.php?token={$token}'>Verify Email</a>
   </body>
   </html>
```

```
//Create an instance; passing `true` enables exceptions
   $mail = new PHPMailer(true);
   try {
    //Server settings
    \text{smail->SMTPDebug} = 0;
                                         //Enable verbose debug output
    $mail->isSMTP();
                                                //Send using SMTP
    $mail->Host
                    = $smtp['host'];
                                               //Set the SMTP server to send through
    $mail->SMTPAuth = true;
                                                   //Enable SMTP authentication
    $mail->Username = $smtp['user'];
                                                  //SMTP username
    $mail->Password = $smtp['pass'];
                                                        //SMTP password
    $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
                                                                      //Enable implicit TLS
encryption
    $mail->Port
                    = $smtp['port'];
                                                        //TCP port to connect to; use 587 if
you have set `SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`
    //Recipients
    $mail->setFrom($my_email);
    $mail->addAddress($email, $full_name);
                                              //Add a recipient
    //Content
    $mail->isHTML(true);
                                              //Set email format to HTML
    $mail->Subject = $subject;
    $mail->Body = $message;
    $mail->send();
    echo "<script>alert('We have sent a verification link to your email - {$email}.');</script>";
   } catch (Exception $e) {
    echo "<script>alert('Mail not sent. Please try again.');</script>";
   }
  } else {
   echo "<script>alert('User registration failed.');</script>";
```

```
}
if (isset($_POST["signin"])) {
 $email = mysqli_real_escape_string($conn, $_POST["email"]);
 $password = mysqli_real_escape_string($conn, md5($_POST["password"]));
 $check_email = mysqli_query($conn, "SELECT id FROM users WHERE email='$email' AND
password='$password' AND status='1'");
 if (mysqli_num_rows($check_email) > 0) {
  $row = mysqli_fetch_assoc($check_email);
  $_SESSION["user_id"] = $row['id'];
  header("Location: welcome.php");
 } else {
  echo "<script>alert('Login details is incorrect. Please try again.');</script>";
 }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <link rel="stylesheet" href="style.css" />
 <title>Scan My Nutri</title>
</head>
<body>
```

```
<div class="container">
  <div class="forms-container">
   <div class="signin-signup">
    <form action="" method="post" class="sign-in-form">
     <h2 class="title">Sign in</h2>
     <div class="input-field">
      <i class="fas fa-user"></i>
      <input type="text" placeholder="Email Address" name="email" value="<?php echo</pre>
$_POST['email']; ?>" required />
     </div>
     <div class="input-field">
      <i class="fas fa-lock"></i>
      <input type="password" placeholder="Password" name="password" value="<?php echo
$_POST['password']; ?>" required />
     </div>
     <input type="submit" value="Login" name="signin" class="btn solid" />
     <a</p>
href="forgot-password.php" style="color: #4590ef;">Forgot Password?</a>
    </form>
    <form action="" class="sign-up-form" method="post">
     <h2 class="title">Sign up</h2>
     <div class="input-field">
      <i class="fas fa-user"></i>
      <input type="text" placeholder="Full Name" name="signup_full_name" value="<?php</pre>
echo $_POST["signup_full_name"]; ?>" required />
     </div>
     <div class="input-field">
      <i class="fas fa-envelope"></i>
```

```
<input type="email" placeholder="Email Address" name="signup_email" value="<?php</pre>
echo $_POST["signup_email"]; ?>" required />
      </div>
      <div class="input-field">
       <i class="fas fa-lock"></i>
       <input type="password" placeholder="Password" name="signup_password"</pre>
value="<?php echo $_POST["signup_password"]; ?>" required />
      </div>
      <div class="input-field">
       <i class="fas fa-lock"></i>
       <input type="password" placeholder="Confirm Password" name="signup_cpassword"
value="<?php echo $_POST["signup_cpassword"]; ?>" required />
      </div>
      <input type="submit" class="btn" name="signup" value="Sign up" />
     </form>
   </div>
  </div>
  <div class="panels-container">
   <div class="panel left-panel">
     <div class="content">
      <h3>New here ?</h3>
      <br>
      <button class="btn transparent" id="sign-up-btn">
       Sign up
      </button>
     </div>
```

```
<img src="img/download.png" class="image" alt="" />
   </div>
   <div class="panel right-panel">
    <div class="content">
      <h3>One of us ?</h3>
      <br>
           <button class="btn transparent" id="sign-in-btn">
       Sign in
      </button>
    </div>
    <img src="img/image.png" class="image" alt="" />
   </div>
  </div>
 </div>
<script src="https://kit.fontawesome.com/64d58efce2.js" crossorigin="anonymous"></script>
 <script src="app.js"></script>
</body>
</html>
```

# logout.php

```
<?php
session_start();
session_unset();
session_destroy();
header("Location: login.php");
?>
```

## Verify-email.php

```
<?php
session_start();
if (isset($_GET["token"])) {
  include 'config.php';
  \$sql = "UPDATE \ users \ SET \ status='1' \ WHERE \ token='\{\$\_GET["token"]\}''';
  mysqli_query($conn, $sql);
  $showUserId = mysqli_fetch_assoc(mysqli_query($conn, "SELECT id FROM users WHERE
token='{$_GET["token"]}'"));
  $_SESSION["user_id"] = $showUserId['id'];
  header("Location: welcome.php");
} else {
  header("Location: login.php");
}
?>
reset-password.php
<?php
include 'config.php';
error_reporting(0);
session_start();
if (isset($_SESSION["user_id"])) {
 header("Location: welcome.php");
}
```

```
if (isset($_POST["resetPassword"])) {
 $password = mysqli_real_escape_string($conn, md5($_POST["new_password"]));
 $cpassword = mysqli_real_escape_string($conn, md5($_POST["cnew_password"]));
 if ($password === $cpassword) {
  $sql = "UPDATE users SET password='$password' WHERE token='{$_GET["token"]}'";
  mysqli_query($conn, $sql);
  header("Location: login.php");
 } else {
  echo "<script>alert('Password not matched.');</script>";
 }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <link rel="stylesheet" href="style.css" />
 <title>Scan My Nutri</title>
</head>
<body>
 <div class="container">
  <div class="forms-container">
   <div class="signin-signup">
    <form action="" method="post" class="sign-in-form">
     <h2 class="title">Reset Password</h2>
```

```
<div class="input-field">
       <i class="fas fa-lock"></i>
       <input type="password" placeholder="New Password" name="new_password"</pre>
value="<?php echo $_POST['new_password']; ?>" required />
      </div>
      <div class="input-field">
       <i class="fas fa-lock"></i>
       <input type="password" placeholder="Confirm New Password" name="cnew_password"</pre>
value="<?php echo $_POST['cnew_password']; ?>" required />
      </div>
      <input type="submit" value="Reset Password" name="resetPassword" class="btn solid" />
     </form>
   </div>
  </div>
  <div class="panels-container">
   <div class="panel left-panel">
    <div class="content">
      <h3>Reset Password ?</h3>
    </div>
    <img src="img/log.svg" class="image" alt="" />
   </div>
  </div>
 </div>
<script src="https://kit.fontawesome.com/64d58efce2.js" crossorigin="anonymous"></script>
 <script src="app.js"></script>
</body>
</html>
```

### reset-password.php

```
<?php
include 'config.php';
error_reporting(0);
session_start();
if (isset($_SESSION["user_id"])) {
 header("Location: welcome.php");
if (isset($_POST["resetPassword"])) {
 $password = mysqli_real_escape_string($conn, md5($_POST["new_password"]));
 $cpassword = mysqli_real_escape_string($conn, md5($_POST["cnew_password"]));
 if ($password === $cpassword) {
  $sql = "UPDATE users SET password='$password' WHERE token='{$_GET["token"]}'";
  mysqli_query($conn, $sql);
  header("Location: login.php");
 } else {
  echo "<script>alert('Password not matched.');</script>";
 }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <link rel="stylesheet" href="style.css" />
 <title>Scan My Nutri</title>
```

```
</head>
<body>
 <div class="container">
  <div class="forms-container">
   <div class="signin-signup">
     <form action="" method="post" class="sign-in-form">
      <h2 class="title">Reset Password</h2>
      <div class="input-field">
       <i class="fas fa-lock"></i>
       <input type="password" placeholder="New Password" name="new_password"</pre>
value="<?php echo $_POST['new_password']; ?>" required />
      </div>
      <div class="input-field">
       <i class="fas fa-lock"></i>
       <input type="password" placeholder="Confirm New Password" name="cnew_password"</pre>
value="<?php echo $_POST['cnew_password']; ?>" required />
      </div>
      <input type="submit" value="Reset Password" name="resetPassword" class="btn solid" />
     </form>
   </div>
  </div>
  <div class="panels-container">
   <div class="panel left-panel">
     <div class="content">
      <h3>Reset Password ?</h3>
     </div>
     <img src="img/log.svg" class="image" alt="" />
   </div>
```

```
</div>
</div>
<script src="https://kit.fontawesome.com/64d58efce2.js" crossorigin="anonymous"></script>
<script src="app.js"></script>
</body>
</html>
```

### forgot-password.php

```
<?php
include 'config.php';
use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;
require 'vendor/autoload.php';
session_start();
error_reporting(0);
if (isset($_SESSION["user_id"])) {
 header("Location: welcome.php");
}
if (isset($_POST["resetPassword"])) {
 $email = mysqli_real_escape_string($conn, $_POST["email"]);
 $check_email = mysqli_query($conn, "SELECT * FROM users WHERE email='$email'");
 if (mysqli_num_rows($check_email) > 0) {
  $data = mysqli_fetch_assoc($check_email);
  to = \text{semail};
  $subject = "Reset Password - Scan My Nutri";
```

```
$message = "
  <html>
  <head>
  <title>{$subject}</title>
  </head>
  <body>
  <strong>Dear {$data['full_name']},</strong>
  Forgot Password? Not a problem. Click below link to reset your password.
  <a href='{$base_url}reset-password.php?token={$data['token']}'>Reset
Password</a>
  </body>
  </html>
  $mail = new PHPMailer(true);
try {
      \text{smail->}SMTPDebug = 0;
   $mail->isSMTP();
   $mail->Host
                  = $smtp['host'];
   $mail->SMTPAuth = true;
   $mail->Username = $smtp['user'];
   $mail->Password = $smtp['pass'];
   $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
   $mail->Port
                  = $smtp['port'];
   $mail->setFrom($my_email);
   $mail->addAddress($email, $data['full_name']);
   $mail->isHTML(true);
   $mail->Subject = $subject;
   $mail->Body = $message;
```

```
$mail->send();
   echo "<script>alert('We have sent a reset password link to your email -
{$email}.');</script>";
  } catch (Exception $e) {
   echo "<script>alert('Mail not sent. Please try again.');</script>";
  }
 } else {
  echo "<script>alert('Email not found.');</script>";
 }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <link rel="stylesheet" href="style.css" />
 <title>Scan My Nutri</title>
</head>
<body>
 <div class="container">
  <div class="forms-container">
   <div class="signin-signup">
    <form action="" method="post" class="sign-in-form">
      <h2 class="title">Reset Password</h2>
      <div class="input-field">
       <i class="fas fa-user"></i>
```

```
<input type="text" placeholder="Email Address" name="email" value="<?php echo</pre>
$_POST['email']; ?>" required />
      </div>
      <input type="submit" value="Send Verification Link" name="resetPassword" class="btn</pre>
solid"/>
    </form>
   </div>
  </div>
  <div class="panels-container">
   <div class="panel left-panel">
     <div class="content">
      <h3>Forgot Password ?</h3>
</div>
    <img src="img/img1.png" class="image" alt="" />
   </div>
  </div>
 </div>
 <script src="https://kit.fontawesome.com/64d58efce2.js" crossorigin="anonymous"></script>
 <script src="app.js"></script>
</body>
</html>
config.php
<?php
$hostname = "localhost";
$username = "root";
$password = "";
$database = "test";
```

```
$conn = mysqli_connect($hostname, $username, $password, $database) or die("Database
connection failed");
$base_url = "http://localhost/Scan-My-Nutri/";
$my_email = "ENTER YOUR MAIL";
$smtp['host'] = "smtp.gmail.com";
$smtp['user'] = " ENTER YOUR MAIL ";
$smtp['pass'] = "ENTER YOUR PASSWORD";
$smtp['port'] = 465;
db.sql
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";
CREATE TABLE `users` (
 'id' int(11) NOT NULL,
 `full_name` varchar(50) NOT NULL,
 'email' varchar(100) NOT NULL,
 `password` varchar(255) NOT NULL,
 `token` varchar(255) NOT NULL,
 `status` int(11) NOT NULL,
 `photo` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
INSERT INTO `users` (`id`, `full_name`, `email`, `password`, `token`, `status`, `photo`)
VALUES
```

(1, 'Mugesh', 'mugesh9902@gmail.com', 'bedebb62a1716ada5fa7203f46c02723', '0cb5e63a18e45aadc68a9e894d88618d', 1, '907182248Screenshot 2021-05-17 115128.png');

ALTER TABLE `users`

ADD PRIMARY KEY ('id');

AUTO\_INCREMENT for dumped tables

AUTO\_INCREMENT for table `users`

ALTER TABLE `users`

 $MODIFY `id` int (11) NOT NULL AUTO\_INCREMENT, AUTO\_INCREMENT=3; \\$ 

COMMIT;