Project Development Phase

Sprint-4 Coding (Application Building)

Date	17 November 2022
Team ID	PNT2022TMID49453
Project Name	VirtualEye - Life Guard For Swimming Pools To Detect Active Drowning
Maximum Marks	8 Marks

```
app.py:
# import necessary packages
import cylib as cy
from cvlib.object_detection import draw_bbox
# import necessary packages
from flask import Flask, render template, request
import requests
import os
from sys import exit
import cylib as cy
from cvlib.object_detection import draw_bbox
import cv2
import time
import numpy as np
import math
import argparse
import playsound
import mysql.connector
app = Flask(__name__)
conn=mysql.connector.connect(host="localhost", user="root", password="", database="login")
cursor=conn.cursor()
@app.route('/')
def index():
  return render_template('index.html')
@app.route('/login')
def login(): # put application's code here
  return render_template('login.html')
@app.route('/register')
def register():
  return render template('register.html')
@app.route('/home')
def home():
```

```
return render_template('index1.html')
@app.route('/login_validation', methods=['POST'])
def login validation():
  email=request.form.get('email')
  password=request.form.get('password')
  cursor.execute("""SELECT * FROM `users` WHERE `email` LIKE'{}' AND `password` LIKE
'{}'""".format(email,password))
  users = cursor.fetchall()
  if len(users)>0:
     return render_template('index1.html')
  else:
     return render template('login.html', prediction text = "1")
@app.route('/add user', methods=['POST'])
def add user():
  name= request.form.get('name')
  email = request.form.get('email')
  password = request.form.get('password')
  cursor.execute("""INSERT INTO `users`('id', `name', `email', `password') VALUES
(NULL, '{}', '{}', '{}')""".format(name, email, password))
  conn.commit()
  return render_template('login.html', prediction_text = "0")
@app.route('/step2')
def step2():
  print("Begin")
  webcam = cv2.VideoCapture("garden.mp4")
  padding = 20
  if not webcam.isOpened():
     print("Could not open webcam")
     exit()
  t0 = time.time() #gives time in seconds after 1970
  #print('t0=',t0)
#variable dcount stands for how many seconds the person has been standing still for
  centre0 = np.zeros(2)
  isDrowning = False
#this loop happens approximately every 1 second, so if a person doesn't move,
#or moves very little for 10seconds, we can say they are drowning
# loop through frames
  while webcam.isOpened():
  # read frame from webcam
     status, frame = webcam.read()
```

```
if not status:
     break
\#small\_frame = cv2.resize(frame,(0,0),fx = 0.5,fy = 0.5)
# apply object detection
  bbox, label, conf = cv.detect common objects(frame, confidence=0.25, model='yolov3-tiny')
  print(bbox, label, conf)
  if(len(bbox)>0):
     bbox0 = bbox[0]
   \#centre = np.zeros(s)
     centre = [0,0]
   #for i in range(0, len(bbox)):
     #centre[i] =[(bbox[i][0]+bbox[i][2])/2,(bbox[i][1]+bbox[i][3])/2 ]
     centre = [(bbox0[0]+bbox0[2])/2,(bbox0[1]+bbox0[3])/2]
   #make vertical and horizontal movement variables
     hmov = abs(centre[0]-centre0[0])
     vmov = abs(centre[1]-centre0[1])
   #there is still need to tweek the threshold
   #this threshold is for checking how much the centre has moved
     x=time.time()
    threshold = 10
     #print("hmov=",hmov)
     if(hmov>threshold or vmov>threshold):
       print(x-t0, 'sif')
       t0 = time.time()
       isDrowning = False
     else:
       print(x-t0, 'selse')
       if((time.time() - t0) > 10):
          isDrowning = True
     print('bbox: ', bbox, 'centre:', centre, 'centre0:', centre0)
     print('Is he/she drowning: ', isDrowning)
          #print('End of the program')
     centre0 = centre
     # draw bounding box over detected objects
     # draw bounding box over detected objects
  out = draw_bbox(frame, bbox, label, conf, write_conf=True)
     # display output
  cv2.imshow("Real-time object detection", out)
  if(isDrowning == True):
     webcam.release()
     cv2.destroyAllWindows()
     return render_template('index1.html', prediction_text = "1")
```

press "Q" to stop

```
if cv2.waitKey(1) \& 0xFF == ord('q'):
       break
# release resources
  webcam.release()
  cv2.destroyAllWindows()
if __name__ == '__main__':
       app.run(debug=True)
Index.html(Before prediction):
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <meta name="author" content="templatemo">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100;300;400;500;700;900&display=
swap" rel="stylesheet">
  <title>Drowning Detection</title>
  <!-- Bootstrap core CSS -->
  k type="text/css" rel="stylesheet" href="{{ url for('static',
filename='bootstrap/css/bootstrap.min.css') }}" />
  k type="text/css" rel="stylesheet" href="{{ url_for('static', filename='css/fontawesome.css') }}"
/>
  <link type="text/css" rel="stylesheet" href="{{ url_for('static', filename='css/templatemo-liberty-</pre>
market.css') }}" />
  <link type="text/css" rel="stylesheet" href="{{ url_for('static', filename='css/owl.css') }}" />
  <link type="text/css" rel="stylesheet" href="{{ url for('static', filename='css/animate.css') }}" />
  <link type="text/css" rel="stylesheet" href="https://unpkg.com/swiper@7/swiper-bundle.min.css"</pre>
/>
 </head>
<body>
 <!-- ***** Preloader Start ***** -->
 <div id="js-preloader" class="js-preloader">
  <div class="preloader-inner">
    <span class="dot"></span>
    <div class="dots">
     <span></span>
     <span></span>
     <span></span>
    </div>
  </div>
 </div>
```

<!-- **** Preloader End **** -->

```
<!-- **** Header Area Start **** -->
<header class="header-area header-sticky">
 <div class="container">
   <div class="row">
      <div class="col-12">
        <nav class="main-nav">
           <!-- **** Logo Start **** -->
           <a href="index.html" class="logo">
           <img src="{{ url_for('static', filename='images/Untitled.png') }}" alt="">
           <!-- ***** Logo End ***** -->
           <!-- **** Menu Start **** -->
           ul class="nav">
             <a href="/" class="active">Home</a>
             <a href="/login">Sign In</a>
             <a href="/register">Sign Up</a>
             <a href="/login">Drown Detect</a>
           <a class='menu-trigger'>
             <span>Menu</span>
           <!-- **** Menu End **** -->
        </nav>
      </div>
   </div>
 </div>
</header>
<!-- **** Header Area End **** -->
<!-- **** Main Banner Area Start **** -->
<div class="main-banner">
 <div class="container">
  <div class="row">
   <div class="col-lg-6 align-self-center">
    <div class="header-text">
      <h6>Let's Start.</h6>
      <h2>Drowning Detection</h2>
      It is an active drowning detection system using artificial intelligence.
      <div class="buttons">
      <div class="main-button">
        <a href="/login">Detect</a>
      </div>
      </div>
    </div>
   <div class="col-lg-5 offset-lg-1">
    <div class="owl-banner owl-carousel">
      <div class="item">
       <img src="{{ url_for('static', filename='images/banner-01.png') }}" alt="">
      <div class="item">
       <img src="{{ url_for('static', filename='images/banner-02.png') }}" alt="">
      </div>
    </div>
   </div>
  </div>
```

```
</div>
 </div>
 <!-- **** Main Banner Area End **** -->
 <!-- Scripts -->
 <!-- Bootstrap core JavaScript -->
 <script src="{{ url_for('static', filename='jquery/jquery.min.js') }}"></script>
 <script src="{{ url for('static', filename='bootstrap/js/bootstrap.min.js') }}" ></script>
 <script src="{{ url_for('static', filename='js/isotope.min.js') }}"></script>
 <script src="{{ url_for('static', filename='js/owl-carousel.js') }}"></script>
 <script src="{{ url_for('static', filename='js/tabs.js') }}"></script>
 <script src="{{ url_for('static', filename='js/popup.js') }}"></script>
 <script src="{{ url for('static', filename='js/custom.js') }}"></script>
</body>
</html>
Index1.html(After prediction):
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="utf-8">
   <meta name="author" content="templatemo">
   <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100;300;400;500;700;900&display=
swap" rel="stylesheet">
   <title>Drowning Detection</title>
   <!-- Bootstrap core CSS -->
   k type="text/css" rel="stylesheet" href="{{ url_for('static',
filename='bootstrap/css/bootstrap.min.css') }}" />
   <link type="text/css" rel="stylesheet" href="{{ url_for('static', filename='css/fontawesome.css') }}"</pre>
/>
   k type="text/css" rel="stylesheet" href="{{ url for('static', filename='css/templatemo-liberty-
market.css') }}" />
   <link type="text/css" rel="stylesheet" href="{{ url_for('static', filename='css/owl.css') }}" />
   <link type="text/css" rel="stylesheet" href="{{ url for('static', filename='css/animate.css') }}" />
   k type="text/css" rel="stylesheet" href="https://unpkg.com/swiper@7/swiper-bundle.min.css"
/>
 </head>
```

<body>

```
<!-- ***** Preloader Start ***** -->
<div id="js-preloader" class="js-preloader">
 <div class="preloader-inner">
  <span class="dot"></span>
  <div class="dots">
   <span></span>
   <span></span>
   <span></span>
  </div>
 </div>
</div>
<!-- ***** Preloader End ***** -->
<!-- **** Header Area Start **** -->
<header class="header-area header-sticky">
 <div class="container">
   <div class="row">
      <div class="col-12">
        <nav class="main-nav">
          <!-- ***** Logo Start ***** -->
          <a href="index.html" class="logo">
           <img src="{{ url_for('static', filename='images/Untitled.png') }}" alt="">
          </a>
          <!-- ***** Logo End ***** -->
          <!-- **** Menu Start **** -->
          ul class="nav">
             <a href="/" >Home</a>
             <a href="/login">Sign In</a>
             <a href="/register">Sign Up</a>
             <a href="/home" class="active">Drown Detect</a>
          <a class='menu-trigger'>
             <span>Menu</span>
          <!-- **** Menu End **** -->
        </nav>
      </div>
   </div>
 </div>
</header>
<!-- **** Header Area End **** -->
<!-- **** Main Banner Area Start **** -->
<div class="main-banner">
 <div class="container">
  <div class="row">
   <div class="col-lg-6 align-self-center">
    <div class="header-text">
      <h6>Let's Start.</h6>
      <h2>Drowning Detection</h2>
      It is an active drowning detection system using artificial intelligence.
      <div class="buttons">
      <div class="main-button">
        <a href="/step2">Detect</a>
      </div>
      </div>
```

```
</div>
     </div>
     <div class="col-lg-5 offset-lg-1">
      <div class="owl-banner owl-carousel">
       <div class="item">
         <img src="{{ url_for('static', filename='images/banner-01.png') }}" alt="">
       </div>
       <div class="item">
         <img src="{{ url_for('static', filename='images/banner-02.png') }}" alt="">
       </div>
      </div>
     </div>
    </div>
  </div>
 </div>
 <!-- **** Main Banner Area End **** -->
 <div class="currently-market">
  <div class="container">
    <div class="row">
     <div class="col-lg-6">
      <div class="section-heading">
       <div class="line-dec"></div>
       <h2><em>Current</em> Drowning Details.</h2>
      </div>
     </div>
     <div class="col-lg-12">
      <div class="row grid">
       <div class="col-lg-6 currently-market-item all msc">
         <div class="item">
          {% if prediction_text == "0" %}
          <h2>" The Person is Swimming "</h2>
          {% elif prediction_text == "1" %}
          <div class="left-image">
           <img src="{{ url_for('static', filename='images/avatar.png') }}" alt="" style="border-radius:</pre>
20px; min-width: 195px;">
          </div>
          <div class="right-content">
           <h4>1 Person Drowing</h4>
          </div>
         </div>
       </div>
      </div>
     </div>
     {% endif %}
    </div>
  </div>
 </div>
 <!-- Scripts -->
 <!-- Bootstrap core JavaScript -->
 <script src="{{ url_for('static', filename='jquery/jquery.min.js') }}"></script>
 <script src="{{ url_for('static', filename='bootstrap/js/bootstrap.min.js') }}" ></script>
 <script src="{{ url_for('static', filename='js/isotope.min.js') }}"></script>
```

```
<script src="{{ url_for('static', filename='js/owl-carousel.js') }}"></script>
 <script src="{{ url_for('static', filename='js/tabs.js') }}"></script>
 <script src="{{ url_for('static', filename='js/popup.js') }}"></script>
 <script src="{{ url for('static', filename='js/custom.js') }}"></script>
</body>
</html>
Login.html
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="utf-8">
   <meta name="author" content="templatemo">
   <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100;300;400;500;700;900&display=
swap" rel="stylesheet">
   <title>Drowning Detection</title>
   <!-- Bootstrap core CSS -->
   k type="text/css" rel="stylesheet" href="{{ url_for('static',
filename='bootstrap/css/bootstrap.min.css') }}" />
   <link type="text/css" rel="stylesheet" href="{{ url_for('static', filename='css/bootstrap.min.css') }}"</pre>
/>
   <link type="text/css" rel="stylesheet" href="{{ url_for('static', filename='css/style1.css') }}" />
   <link type="text/css" rel="stylesheet" href="{{ url_for('static', filename='css/fontawesome.css') }}"</pre>
/>
   k type="text/css" rel="stylesheet" href="{{ url for('static', filename='css/templatemo-liberty-
market.css') }}" />
   <link type="text/css" rel="stylesheet" href="{{ url_for('static', filename='css/owl.css') }}" />
   <link type="text/css" rel="stylesheet" href="{{ url_for('static', filename='css/animate.css') }}" />
   k type="text/css" rel="stylesheet" href="https://unpkg.com/swiper@7/swiper-bundle.min.css"
/>
 </head>
<body>
 <!-- ***** Preloader Start ***** -->
 <div id="js-preloader" class="js-preloader">
   <div class="preloader-inner">
    <span class="dot"></span>
    <div class="dots">
     <span></span>
```


</div>

```
</div>
 </div>
 <!-- ***** Preloader End ***** -->
 <!-- ***** Header Area Start ***** -->
 <header class="header-area header-sticky">
  <div class="container">
    <div class="row">
       <div class="col-12">
         <nav class="main-nav">
            <!-- **** Logo Start **** -->
            <a href="index.html" class="logo">
            <img src="{{ url_for('static', filename='images/Untitled.png') }}" alt="">
            </a>
            <!-- ***** Logo End ***** -->
            <!-- **** Menu Start **** -->
            ul class="nav">
              <a href="/" >Home</a>
              <a href="/login" class="active">Sign In</a>
              <a href="/register">Sign Up</a>
              <a href="/login">Drown Detect</a>
            <a class='menu-trigger'>
              <span>Menu</span>
            <!-- **** Menu End **** -->
         </nav>
       </div>
    </div>
  </div>
 </header>
 <!-- **** Header Area End **** -->
 <!-- **** Main Banner Area Start **** -->
 <div class="main-banner">
  <div class="container">
   <div class="row">
    <div class="col-lg-6 align-self-center">
      <div class="header-text">
       <h6>Let's </h6>
       <h2>Sign In</h2>
        Welcome You Back!
      </div>
    </div>
    <div class="col-lg-6">
      <div class="owl-banner owl-carousel">
       <div class="col-md-11 col-md-offset-1">
              <div class="booking-form">
              <form class="form" method="post" action="/login_validation">
               <div class="row">
                 <div class="col-md-12">
                   <div class="form-group">
                      <span class="form-label">Email</span>
                        <input type="email" class="form-control" name="email"
placeholder="Enter Your Email" required="true">
                      <span class="select-arrow"></span>
                    </div>
```

```
</div>
                </div>
                 <div class="row">
                  <div class="col-md-12">
                     <div class="form-group">
                       <span class="form-label">Password</span>
                          <input type="password" class="form-control" name="password"
placeholder="Enter Your Password" required="true">
                       <span class="select-arrow"></span>
                     </div>
                  </div>
                </div>
                  <div class="form-btn">
                     <button class="submit-btn">Sign In
               Not a member? <a href="/register">Create
Account</a> 
                 </form>
              </div>
              <!Booking form>
      </div>
     </div>
   </div>
  </div>
 </div>
 <!-- **** Main Banner Area End **** -->
 <!-- Scripts -->
 <!-- Bootstrap core JavaScript -->
 <script src="{{ url_for('static', filename='jquery/jquery.min.js') }}"></script>
 <script src="{{ url_for('static', filename='bootstrap/js/bootstrap.min.js') }}" ></script>
 <script src="{{ url_for('static', filename='js/isotope.min.js') }}"></script>
 <script src="{{ url_for('static', filename='js/owl-carousel.js') }}"></script>
 <script src="{{ url_for('static', filename='js/tabs.js') }}"></script>
 <script src="{{ url_for('static', filename='js/popup.js') }}"></script>
 <script src="{{ url_for('static', filename='js/custom.js') }}"></script>
</body>
</html>
Register.html
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <meta name="author" content="templatemo">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
```

```
k
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100;300;400;500;700;900&display=
swap" rel="stylesheet">
  <title>Drowning Detection</title>
  <!-- Bootstrap core CSS -->
  k type="text/css" rel="stylesheet" href="{{ url for('static',
filename='bootstrap/css/bootstrap.min.css') }}" />
  k type="text/css" rel="stylesheet" href="{{ url for('static', filename='css/bootstrap.min.css') }}"
/>
  <link type="text/css" rel="stylesheet" href="{{ url_for('static', filename='css/style1.css') }}" />
  k type="text/css" rel="stylesheet" href="{{ url_for('static', filename='css/fontawesome.css') }}"
/>
  k type="text/css" rel="stylesheet" href="{{ url for('static', filename='css/templatemo-liberty-
market.css') }}" />
  <link type="text/css" rel="stylesheet" href="{{ url for('static', filename='css/owl.css') }}" />
  <link type="text/css" rel="stylesheet" href="{{ url for('static', filename='css/animate.css') }}" />
  <link type="text/css" rel="stylesheet" href="https://unpkg.com/swiper@7/swiper-bundle.min.css"</pre>
/>
 </head>
<body>
 <!-- ***** Preloader Start ***** -->
 <div id="is-preloader" class="is-preloader">
  <div class="preloader-inner">
    <span class="dot"></span>
    <div class="dots">
     <span></span>
     <span></span>
     <span></span>
    </div>
  </div>
 </div>
 <!-- ***** Preloader End ***** -->
 <!-- **** Header Area Start **** -->
 <header class="header-area header-sticky">
  <div class="container">
     <div class="row">
       <div class="col-12">
          <nav class="main-nav">
             <!-- **** Logo Start **** -->
             <a href="index.html" class="logo">
             <img src="{{ url for('static', filename='images/Untitled.png') }}" alt="">
             <!-- ***** Logo End ***** -->
             <!-- **** Menu Start **** -->
             ul class="nav">
               <a href="/" >Home</a>
               <a href="/login">Sign In</a>
               <a href="/register" class="active">Sign Up</a>
               <a href="/login">Drown Detect</a>
```

```
<a class='menu-trigger'>
              <span>Menu</span>
            <!-- **** Menu End **** -->
         </nav>
       </div>
    </div>
  </div>
 </header>
 <!-- **** Header Area End **** -->
 <!-- **** Main Banner Area Start **** -->
 <div class="main-banner">
  <div class="container">
   <div class="row">
    <div class="col-lg-6 align-self-center">
      <div class="header-text">
       <h6>Let's</h6>
       <h2>Sign Up</h2>
       Create Your Account With Us.
      </div>
    </div>
    <div class="col-lg-6">
      <div class="owl-banner owl-carousel">
       <div class="col-md-11 col-md-offset-1">
              <div class="booking-form">
               <form class="form" method="post" action="/add_user">
                <div class="row">
                  <div class="col-md-12">
                     <div class="form-group">
                       <span class="form-label">Name</span>
                          <input type="text" class="form-control" name="name"
placeholder="Enter Your Name" required="true">
                       <span class="select-arrow"></span>
                     </div>
                  </div>
                 </div>
               <div class="row">
                 <div class="col-md-12">
                   <div class="form-group">
                      <span class="form-label">Email</span>
                         <input type="email" class="form-control" name="email"
placeholder="Enter Your Email" required="true">
                      <span class="select-arrow"></span>
                   </div>
                 </div>
               </div>
                 <div class="row">
                  <div class="col-md-12">
                    <div class="form-group">
                       <span class="form-label">Password</span>
                         <input type="password" class="form-control" name="password"
placeholder="Enter Your Password" required="true">
                       <span class="select-arrow"></span>
                    </div>
                  </div>
               </div>
```

```
<div class="form-btn">
                     <button class="submit-btn">Sign Up</button>
                  </div>
                  <div class="form-btn">
                      Already a member? <a</pre>
href="/login">Sign In</a> 
                  </div>
                 </form>
               </div>
               <!Booking form>
      </div>
     </div>
   </div>
  </div>
 </div>
 <!-- **** Main Banner Area End **** -->
 <!-- Scripts -->
 <!-- Bootstrap core JavaScript -->
 <script src="{{ url_for('static', filename='jquery/jquery.min.js') }}"></script>
 <script src="{{ url for('static', filename='bootstrap/js/bootstrap.min.js') }}" ></script>
 <script src="{{ url_for('static', filename='js/isotope.min.js') }}"></script>
 <script src="{{ url_for('static', filename='js/owl-carousel.js') }}"></script>
 <script src="{{ url_for('static', filename='js/tabs.js') }}"></script>
 <script src="{{ url_for('static', filename='js/popup.js') }}"></script>
 <script src="{{ url_for('static', filename='js/custom.js') }}"></script>
</body>
</html>
Style.css
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>TRAVELER - Free Travel Website Template</title>
  <meta content="width=device-width, initial-scale=1.0" name="viewport">
  <meta content="Free HTML Templates" name="keywords">
  <meta content="Free HTML Templates" name="description">
  <!-- Favicon -->
  k href="img/favicon.ico" rel="icon">
  <!-- Google Web Fonts -->
  k rel="preconnect" href="https://fonts.gstatic.com">
  k
```

```
href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700&display=swap"
rel="stylesheet">
  <!-- Font Awesome -->
  <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css"</pre>
rel="stylesheet">
  <!-- Libraries Stylesheet -->
  <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
  <link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css" rel="stylesheet" />
  <!-- Customized Bootstrap Stylesheet -->
  <link href="css/style.css" rel="stylesheet">
</head>
<body>
  <!-- Topbar Start -->
  <div class="container-fluid bg-light pt-3 d-none d-lg-block">
     <div class="container">
       <div class="row">
       </div>
     </div>
  </div>
  <!-- Topbar End -->
  <!-- Navbar Start -->
  <div class="container-fluid position-relative nav-bar p-0">
     <div class="container-lg position-relative p-0 px-lg-3" style="z-index: 9;">
       <nav class="navbar navbar-expand-lq bq-light navbar-light shadow-lq py-3 py-lq-0 pl-3 pl-</p>
lg-5">
          <a href="" class="navbar-brand">
            <h1 class="m-0 text-primary"><span class="text-dark">TRAVEL</span>ER</h1>
          </a>
          <but><button type="button" class="navbar-toggler" data-toggle="collapse" data-</td>
target="#navbarCollapse">
            <span class="navbar-toggler-icon"></span>
          </button>
          <div class="collapse navbar-collapse justify-content-between px-3" id="navbarCollapse">
            <div class="navbar-nav ml-auto py-0">
               <a href="index.html" class="nav-item nav-link active">Home</a>
               <a href="about.html" class="nav-item nav-link">About</a>
               <a href="service.html" class="nav-item nav-link">Services</a>
               <a href="package.html" class="nav-item nav-link">Tour Packages</a>
               <div class="nav-item dropdown">
                 <a href="#" class="nav-link dropdown-toggle" data-
toggle="dropdown">Pages</a>
                 <div class="dropdown-menu border-0 rounded-0 m-0">
                    <a href="blog.html" class="dropdown-item">Blog Grid</a>
                    <a href="single.html" class="dropdown-item">Blog Detail</a>
                    <a href="destination.html" class="dropdown-item">Destination</a>
                    <a href="guide.html" class="dropdown-item">Travel Guides</a>
                    <a href="testimonial.html" class="dropdown-item">Testimonial</a>
                 </div>
               </div>
```

Contact

```
</div>
          </div>
       </nav>
     </div>
  </div>
  <!-- Navbar End -->
  <!-- Carousel Start -->
  <div class="container-fluid p-0">
     <div id="header-carousel" class="carousel slide" data-ride="carousel">
       <div class="carousel-inner">
          <div class="carousel-item active">
            <img class="w-100" src="img/carousel-1.jpg" alt="Image">
            <div class="carousel-caption d-flex flex-column align-items-center justify-content-</p>
center">
               <div class="p-3" style="max-width: 900px;">
                 <h4 class="text-white text-uppercase mb-md-3">Tours & Travel</h4>
                 <h1 class="display-3 text-white mb-md-4">Let's Discover The World
Together</h1>
                 <a href="" class="btn btn-primary py-md-3 px-md-5 mt-2">Book Now</a>
               </div>
            </div>
          </div>
          <div class="carousel-item">
            <img class="w-100" src="img/carousel-2.jpg" alt="Image">
            <div class="carousel-caption d-flex flex-column align-items-center justify-content-</p>
center">
               <div class="p-3" style="max-width: 900px;">
                 <h4 class="text-white text-uppercase mb-md-3">Tours & Travel</h4>
                 <h1 class="display-3 text-white mb-md-4">Discover Amazing Places With
Us</h1>
                 <a href="" class="btn btn-primary py-md-3 px-md-5 mt-2">Book Now</a>
               </div>
            </div>
          </div>
       </div>
       <a class="carousel-control-prev" href="#header-carousel" data-slide="prev">
          <div class="btn btn-dark" style="width: 45px; height: 45px;">
            <span class="carousel-control-prev-icon mb-n2"></span>
          </div>
       </a>
       <a class="carousel-control-next" href="#header-carousel" data-slide="next">
          <div class="btn btn-dark" style="width: 45px; height: 45px;">
            <span class="carousel-control-next-icon mb-n2"></span>
          </div>
       </a>
     </div>
  </div>
  <!-- JavaScript Libraries -->
  <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
  <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.js"></script>
  <script src="lib/easing/easing.min.js"></script>
  <script src="lib/owlcarousel/owl.carousel.min.js"></script>
  <script src="lib/tempusdominus/js/moment.min.js"></script>
```

```
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
  <script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script>
  <!-- Contact Javascript File -->
  <script src="mail/jqBootstrapValidation.min.js"></script>
  <script src="mail/contact.js"></script>
  <!-- Template Javascript -->
  <script src="js/main.js"></script>
</body>
</html>
Style1.Css
.section {
       position: relative;
       height: 100vh;
}
.section .section-center {
       position: absolute;
       top: 50%;
       left: 0;
       right: 0;
       -webkit-transform: translateY(-50%);
       transform: translateY(-50%);
}
.booking-form {
       position: relative;
       background: #fff;
       max-width: 642px;
       width: 100%;
       margin: auto;
       padding: 45px 25px 25px;
       border-radius: 4px;
       -webkit-box-shadow: 0px 0px 10px -5px rgba(0, 0, 0, 0.4);
       box-shadow: 0px 0px 10px -5px rgba(0, 0, 0, 0.4);
}
.booking-form .form-group {
       position: relative;
       margin-bottom: 20px;
}
.booking-form .form-control {
       background-color: #fff;
       height: 65px;
       padding: 0px 15px;
       padding-top: 24px;
       color: #191a1e;
       border: 2px solid #7453fcab;
       font-size: 16px;
```

font-weight: 700;

```
-webkit-box-shadow: none;
       box-shadow: none;
       border-radius: 4px;
       -webkit-transition: 0.2s all;
       transition: 0.2s all;
}
.booking-form .form-control::-webkit-input-placeholder {
       color: #fff;
}
.booking-form .form-control:-ms-input-placeholder {
       color: #fff;
}
.booking-form .form-control::placeholder {
       color: #00000099;
}
.booking-form .form-control:focus {
       background: #fff;
}
.booking-form input[type="date"].form-control:invalid {
       color: #dfe5e9;
}
.booking-form select.form-control {
       -webkit-appearance: none;
       -moz-appearance: none;
       appearance: none;
}
.booking-form select.form-control+.select-arrow {
       position: absolute;
       right: 6px;
       bottom: 6px;
       width: 32px;
       line-height: 32px;
       height: 32px;
       text-align: center;
       pointer-events: none;
       color: #dfe5e9;
       font-size: 14px;
}
.booking-form select.form-control+.select-arrow:after {
       content: '\279C';
       display: block;
       -webkit-transform: rotate(90deg);
       transform: rotate(90deg);
}
.booking-form .form-label {
       position: absolute;
       top: 6px;
       left: 20px;
```

```
font-weight: 700;
       text-transform: uppercase;
       line-height: 24px;
       height: 24px;
       font-size: 12px;
       color: #7453fc;
}
.booking-form .form-checkbox input {
       position: absolute !important;
       margin-left: -9999px !important;
       visibility: hidden !important;
}
.booking-form .form-checkbox label {
       position: relative;
       padding-top: 4px;
       padding-left: 30px;
       font-weight: 700;
       color: #191a1e;
}
.booking-form .form-checkbox label+label {
       margin-left: 15px;
}
.booking-form .form-checkbox input+span {
       position: absolute;
       left: 2px;
       top: 4px;
       width: 20px;
       height: 20px;
       background: #fff;
       border: 2px solid #dfe5e9;
       border-radius: 50%;
}
.booking-form .form-checkbox input+span:after {
       content: ";
       position: absolute;
       top: 50%;
       left: 50%;
       width: 0px;
       height: 0px;
       border-radius: 50%;
       background-color: #4fa3e3;
       -webkit-transform: translate(-50%, -50%);
       transform: translate(-50%, -50%);
       -webkit-transition: 0.2s all;
       transition: 0.2s all;
}
.booking-form .form-checkbox input:not(:checked)+span:after {
       opacity: 0;
}
.booking-form .form-checkbox input:checked+span:after {
```

```
opacity: 1;
       width: 10px;
       height: 10px;
}
.booking-form .submit-btn {
       color: #fff;
       background-color: #7453fc;
       font-weight: 400;
       height: 65px;
       font-size: 18px;
       border: none;
       width: 100%;
       border-radius: 4px;
       text-transform: uppercase
}
.booking-cta {
       margin-top: 10px;
}
.booking-cta h1 {
       font-size: 52px;
       text-transform: uppercase;
       color: #fff;
       font-weight: 400;
}
.booking-cta p {
       font-size: 22px;
       color: #fff;
}
```