

IMPLEMENTING WEB APPLICATION

Create UI to Interact with Application

Team ID	PNT2022TMID48229
Project Name	Smart Fashion Recommender Application
Team Members	ReshmiDevi K Nikitha C Snega R Harini D Mohabbath Sabeena A

Login.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Log in</title>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<style>
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&disp
lay=swap');
@import
url('https://fonts.googleapis.com/css2?family=Lobster&display=swap');
* {
margin: 0;
padding: 0;
box-sizing: border-box;
font-family: 'Poppins', sans-serif;
}
.form {
```

```
margin-top: 20px;
height: 100vh;
background: #28292d;
z-index: 10;
padding: 40px 40px;
display: flex;
flex-direction: column;
}
.form h2 {
color: white;
font-weight: 500;
text-align: center;
letter-spacing: 0.1em;
}
.inputBox {
position: relative;
width: 100%;
margin-top: 35px;
}
.inputBox input {
position: relative;
width: 100%;
padding: 10px 10px 10px;
background: transparent;
border: none;
outline: none;
color: white;
font-size: 1em;
letter-spacing: 0.05em;
z-index: 10;
}
.inputBox span {
position: absolute;
left: 0;
```

```
padding: 20px 0px 10px;
font-size: 1em;
color: white;
pointer-events: none;
letter-spacing: 0.05em;
transition: 0.5s;
}
.inputBox i {
position: absolute;
left: 0;
bottom: 0;
width: 100%;
height: 2px;
background: #45ffc1;
transition: 0.5s;
pointer-events: none;
z-index: 0;
}
.links {
display: flex;
justify-content: space-between;
}
.links>a {
margin: 10px 0;
font-size: 0.75em;
color: #8f8f8f;
text-decoration: none;
}
.links>a:hover,
.links>p a {
color: #45ffc1;
text-decoration: none;
}
input[type="submit"] {
```

```
border: none;
outline: none;
background: #45ffc1;
padding: 11px 25px;
width: 100px;
margin-top: 10px;
border-radius: 4px;
font-weight: 600;
cursor: pointer;
}
input[type="submit"]:active {
opacity: 0.8;
}
.font {
font-family: 'Poppins', sans-serif;
top: 0;
margin-left: 120%;
text-align: left;
}
.fa {
color: aliceblue;
}
p {
color: white;
}
.navbar {
overflow: hidden;
background-color: #151b54;
position: fixed;
top: 0;
width: 100%;
font-size: 3vh;
}
.navbar>a {
```


```
float: right;
display: block;
color: #f2f2f2;
text-align: center;
padding: 14px 16px;
text-decoration: none;
font-size: 17px;
}
.navbar>a:hover {
background: #ddd;
color: black;
}
.title {
padding: 12px 12px;
color: #f2f2f2;
}
</style>
</head>
<body>
<div class="navbar">
<a href="/login">Sign in</a>
<a href="/register">Sign up</a>
<a href="/adminlogin">Admin</a>
<div class="title">
<h3><a style="color: pink; text-decoration: none;" href="/">Smart Fashion
Recommender Application</a></h3>
</div>
</div>
<form method="post">
<div class="box">
<div class="form">
<h2>Sign in</h2>
<div class="inputBox">
<input type="text" name="email" placeholder="Email"
```

```

required>
<i></i>
</div>
<div class="inputBox">
<input type="password" name="password"
placeholder="Password" required>
<i></i>
</div>
<div class="links">
<a href="#">Forget password</a>
<p><a href="/register">Sign in</a> or <a
href="/adminlogin">Admin</a></a></p>
</div>
<input type="submit" value="Login">
</div>
</div>
</form>
</body>
</html>

```

Login Output:



Register form:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Registration</title>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<style>
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&disp
lay=swap');
@import
url('https://fonts.googleapis.com/css2?family=Lobster&display=swap');
* {
margin: 0;
padding: 0;
box-sizing: border-box;
font-family: 'Poppins', sans-serif;
}
.form {
margin-top: 20px;
height: 100vh;
background: #28292d;
z-index: 10;
padding: 40px 40px;
display: flex;
flex-direction: column;
}
.form h2 {
color: white;
font-weight: 500;
```

```
text-align: center;
letter-spacing: 0.1em;
}
.inputBox {
position: relative;
width: 100%;
margin-top: 35px;
}
.inputBox input {
position: relative;
width: 100%;
padding: 10px 10px 10px;
background: transparent;
border: none;
outline: none;
color: white;
font-size: 1em;
letter-spacing: 0.05em;
z-index: 10;
}
.inputBox span {
position: absolute;
left: 0;
padding: 20px 0px 10px;
font-size: 1em;
color: white;
pointer-events: none;
letter-spacing: 0.05em;
transition: 0.5s;
}
.inputBox i {
position: absolute;
left: 0;
bottom: 0;
```



```
width: 100%;
height: 2px;
background: #45ffc1;
transition: 0.5s;
pointer-events: none;
z-index: 0;
}
.links {
display: flex;
justify-content: space-between;
}
.links>a {
margin: 10px 0;
font-size: 0.75em;
color: #8f8f8f;
text-decoration: none;
}
.links>a:hover,
.links>p a {
color: violet;
text-decoration: none;
}
input[type="submit"] {
border: none;
outline: none;
background: #45ffc1;
padding: 11px 25px;
width: 100px;
margin-top: 10px;
border-radius: 4px;
font-weight: 600;
cursor: pointer;
}
input[type="submit"]:active {
```

```
opacity: 0.8;
}
.font {
font-family: 'Poppins', sans-serif;
top: 0;
margin-left: 120%;
text-align: left;
}
.fa {
color: aliceblue;
}
p {
color: white;
}
.navbar {
overflow: hidden;
background-color: #151b54;
position: fixed;
top: 0;
width: 100%;
font-size: 3vh;
}
.navbar>a {
float: right;
display: block;
color: violet;
text-align: center;
padding: 14px 16px;
text-decoration: none;
font-size: 17px;
}
.navbar>a:hover {
background: #ddd;
color: #f2f2f2 ;
```

```
}  
.title {  
padding: 12px 12px;  
color: blue;  
}  
</style>  
</head>  
<body>  
<div class="navbar">  
<a href="/login">Sign in </a>  
<a href="/register">Sign up</a>  
<a href="/adminlogin">Admin</a>  
<div class="title">  
<h3><a style="color: white; text-decoration: none;" href="/">Smart  
Fashion</a></h3>  
</div>  
</div>  
<form method="post">  
<div class="box">  
<div class="form">  
<h2>Sign up</h2>  
<div class="inputBox">  
<input type="text" name="username" placeholder="Username"  
required>  
<i></i>  
</div>  
<div class="inputBox">  
<input type="email" name="email" placeholder="Email"  
required>  
<i></i>  
</div>  
<div class="inputBox">  
<input type="text" name="phoneno" placeholder="Phone  
Number" required>
```

```

<i></i>
</div>
<div class="inputBox">
<input type="password" name="password"
placeholder="Password" required>
<i></i>
</div>
<div class="links">
<a href="#">Forget password</a>
<p style="color: white;"><a href="/login">Login</a> or <a
href="/adminregister">Admin</a></p>
</div>
<input type="submit" value="Sign Up">
</div>
</div>
</form>
</body>
</html>

```

Registration Output:

The screenshot displays a web browser window with three tabs: 'New tab', 'IBM-Project-29786-166012983', and 'Log in'. The active tab is 'Registration', showing a file path: 'C:/Users/Guru%20Prasath/Downloads/register.html'. The webpage has a dark blue header with the text 'Smart Fashion' and navigation links 'Admin', 'Sign up', and 'Sign in'. The main content area is dark grey with the title 'Sign up'. It contains four input fields: 'Username', 'Email', 'PhoneNumber', and 'Password'. Below the 'Password' field is a 'Forget password' link and a 'Login or Admin' link. A red 'Sign Up' button is at the bottom left.

View Product:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Smart Fashion Detection</title>
  <link rel="stylesheet" href="https://smart-fashion-02.s3.jp-tok.cloud-object-
storage.appdomain.cloud/style.css">
</head>
<body>
  <h1>Welcome To SHOPPING !!! Select the theme of your fashion</h1>
  <div>
    
    
    
    
    
  </div>
</body>
</html>
```

Output:

