# SPRINT - 3

Assignment Date	15 NOVEMBER 2022
Team ID	PNT2022TMID42272
Project Tittle	Smart Waste Management
	system for metropolitan cities

```
Create a node red application UI.
Code:
import time
import sys
import ibmiotf.application
import ibmiotf.device
import random
import sys
#Provide your IBM Watson Device Credentials
organization = "a7mbs7"
deviceType = "Smartgarbagebins"
deviceId = "Bin1"
authMethod = "token"
authToken = "Sakthi@2001"
# Initialize GPIO
def myCommandCallback(cmd):
  print("Command received: %s" % cmd.data['command'])
  status=cmd.data['command']
  if status =="lighton":
    print("led in on")
  else:
```

```
print ("led is off")
try:
  deviceOptions = {"org": organization, "type": deviceType, "id":
deviceld, "auth-method":authMethod, "auth-token": authToken}
  deviceCli = ibmiotf.device.Client(deviceOptions)
#.....
except Exception as e:
  print("Caught exception connecting device: %s" % str(e))
  sys.exit()
#Connect and send a datapoint "hello" with value "world" into the
cloud as an event oftype "greeting" 10 times
deviceCli.connect()
while True:
  #Get Sensor Data from DHT11
  time.sleep(5)
  ult_son=random.randint(0,80)
  weight=random.randint(0,100)
  lat = round(random.uniform(12.03, 13.50), 6)
  lon = round(random.uniform(80.80, 85.90), 6)
  data = {'Ultrasonic' : ult_son, 'Weight' : weight , 'lat' : lat,'lon':lon}
  #print data
  def myOnPublishCallback():
     print ("Published Ultrasonic: %s Cm" %ult son, "Weight: %s kg"
%weight, "lat: %s" %lat, "lon: %s" %lon)
  success = deviceCli.publishEvent("IoTSensor", "json", data, gos=0,
  on_publish=myOnPublishCallback)
  if not success:5
  print("Not connected to IoTF")
  time.sleep(1)
```

# deviceCli.commandCallback = myCommandCallback # Disconnect the device and application from the cloud deviceCli.disconnect()

```
o x
testfl.py - DytestEpy (3.9 fi)
  File Edit Format Bun Options Window Help-
Input ranhum
#Frowtide your limi Watnon Device Credentials
organization = "almbo!"
deviceType = "Desituathurpebins"
deviceType = "lesituathurpebins"
deviceType = "lesituathurpebins"
deviceType = "lesituathurpebins"
deviceType = "asituathurpebins"
authNothed = "inims"
authToken = Tasitul02001'
initialis UFIO
bef myCommandCallhack(cms):
               print("Sommand received: %s" % cmd.data["command"])
status=cmd.data['command']
if etatus =="lighton":
            if statue =="lighten":
print("led in on")
                      print ("led to off")
deviceOptions = |"org": organization, "type": deviceType, "is": deviceId, "wuth-methos":authMethod, "auth-token": authToken)
deviceCli = lbmintf.device.Client(deviceOptions)


**.

**Example Exception as a:
    print("Caught exception connecting device: %s % str(e))
    pry.exit()
**Connect and exed a datapoint "hello" with value "world" into the cloud as an event oftype "greating" 10 times
deviceCli.connect()
deviceCli.connect()
# Get Senor Data from EMT11
time, sleep [5]
uit_sob=random.randimt(0,00)
lat = round(random.uniform(12.07, 13.50), 6)
lon = round(random.uniform(12.07, 13.50), 6)
lon = round(random.uniform(12.07, 13.50), 6)
fata = ([Elizanolic * uit_son, "Weight * weight , "lat" ; lat, "lan":lon)
#print data
word gooffullishcallback();
print (Tobilishcallback)
print (Tobilishcallback)
to access = deviceCli.publishEvent("IsTSenser", "Sen", data, qua=0,
un_publish-unjohublishcallback)
to access = deviceCli.publishEvent("IsTSenser", "Sen", data, qua=0,
print ("Not composted to IsTS")
time.sleep[1]
deviceCli.connactCallback = myCommandCallback
# Disconnect the dowler and application from the cloud
deviceCli.disconnect()
```


#### **Python Output:**


```
The first Shell Dobug Options Window Needs Functioner vitrasconic 178 is weighting by latt 13.042004 lont 01.75900 Funlished Ultrasconic 128 in Weighting by latt 12.0003 lont 01.559003 Fublished Ultrasconic 130 in Weighting by latt 12.723003 lont 05.557853 Fublished Ultrasconic 130 in Weighting by latt 12.723003 lont 05.557853 Fublished Ultrasconic 130 in Weighting by latt 12.723003 lont 05.557853 Fublished Ultrasconic 130 in Weighting by latt 12.723003 lont 05.557853 Fublished Ultrasconic 130 in Weighting by latt 12.723003 lont 05.557853 Fublished Ultrasconic 130 in Weighting by latt 12.723003 lont 05.557853 Fublished Ultrasconic 175 in Weighting by latt 12.90033 lont 05.557853 Fublished Ultrasconic 175 in Weighting by latt 12.90033 lont 05.55803 Fublished Ultrasconic 175 in Weighting by latt 12.90033 lont 05.25802 Fublished Ultrasconic 175 in Weighting by latt 12.90037 lont 06.457879 Fublished Ultrasconic 175 in Weighting by latt 12.90579 lont 06.757229 Fublished Ultrasconic 120 in Weighting by latt 12.88405 lont 06.757229 Fublished Ultrasconic 120 in Weighting by latt 12.46676 lunt 02.385703 Fublished Ultrasconic 120 in Weighting by latt 12.46676 lunt 02.73570 Fublished Ultrasconic 120 in Weighting by latt 12.46676 lunt 02.73570 Fublished Ultrasconic 14 in Weighting by latt 12.46676 lunt 02.73570 Fublished Ultrasconic 14 in Weighting by latt 12.46676 lunt 02.73570 Fublished Ultrasconic 14 in Weighting by latt 12.46676 lunt 02.73570 Fublished Ultrasconic 14 in Weighting by latt 12.46677 lunt 05.55165 Fublished Ultrasconic 14 in Weighting by latt 12.46677 lunt 05.55165 Fublished Ultrasconic 16 in Weighting by latt 12.46677 lunt 05.55165 Fublished Ultrasconic 17 in Weighting by latt 12.46667 lunt 05.55165 Fublished Ultrasconic 17 in Weighting by latt 12.406667 lunt 05.55165 Fublished Ultrasconic 18 in Weighting by latt 12.406667 lunt 05.55165 Fublished Ultrasconic 18 in Weighting by latt 12.406667 lunt 05.55165 Fublished Ultrasconic 18 in Weighting by latt 12.40720 lunt 05.66671 Fublished Ultrasconic 18 in Weig
```

### **IBM Watson Output:**




#### Web UI map:







## Smart bins are in normal weight:



### Smart bins should be collected:





#### **Result:**

The node red application was successfully created and the weight of the smart bins are collected and the alert notifications are created successfully.